Northwest Watershed Research Center





Agricultural Research Service

Publication List Updated September 2013

Aase, J. K. and J. R. Wight (1969). Energy balance and its relationship to foliar cover in a native grass community. Abstracts of Paper: 22nd Annual Meeting of American Society for Range Management. Denver, CO, Society for Range Management: p. 36.

Aase, J. K. and J. R. Wight (1970). Energy balance relative to percent plant cover in a native community. Journal of Range Management. 23: 252-255.

Aase, J. K. and J. R. Wight (1972). Energy balance investigation on native range vegetation in the northern great plains. Ecology. 53: 1200-1203.

Aase, J. K. and J. R. Wight (1973). Prairie sandreed (Calamovilfa longifolia): Water infiltration and use. Journal of Range Management. 26: 212-214.

Aase, J. K., J. R. Wight, et al. (1970). Estimating soil water content on native rangeland. Agricultural Meteorology. 12: 185-191.

Abdu, H., D. A. Robinson, et al. (2008). "Geophysical Imaging of Watershed Subsurfaces Patterns and Prediction of Soil Texture and Water Holding Capacity." Water Resources Research 44: W00D18.

Aiken, R. M., G. N. Flerchinger, et al. (1997). "Energy Balance Simulation for Surface Soil and Residue Temperatures with Incomplete Cover." Agronomy Journal 89(3): 404-415.

Alberts, E. E., M. A. Nearing, et al. (1995). Chapter 7: Soil Component. National Soil Erosion Research Laboratory, Agricultural Research Service, USDA, W. Lafayette, IN.

Al-Hamdan, O. Z., F. B. Pierson, et al. (2012). "Characteristics of concentrated flow hydraulics for rangeland ecosystems: Implications for hydrologic modeling." Earth Surface Processes and Landforms 37: 157-168.

Al-Hamdan, O. Z., F. B. Pierson, et al. (2013). "Risk assessment of erosion from concentrated flow on rangelands using overland flow distribution and shear stress

partitioning." Transactions of the American Society of Agricultural and Biological Engineers 56(2): 539-548.

Al-Hamdan, O. Z., F. B. Pierson Jr, et al. (2012). "Concentrated flow erodibility for physically based erosion models: Temporal variability in disturbed and undisturbed rangelands." Water Resources Research 48(W07504).

Alkhaier, F., G. N. Flerchinger, et al. (2012). "Shallow groundwater effect on land surface temperature and surface energy balance under bare soil conditions: modeling and description." Hydrologic and Earth System Sciences 16: 1817-1831.

Alkhaier, F., Z. Su, et al. (2012). "Reconnoitering the effect of shallow groundwater on land surface temperature and surface energy balance using MODIS and SEBS." Hydrologic and Earth System Sciences 16: 1833-1844.

Allman, D. W., R. E. Williams, et al. (1969). Design and operation of an inexpensive sensitive piezometer with short timelog. Ground Water. 7.

Alsyegh, A. Y., C. L. Hanson, et al. (1966). Salt balance in livestock pond waters. South Dakota Farm and Home Research. 17: 20-22.

Ashraf, M. S., J. Boll, et al. (1998). Evaluation of WEPP Model in a Northwest Watershed. St. Joseph, Michigan. ASAE Paper No. 98-2049.

Bailey, J. E., G. L. Johnson, et al. (1992). Development and utilization of weather-based fungicide spray advisories. Presidential Meeting of Associated Applied Biologists: p. 134-137.

Bailey, J. E., G. L. Johnson, et al. (1994). Evolution of a weather-based peanut leafspot spray advisory in North Carolina. Plant Disease. 78: 530-535.

Baker, J. M., G. N. Flerchinger, et al. (1996). Sensible Heat Exchange During Snowmelt: Measurement and Simulation. In: Proceedings of the American Meteorological Society 22nd Conference on Agricultural and Forest Meteorology, January 28-February 2, 1996, Atlanta, GA.

Baker, J. M., G. N. Flerchinger, et al. (2000). Sensible Heat Exchange during Snowmelt. Chapter 12. Contaminant Hydrology: Cold Regions Modeling. S. A. In: Grant, Iskander, I.K. (eds.). Boca Raton, Florida, Lewis Publishers. 246.

Barber, D. C., A. Dyke, et al. (1999). Forcing of the cold event of 8,200 years ago by catastrophic drainage of Laurentide Lakes. Nature. 400: 344-348.

Bathurst, J. C. and K. R. Cooley (1993). Application of the SHE distributed snowmelt model at three spatial scales. European Geophysical Society XVIII General Assembly.

Bathurst, J. C. and K. R. Cooley (1995). River aquifer exchange in the SHE catchment modeling system. British Hydrological Society.

Bathurst, J. C. and K. R. Cooley (1996). Use of the SHE hydrological modeling system to investigate basin response to snowmelt at Reynolds Creek, Idaho. Journal of Hydrology. 175: 181-211.

Bin, H., J. R. Wight, et al. (1994). "Enhancing Simulation Models with Blackboard Interfacing Systems." AI Applications 8(2): 33-43.

Black, A. L. and J. R. Wight (1971). Rangeland ecosystems of the northern Great Plains as affected by high levels of nitrogen and phosphorus fertilization: III Effect on nitrogen and phosphorus availability and uptake. Abstracts of Papers: 24th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 36.

Black, A. L. and J. R. Wight (1978). Range fertilization: Nitrogen and phosphorus uptake and recovery. Abstracts of Papers: 31st Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 44.

Black, A. L. and J. R. Wight (1979). Range fertilization: Nitrogen and phosphorus uptake and recovery. Journal of Range Management. 32: 349-353.

Black, J. K. and J. R. Wight (1972). Nitrogen and phosphorous availability in a fertilized rangeland ecosystem of the northern Great Plains. Journal of Range Management. 25: 456-460.

Blackburn, W. H., R. W. Knight, et al. (1990). Stormflow and sediment loss from intensively managed forest watersheds in East Texas. Water Resources Bulletin. 26: 465-477.

Blackburn, W. H., F. B. Pierson, et al. (1992). "Spatial and Temporal Influence of Vegetation on Surface Soil Factors in Semiarid Rangelands." Transactions of the American Society of Agricultural Engineers 35(2): 479-486.

Blackburn, W. H., F. B. Pierson, et al. (1990). "Spatial and Temporal Influence of Soil Frost on Infiltration and Erosion of Sagebrush Rangelands." Water Resources Bulletin 26(6): 991-997.

Blackburn, W. H. and J. Pierson, F.B. (1992). Spatial and Temporal Soil Properties: A Key to Predicting Runoff and Erosion from Sagebrush-Cheatgrass Rangelands. IN: Proceedings of the Symposium: Ecology, Management and Restoration of Intermountain Annual Rangelands, May 18-21, 1992. Forest Service, Intermountain Research Station, Ogden, UT.

Blackburn, W. H., J. Pierson, F.B., et al. (1991). Variation in Rangeland Hydrologic/Erosion Processes. American Society of Agricultural Engineers Summer Meeting, St. Joseph, Michigan, American Society of Agricultural Engineers.

Blackburn, W. H. and F. B. Pierson Jr (1994). "Sources of Variation in Interrill Erosion on Rangelands." Variability in Rangeland Water Erosion Processes. Proc. symposium, Minneapolis, 1992: 1-9.

Blackburn, W. H., F. B. Pierson Jr, et al. (1994). "Variability in Rangeland Water Erosion Processes. Proceedings of a symposium, Minneapolis, Minnesota, November 1992." Variability in rangeland water erosion processes. Proceedings of a symposium, Minneapolis, Minnesota, November 1992.

Blackburn, W. H. and J. C. Wood (1990). Nutrient export in stormflow following forest harvesting and site-preparation in East Texas. Journal of Environmental Quality. 19: 402-408.

Blackburn, W. H. and M. K. Wood (1990). Influence of soil frost on infiltration of shrub coppice dune and dune interspace soils in Southeastern Nevada. Great Basin Naturalist. 50: 41-46.

Blackburn, W. H. and M. K. Wood (1991). Western rangeland riparian waste management issues. Proceeding of the National Livestock Poultry and Aquaculture Waste Management, American Society of Agricultural Engineers: p. 253-257.

Bonta, J. V., C. L. Hanson, et al. (2001). Analysis of Seasonal, Climate, and Elevation Effects on Times between Storms.

Bonta, J. V., S. P. Hardegree, et al. (2012). "Characterization of within-day beginning times of storms for stochastic simulation." Transactions of the ASABE 55(4): 1179-1192.

Bonta, J. V. and F. B. Pierson (2003). "Design, Measurement, and Sampling with Drop-Box Weirs." Applied Engineering in Agriculture 19(6): 689-700.

Bonta, R. M., L. S. Darby, et al. (1999). Wind-flow patterns in the Grand Canyon as revealed by Doppler Lidar. Journal of Applied Meteorology.

Bosch, D., K. Humes, et al. (1994). Spatial and Temporal Variability of Landscapes. ARS Report No. 1994-5: 59-66.

Brady, J. A., P. R. Robichaud, et al. (2001). Infiltration Rates after Wildfire in the Bitterroot Valley. American Society of Agricultural Engineers Meeting Paper No. 01-8003. St. Joseph, Michigan.

Brakensiek, D. L. (1958). Fitting a generalized log-normal distribution to hydrologic data. Transactions of the American Geophysical Union. 39: 469-473.

Brakensiek, D. L. (1959). Selecting the water year for small agricultural watersheds. Transactions of the ASAE. 2: 5-10.

Brakensiek, D. L. (1962). Discussion of "General Solution For Open Channel Profiles" by J.A.Liggett. Journal of Hydraulics Division, Proceedings of the American Society of Civil Engineers. 88: 255-257.

Brakensiek, D. L. (1963). Estimating coefficients for storage flood routing. Journal of Geophysical Research. 68: 6471-6474.

Brakensiek, D. L. (1965). An implicit flood routing method. ASCE Hydraulics Division Conference.

Brakensiek, D. L. (1966). Automated system for analysis of runoff hydrographs. Beltsville, MD, Agricultural Research Service, Division of Soil and Water Conservation.

Brakensiek, D. L. (1966). Hydrodynamics of overland flow and nonprismatic channels. Transactions of the ASAE. 9: 119-122.

Brakensiek, D. L. (1966). Storage flood routing without coefficients, Agricultural Research Service.

Brakensiek, D. L. (1967). Finite differencing methods. Water Resources Research. 3: 847-860.

Brakensiek, D. L. (1967). Kinematic flood routing. Transactions of the ASAE. 10: 340-343.

Brakensiek, D. L. (1967). A simulated watershed flow system for hydrograph prediction: A kinematic application. International Hydrology Symposium: p. 18-24.

Brakensiek, D. L. (1967). A technique for analysis of runoff hydrographs. Journal of Hydrology. 5: 21-32.

Brakensiek, D. L. (1969). Comments on "A New Method of Flow Routing" by D.M. Himmelblau and R.V. Yates. Water Resources Research. 5: 926.

Brakensiek, D. L. (1970). Discussion of "Infiltration of Water into Nonuniform Soil" by Herman Bouwer. Journal of the Irrigation and Drainage Division, Proceedings of the American Society of Civil Engineers. 96: 358-360.

Brakensiek, D. L. (1973). Response to review - Hydrologic data- What to do with it. EOS, Transactions of the American Geophysical Union. 54: 718-719.

Brakensiek, D. L. (1977). Estimating the effective capillary pressure in the Green and Ampt infiltration equation. Water Resources Research. 13: 680-682.

Brakensiek, D. L. (1979). Comments on "Empirical Equations for Some Soil Hydraulic Properties" by Roger B. Clapp and George M. Hornberger. Water Resources Research. 15: 989-990.

Brakensiek, D. L. (1979). Empirical and simplified models of the infiltration process. Infiltration Research Planning Workshop: Part I. State of the Art Reports. Peoria, IL, Agricultural Research (North Central Region), Science and Education Administration, USDA: p. 1-9.

Brakensiek, D. L. and C. R. Amerman (1960). Evaluating effect of land use on stream flow. Agriculturla Engineering. 41: 158-161, 167.

Brakensiek, D. L. and C. R. Amerman (1962). Discussion of "An improved statistical model for evaluating parameters affecting water yields of river basins," a paper by B. Harris, A.L. Sharp, A.E. Gibbs, and W.V. Owen, Journal of Geophysical Research. 67: 3638-3639.

Brakensiek, D. L. and G. H. Comer (1965). A re-examination of flood routing method comparison. Journal of Hydrology. 3: 225-230.

Brakensiek, D. L. and F. J. Dragoun (1967). A critique on storage flood routing. 1967 Annual Meeting American Society of Agricultural Engineers. St. Joseph, MI, American Society of Agricultural Engineers. ASAE paper no. 67-740.

Brakensiek, D. L., R. L. Engleman, et al. (1981). Variation within texture classes of soil water parameters. Transactions of the ASAE. 24: 335-339.

Brakensiek, D. L. and R. K. Frevert (1961). Analysis and application of infiltrometer tests. Transactions of the ASAE. 4: 75-77.

Brakensiek, D. L., A. L. Heath, et al. (1966). Numerical techniques for small watershed flood routing, Agricultural Research Service.

Brakensiek, D. L. and C. A. Onstad (1968). The synthesis of distributed inputs for hydrograph predictions. Water Resources Research. 4: 79-85.

Brakensiek, D. L. and C. A. Onstad (1977). Parameter estimation of the Green and Ampt infiltration equation. Water Resources Research. 13: 1009-1012.

Brakensiek, D. L., C. A. Onstad, et al. (1983). Tillage and soil crusting effects on infiltration parameters. National Conference on Advances in Infiltration. St. Joseph, MI, ASAE. Paper No. 2P12.

Brakensiek, D. L. and W. J. Rawls (1981). An infiltration based rainfall-runoff model for a SCS type II distribution. Winter Meeting, ASAE. St. Joseph, MI, American Society of Agricultural Engineers. Paper No. 81-2504: 1-16.

Brakensiek, D. L. and W. J. Rawls (1982). An Infiltration based runoff model for a standardized 24-hour rainfall. Transactions of the ASAE. 25: 1607-1611.

Brakensiek, D. L. and W. J. Rawls (1983). Agricultural management effects on soil water processes. Part II: Green and Ampt parameters for crusting soils. Transactions of the ASAE. 26: 1753-1757.

Brakensiek, D. L. and W. J. Rawls (1983). Green-Ampt infiltration model parameters for hydrologic classification of soils. Proceedings of the Specialty Conference on Advances in Irrigation and Drainage, ASCE, ASCE.

Brakensiek, D. L., W. J. Rawls, et al. (1977). Application of an infiltrometer system for describing Infiltration into soils. 1977 Winter Meeting American Society of Agricultural Engineers. St. Joseph, MI, American Society of Agricultural Engineers. paper no. 77-2553: 1-17.

Brakensiek, D. L., W. J. Rawls, et al. (1979). Application of an infiltrometer system for describing infiltration into soils. Transactions of the ASAE. 22: 320-333.

Brakensiek, D. L., W. J. Rawls, et al. (1982). Infiltration parameter values for transient soil conditions. 1982 Winter Meeting American Society of Agricultural Engineers. St. Joseph, MI, ASAE. paper no. 82-2589.

Brakensiek, D. L., W. J. Rawls, et al. (1984). Modifying SCS hydrologic soil groups and curve numbers for rangeland soils. 1984 Annual Meeting ASAE, Pacific Northwest Region. St. Joseph, MI, American Society of Agricultural Engineers. paper no. PNR-84-203: p. 1-13.

Brakensiek, D. L., W. J. Rawls, et al. (1986). Determining the saturated hydraulic conductivity of a soil containing rock fragments. Soil Science Society of America Journal. 50: 834-835.

Brakensiek, D. L., W. J. Rawls, et al. (1986). A note on determining soil properties for soils containing rock fragments. Journal of Range Management. 39: 408-409.

Brakensiek, D. L. and A. W. Zingg (1957). Application of the extreme value statistical distribution to annual precipitation and crop yields.

Breck, S., P. Clark, et al. (2012). "A perspective on livestock wolf interactions on western rangelands." Rangelands 34(5): 6-11.

Bullen, A. J., M. Molnau, et al. (1982). Frost depth model for agricultural and rangeland areas. American Society of Agricultural Engineers Pacific Northwest Regional meeting. St. Joseph, MI, American Society of Agricultural Engineers.

Burgess, M. D. and L. M. Cox (1975). A bipolar analog integrator for use with net radiometers. Agricultural Meteorology. 15: 385-391.

Burgess, M. D. and C. L. Hanson (1979). Automatic soil-frost measuring system. Agricultural Meteorology. 20: 313-318.

Burgess, M. D. and C. L. Hanson (1981). Automatic Class-A pan-filling system. Journal of Hydrology. 50: 389-392.

Burgess, M. D. and C. L. Hanson (1983). Microprocessor-controlled precipitation data collection system. Journal of Hydrology. 66: 369-374.

Burroughs, J., E.R., F. J. Watts, et al. (1985). Measurement of the Relative Effectiveness of Rocked Roads and Ditches in Reducing Surface Erosion. In: Proceedings of the 21st Annual Engineering Geology and Soils Engineering Symposium, April 5-6, 1984, Moscow, ID, University of Idaho, Dept. of Civil Engineering.

Burton, D. P., C. L. Hanson, et al. (1990). Frost distribution and occurrence on a rangeland watershed in southwest Idaho. Northwest Science. 64: 140-149.

Burton, D. P., M. Molnau, et al. (1985). Frost distribution and occurrence on a rangeland watershed. American Society of Agricultural Engineers, Pacific Northwest Regional meeting. St. Joseph, MI, American Society of Agricultural Engineers.

Campbell, J. L., S. V. Ollinger, et al. (2010). "Past and Projected Future Changes in Snowpack and Soil Frost at the Hubbard Brook Experimental Forest, New Hampshire, USA." Hydrological Processes 24(17): 2465-2480.

Campbell, W. G. and D. G. Marks (1989). Potential Effects of Global Warming on Regional Forest Hydrology. In: Proceedings of the 1989 Forestry Conference.

Campbell, W. G. and D. G. Marks (1990). The Role of Geographic Information and Analysis in Global Climate Change Research: An EPA Perspective. In: Proceedings of the 1990 ESRI Users Conference.

Carlson, D. H., T. L. Thurow, et al. (1991). SPUR-91: Simulation of production and utilization of rangelands. Water Resources: 1021-1068.

Carpinelli, M. F., C. S. Schauer, et al. (2005). "Effect of Ruminal Incubation on Perennial Pepperweed Germination." Rangeland Ecology and Management 58(6): 632-636.

Chandler, D. and M. S. Seyfried (2005). "Response to, "Comments on "Field Calibration of Water Content Reflectometers"." Soil Science Society of America Journal 69: 1357-1358.

Chandler, D. G., M. Seyfried, et al. (2004). "Field Calibration of Water Content Reflectometers." Soil Science Society of America Journal 68(5): 1501-1507.

Chauvin, G. M., G. N. Flerchinger, et al. (2008). Long-Term Annual Water Balance of a Semi-Arid Mountainous Catchment, Providence, RI.

- Chauvin, G. M., G. N. Flerchinger, et al. (2011). "Long-Term Water Balance and Conceptual Model of a Semi-Arid Mountainous Catchment." Journal of Hydrology.
- Clark, P. E. (1994). Livestock-Big Game Interactions: A Selected Review with Emphasis on Literature from the Interior Pacific Northwest: 109 pp.
- Clark, P. E. (2000). Stream Shading Assessment with Airborne Multispectral Videography. In: M. Flug and D. Frevert (eds.) Watershed Management 2000 B Science and Engineering Technology for the New Millennium. June 20-24, 2000. Fort Collins, Colorado. American Society of Civil Engineers. Reston, Virginia. 2000. e. W. M. S. a. E. T. f. t. N. M. M. Flug and D. Frevert: 1-11.
- Clark, P. E. (2003). Date and Plant Community Effects on Elk Sedge Quality. Journal of Range Management. 56: 21-26.
- Clark, P. E. and S. P. Hardegree (2005). "Quantifying Vegetation Change by Point Sampling Landscape Photography Time Series." Rangeland Ecology and Management 58(6): 588-597.
- Clark, P. E., S. P. Hardegree, et al. (2008). "Point Sampling to Stratify Biomass Variability in Sagebrush Steppe Vegetation." Rangeland Ecology and Management 61(6): 614-622.
- Clark, P. E. and D. E. Johnson (2009). Wolf-Cattle Interactions in the Northern Rocky Mountains. In: Range Field Day 2009 Progress Report. Special Report 1092. Corvallis, OR: Oregon State University, Agricultural Experiment Station. p. 1-7.
- Clark, P. E., D. E. Johnson, et al. (2008). "A Direct Approach for Quantifying Stream Shading." Rangeland Ecology and Management 61(3): 339-345.
- Clark, P. E., D. E. Johnson, et al. (2006). Low-Cost Radiation Shielding for Use in Mapping the Thermal Environments of Rangeland Animals. Rangeland Ecology and Management. 59:: 674-679.
- Clark, P. E., D. E. Johnson, et al. (2006). An Advanced, Low Cost, GPS Based Animal Tracking System. Rangeland Ecology and Management. 59(3):: 334-340.
- Clark, P. E., W. C. Krueger, et al. (1996). Use of Livestock to Improve the Nutritional Quality of Elk Winter Range Forage in Northeastern Oregon. K. E. e. Evans: pp. 77-80.
- Clark, P. E., W. C. Krueger, et al. (1998). Spring Defoliation Effects on Bluebunch Wheatgrass. II: Basal Area. Journal of Range Management. 51: 526-530.
- Clark, P. E., W. C. Krueger, et al. (1998). Spring Defoliation Effects on Bluebunch Wheatgrass: I Winter Forage Quality. Journal of Range Management. 51:: 519-525.
- Clark, P. E., W. C. Krueger, et al. (2000). Livestock Grazing Effects on Forage Quality of Elk Winter Range. Journal of Range Management. 53:: 97-105.

Clark, P. E., C. A. Moffet, et al. (2012). "Water quality effects of herded stream crossings by domestic sheep bands." Journal of Environmental Quality 41(5): 1580-1590.

Clark, P. E. and M. S. Seyfried (2001). "Point Sampling for Leaf Area Index in Sagebrush Steppe Communities." Journal of Range Management 54(5): 589-594.

Clark, P. E., M. S. Seyfried, et al. (2001). "Intermountain Plant Community Classification Using Landsat TM and SPOT HRV Data." Journal of Range Management 54(2): 152-160.

Cline, N. L., B. A. Roundy, et al. (2010). "Hydrologic Response to Mechanical Shredding in a Juniper Woodland." Rangeland Ecology and Management 63(4): 467-477.

Cluff, C. B. and K. R. Cooley (1974). Rainwater harvesting. More Water for Arid Lands. Washington, DC, National Academy of Science: p. 9-22.

Cooley, K. R. (1966). Rainfall and runoff relationship along the central highlands of Arizona and western New Mexico. Tucson, AZ, University of Arizona.

Cooley, K. R. (1969). Energy balance considerations in the design of floating covers for evaporation suppression. Tucson, AZ, University of Arizona.

Cooley, K. R. (1970). Energy relationships in the design of floating covers for evaporation reduction. Water Resources Research. 6: 717-727.

Cooley, K. R. (1974). Evaporation suppression for conserving water supplies. Proceedings of Water Harvesting Symposium: p. 192-200.

Cooley, K. R. (1980). Erosivity "R" for individual design storms. CREAMS: A field scale model for chemicals, runoff, and erosion from agricultural management systems, Volume III. W. G. Kinsel.

Cooley, K. R. (1980). Erosivity values for individual design storms. Journal of the Irrigation and Drainage Division, Proceedings of the American Society of Civil Engineers. 106: 135-145.

Cooley, K. R. (1981). A comparison of two methods for forecasting thunderstorms at Luke Air Force Base, Arizona. NOAA Technical Memorandum NWS WR - 19-63. Salt Lake City, UT, Scientific Services Division, Western Region Headquarters.

Cooley, K. R. (1981). Discussion of "Expanded polystyrene spheres as evaporation suppressors". Journal of the Irrigation and Drainage Division, Proceedings of the American Society of Civil Engineers. 107: 327-328.

Cooley, K. R. (1982). Erosivity values for individual design storms. Journal of Irrigation and Drainage. 108: 85-87.

Cooley, K. R. (1983). Evaporation reduction: Summary of long-term tank studies. Journal of Irrigation and Drainage Engineering, ASCE. 109: 89-98.

Cooley, K. R. (1983). Rangeland modeling. ARS/BLM Cooperative Studies, Reynolds Creek Watershed. Boise, ID, USDA-ARS.

Cooley, K. R. (1985). SNOTEL water supply forecast and instrumentation development. ARS-SCS Cooperative Study. Boise, ID, Northwest Watershed Research Center, Agriculture Research Service, U.S. Department of Agriculture.

Cooley, K. R. (1986). Evaluation of the NWSRFS model on a Montana watershed. 54th Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 112-121.

Cooley, K. R. (1986). SNOTEL water supply forecast and instrumentation development. ARS-SCS Cooperative Study. Boise, ID, Northwest Watershed Research Center, Agriculture Research Service, U.S. Department of Agriculture.

Cooley, K. R. (1986). Using real-time (SNOTEL) Data in the NWSRFS Model. American Water Resources Association, Cold Regions Hydrology Symposium. Hanover, NH, Cold Regions Research Laboratory: p. 439-448.

Cooley, K. R. (1988). Snowpack variability on western rangelands. 56th Annual Meeting-Western Snow Conference. B. Shafer. Ft. Collins, CO, Colorado State University: p. 1-11.

Cooley, K. R. (1989). Assessing the effects of climatic changes on snowpack and streamflow. 57th Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 118-121.

Cooley, K. R. (1990). Proceedings International Symposium-Frozen Soil Impacts on Agricultural, Range, and Forest Lands. Hanover, NH, US Army Corps of Engineers.

Cooley, K. R. (1990). Effects of CO2 - induced climatic changes on snowpack and streamflow. Hydrological Sciences Journal. 35: 511-522.

Cooley, K. R. (1990). Erosivity values and climatic summaries for 10 pacific basin islands. ARS-SCS Cooperative Study.

Cooley, K. R. (1995). Snow distribution and snowmelt. AGU Fall Meeting Supplement. 76.

Cooley, K. R. (1996). SNOTEL Water supply forecast and instrumentation development. ARS-NRCS Cooperative Study Annual Progress Report, ARS-NRCS.

Cooley, K. R. (1996). Snowmelt characteristics under various conditions. 64th Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 179-182.

Cooley, K. R. (1997). Rainfall-runoff erosivity factor. Predicting soil erosion by water- A guide to conservation planning with the revised universal soil loss equation (RUSLE). K. G. Renard, G. R. Foster, G. A. Weesies, D. K. McCool and D. C. Yoder, USDA-Agriculture Research Service. Agriculture Handbook Number 703: p. 384.

Cooley, K. R., L. N. Brazell, et al. (1976). Stock-water harvesting with wax on the Arizona Strip. Hydrology and Water Resources in Arizona and the Southwest, Proceedings of a Conference. Tucson, AZ, University of Arizona Press. 6: p. 291-294.

Cooley, K. R. and C. B. Cluff (1972). Reducing pond evaporation with perlite ore. Journal of the Irrigation and Drainage Division, Proceedings of the American Society of Civil Engineers. 98: 255-266.

Cooley, K. R. and C. B. Cluff (1974). Reducing evaporation from water surfaces. More Water for Arid Lands. Washington, DC, National Academy of Science: p. 73-80.

Cooley, K. R. and R. D.C. (1983). Monitoring a rain-on-snow event. 51st Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 19-26.

Cooley, K. R., A. R. Dedrick, et al. (1975). Water harvesting: State of the art. Proceeding Watershed Management Symposium, American Society of Civil Engineers: p. 1-20.

Cooley, K. R. and D. H. Fink (1973). Conserving water supplies by evaporation reduction. Proceeding Syposium on Water-Animal Relations: p. 191-199.

Cooley, K. R. and G. N. Flerchinger (1991). Some Effects of Climate Changes on Water Supplies. In: Tenth Conference on Biometeorology and Aerobiology - Special Session on Hydrometeorology, Salt Lake City, Utah, Sept. 10-13, 1991. American Meteorological Society, Boston, MA. 261pp.

Cooley, K. R., G. N. Flerchinger, et al. (1992). Effects of Climate and Vegetation Changes on Water Supplies. In: R. Hermann (ed.). Managing Water Resources During Global Change, Proceedings of the 28th Annual Conference and Symposium of the American Water Resources Association, November 1-5, 1992, Reno, NV., American Water Resources Association, Bethesda, MD.

Cooley, K. R. and G. W. Frasier (1977). Water harvesting for livestock. Proceedings, International Conference on Alternative Strategies for Desert Development and Management: p. 18.

Cooley, K. R., G. W. Frasier, et al. (1978). Water harvesting: An aid to range management. Proceeding of First International Rangeland Congress.

Cooley, K. R., C. L. Hanson, et al. (1990). SNOTEL water supply forecast and instrumentation development study. ARS-SCS Cooperative study. Boise, ID, USDA-Agricultural Research Service.

Cooley, K. R., C. L. Hanson, et al. (1991). Erosion potential of pacific basin precipitation. Proceedings of the 1991 National Conference, American Society of Civil Engineers, Irrigation and Drainage Division. W. F. Ritter. New York, NY, American Society of Civil Engineers: p. 539-545.

Cooley, K. R., C. L. Hanson, et al. (1988). Precipitation erosivity index estimates in cold climates. Transactions of the ASAE. 31: 1445-1450.

Cooley, K. R., C. L. Hanson, et al. (1992). SNOTEL water supply forecast and instrumentation development study. ARS-SCS Cooperative Study. Boise, ID, USDA-Agricultural Research Service.

Cooley, K. R., C. L. Hanson, et al. (1993). SNOTEL water supply forecast and instrumentation development. ARS-SCS Cooperative Study. Boise, ID, Northwest Watershed Research Center, ARS.

Cooley, K. R. and A. L. Huber (1985). Cooperative research on water supply forecasting. Proceedings of the Natural Resources Modeling Symposium. D. G. Decoursey, USDA-ARS. ARS-30: p. 310-314.

Cooley, K. R., A. L. Huber, et al. (1988). SNOTEL water supply forecast and instrumentation development study. ARS-SCS Cooperative study. Boise, ID, USDA-Agricultural Research Service.

Cooley, K. R., A. L. Huber, et al. (1989). SNOTEL water supply forecast and instrumentation development study. ARS-SCS Cooperative study. Boise, ID, USDA-Agricultural Research Service.

Cooley, K. R., A. L. Huber, et al. (1981). Effects of snowdrift management on rangeland runoff. 49th Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 55-64.

Cooley, K. R. and S. B. Idso (1971). Atmospheric thermal radiation: An isolated anomaly. Bulletin of the American Meteorological Society. 52: 464-465.

Cooley, K. R. and S. B. Idso (1971). A comparison of energy balance methods for estimating atmospheric thermal radiation. Water Resources Research. 7: 39-45.

Cooley, K. R. and S. B. Idso (1980). Effects of lily pads on evaporation. Water Resources Research. 16: 605-606.

Cooley, K. R. and L. J. Lane (1980). Opitimized runoff curve numbers for sugarcane and pineapple fields in Hawaii. Journal of Soil and Water Conservation. 35: 137-141.

Cooley, K. R. and L. J. Lane (1982). Modified runoff curve numbers for sugarcane and pineapple fields in Hawaii. Journal of Soil and Water Conservation. 37: 295-298.

Cooley, K. R., N. A. MacGillivray, et al. (1983). Evapotranspiration. New Crops for Desert Agriculture: Problems & Opportunities. E. W. Chatfield, University of California Cooperative Studies.

Cooley, K. R. and L. E. Myers (1969). Water harvesting and storage. Proceedings and Symposium on Modifying the Soil and Water Environment for Approaching the Agricultural Potential of the Great Plains.

Cooley, K. R. and L. E. Myers (1973). Evaporation reduction with reflective covers. Journal of the Irrigation and Drainage Division, Proceedings of the American Society of Civil Engineers. 99: 363-364.

Cooley, K. R. and L. E. Myers (1975). Evaporation reduction with reflective covers. Journal Irrigation and Drainage. 101: 224-225.

Cooley, K. R., L. E. Myers, et al. (1970). Lower cost water harvesting methods. Proceedings Symposium on Interdisciplinary Aspects of Watershed Management, ASAE: p. 27-41.

Cooley, K. R. and P. Palmer (1997). Characteristics of snowmelt from NRCS SNOTEL (SNOwTELemetry) sites. 65th Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: 1-12.

Cooley, K. R., P. L. Palmer, et al. (1994). An automated meteorological data validation system for the Soil Conservation Service SNOTEL network. 62nd Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 163-166.

Cooley, K. R. and A. Rango (1991). Effects of sampling density on estimations of snowpack characteristics. 59th Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 109-118.

Cooley, K. R. and D. C. Robertson (1984). Evaluating soil water models on western rangelands. Journal of Range Management. 37: 529-534.

Cooley, K. R. and D. C. Robertson (1985). Determining variability of snow accumulation and ablation on western rangelands. 53rd Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 156-159.

Cooley, K. R., D. C. Robertson, et al. (1987). Diurnal fluctuations in remote precipitation gage readings. 55th Annual Meeting-Western Snow Conference: p. 10-19.

Cooley, K. R., D. C. Robertson, et al. (1990). Evaluation of EPIC using a sagebrush range site. EPIC-Erosion/Productivity Impact Calculator: 1. Model Documentation. A. N. Sharply and W. J.R., USDA.

Cooley, K. R., M. L. Searcy, et al. (1995). "MAKEPROF" An interactive program for making profiles to evaluate SNOTEL data. West National Technical Center Bulletin.

Cooley, K. R., E. P. Springer, et al. (1983). SPUR: the Hydrology Component; SNOWMELT. SPUR - Simulation of Production and Utilization of Rangelands: A rangeland model for management and research. J. R. Wight, USDA-ARS.

Cooley, K. R., E. P. Springer, et al. (1987). Hydrology component: snowmelt. SPUR Simulation of Production and Utilization of Rangelands. J. R. Wight and J. W. Skiles, USDA-ARS.

Cooley, K. R., J. R. Wight, et al. (1985). Modeling soil water and evapotranspiration on rangelands. Proceeding of the Natural Resources Modeling Symposium. D. G. DeCoursey, USDA-Agriculture Research Service: p. 270-273.

Cooley, K. R. and J. R. Williams (1985). Applicability of the universal soil loss equation (USLE) and modified USLE to Hawaii. Soil Erosion and Conservation, Proceedings of "Malama Aina 83," International Conference on Soil Erosion and Conservation. S. A. El-Swaify, W. C. Moldenhauer and A. Lo. Ankeny, IA, Soil Conservation Society of America: p. 509-522.

Cooley, K. R. and J. F. Zuzel (1983). Frozen soil modeling. Proceedings of the Natural Resources Modeling Symposium. D. G. DeCoursey, USDA-ARS.

Cooley, K. R. and J. F. Zuzel (1985). Frozen soil modeling. Proceeding of the Natural Resources Modeling Symposium. D. G. DeCoursey, USDA-ARS: p. 326-328.

Cooper, C. F. (1961). Book Review of "Methods of vegetation study and manual of vegetation analysis". Wildlife Management. 25: 215.

Cooper, C. F. (1962). Grazing practice on public lands. Journal of Ecology. 43.

Cooper, C. F. (1962). Water in agriculture and arid environments. Journal of Ecology. 43: 175-176.

Cooper, C. F. (1963). An evaluation of variable plot sampling in shrub and herbaceous vegetation. Journal of Ecology. 44: 565-569.

Cooper, C. F. (1963). Investigational methods in forest hydrology. Australian Forestry. XXVII: 93-105.

Cooper, C. F. (1963). Plants, water and energy in microclimatology. Journal of Ecology. 44: 832.

Cooper, C. F. (1963). Tamarix as a potential noxious shrub. Journal of Australian Institute of Agricultural Science: p. 178-181.

Cooper, C. F. (1965). Forest fires and forest administration. Journal of Ecology. 46: 221-220.

Cooper, C. F. (1965). Snow cover measurement. Photogrammetric Engineering: p. 611-619.

Cooper, C. F. (1966). Instruments and methods/ Sampling characteristics of neutron probe measurements in a mountain snow pack. Journal of Glaciology. 6: 289-298.

Cooper, C. F. (1967). Rainfall intensity and elevation in Southwestern Idaho. Water Resources Research. 3: 131-137.

Cooper, C. F. and F. M. Smith (1966). Color aerial photography: Toy or tool? Journal of Forestry. 64: 373-378.

Cox, L. M. (1960). A hydraulic-weighing lysimeter with a large undisturbed soil core. unpublished manuscript.

Cox, L. M. (1971). Field performance of the universal precipitation gauge. Western Snow Conference Proceedings: p. 84-88.

Cox, L. M. (1973). Snow hydrology studies at the Northwest Watershed Research Center. ARS-SCS Western Hydrologist Workshop.

Cox, L. M. (1977). Snow drift management through fences. Western Livestock Journal: 1 p.

Cox, L. M., L. D. Bartee, et al. (1978). The care and feeding of snow pillows: 40-47.

Cox, L. M. and W. R. Hamon (1968). A universal surface precipitation gage. Western Snow Conference Proceedings: p. 6-8.

Cox, L. M. and B. L. (1967). Transpiration as a function of soil temperature and soil water stress. Journal of Plant Physiology. 42: 550-556.

Cox, L. M., W. J. Rawls, et al. (1975). Snow: Nature's reservoir. Water Resources Bulletin. 11: 1009-1012.

Cox, L. M. and J. F. Zuzel Can snowdrift management really provide more summer water? Journal of Range Management.

Cox, L. M. and J. F. Zuzel (1973). Forecasting runoff from universal surface gauge snowmelt measurements. Journal of Soil and Water Conservation. 28: 131-134.

Cox, L. M. and J. F. Zuzel (1976). A method for determining sensible heat transfer to latelying snowdrifts. 44th Annual Meeting-Western Snow Conference: p. 23-28.

Cox, L. M., J. F. Zuzel, et al. (1976). A device for evaluating the water vapor exchange between snow and air. Water Resources Research. 12: 22.

Cox, R. D., L. H. Kosberg, et al. (2011). "Effect of fungicide on Wyoming big sagebrush seed germination." Native Plants Journal 12(3): 263-267.

Crosby, G. S., C. M. Neale, et al. (1999). Vegetation Parameter Scaling on a Semi-Arid Watershed. 17th Biannual Workshop in Color Photography and Videography in Resource Assessment, May 5-7, 1999, University of Nevada, Reno.

Crosby, G. S., C. M. U. Neale, et al. (2000). "Remote Sensing Inputs and a GIS Interface for Distributed Hydrological Modelling." IAHS-AISH Publication (267): 421-426.

Daniel, J. A., J. V. Bonta, et al. (1994). Geohydrologic Opportunities in Agriculture and Watershed Research. In: Richardson, C.W., Rango, A., Owens, L.B., Lane, L.J. (eds.). Proceedings of the ARS Conference on Hydrology, Sept. 13-15, 1993.

Davis, R., J. Dozier, et al. (1984). Micrometeorological Measurements and Instrumentation to Support Remote Sensing Observations of an Alpine Snow Cover, Sun Valley, ID, USA.

Davis, R. E. and D. G. Marks (1980). Undisturbed Measurement of the Energy and Mass Balance of a Deep Alpine Snowcover. In: 46th Annual Proceedings of the Western Snow Conference.

Dawson, P. J., G. L. Johnson, et al. (1996). Meteorological studies in a mountainous watershed. Proceedings American Society of Mechanical Engineers, Heat Transfer and Fluids Engineering Division, 7th International Symposium on Measurement and Modeling of Environmental Flows, IMEC&E '95: p. 147-152.

Dawson, P. J., G. L. Johnson, et al. (1995). Analysis of a winter storm in Idaho. Proceedings International GEWEX workshop on cold-season/region hydrometeorology: p. 131-135.

De Groot, P. H., R. W. Jeppson, et al. (1985). A systematic evaluation of hillslope subsurface flow: The effects of slope angle and soil parameter variation. Proceeding of Committee on Watershed Management, Irrigation and Drainage Division, ASCE Convention.

Deng, Y. and C. B. Fedler (1992). Multi-layered soil effects on vertical ground-coupled heat pump design. Transactions of the ASAE. 35: 687-694.

Deng, Y., C. B. Fedler, et al. (1992). Predictions of thermal characteristics for mixed porous media. Journal of Materials in Civil Engineering, ASCE. 4: 185-195.

Deng, Y. and G. N. Flerchinger (1993). Organic Contaminant Transport and Fate Study at a Landfill Site Above the Snake River Plain Aquifer. USDA Agricultural Research Service, Northwest Watershed Research Center, Boise, Idaho, Final report submitted to the U.S. Department of Interior, Bureau of Land Management. Technical Report NWRC 92-6: 83.

Deng, Y., G. N. Flerchinger, et al. (1992). Snowmelt-Driven Subsurface Flow in a Heterogeneous Hillslope Aquifer. Presented at American Society of Agricultural Engineers Summer Meeting, June 21-24, 1992, Charlotte, NC.

Deng, Y., G. N. Flerchinger, et al. (1994). "Impacts of Spatially and Temporally varying Snowmelt on Subsurface Flow in a Mountainous Watershed: 2. Subsurface Processes." Hydrological Sciences Journal/Journal des Sciences Hydrologiques 39(5): 521-533.

Deng, Y., G. N. Flerchinger, et al. (1991). Groundwater Assessment for the Murtaugh Landfill of Idaho. Presented to the U.S. Department of Interior, Bureau of Land Management, USDA Agricultural Reserach Service, Northwest Watershed Research Center, Boise, ID. Technical Report NWRC 91-1: 90.

Deng, Y., G. N. Flerchinger, et al. (1991). Modeling Hazardous Leachate Migration from Murtaugh Landfill of Idaho. Presented at American Society of Agricultural Engineers Winter Meeting, Dec. 17-20, 1991, Chicago, IL.

Dixon, J. E., G. R. Stephenson, et al. (1980). Stocking rate influence upon pollutant losses from land wintering rangeland cattle: A preliminary study. Proceedings 4th International Symposium on Livestock Waste. St. Joseph, Michigan, ASAE: p. 261-265.

Dixon, J. E., G. R. Stephenson, et al. (1981). Livestock pollutants transported from three ground covers. 1981 Summer Meeting American Society of Agricultural Engineers. St. Joseph, MI, American Society of Agricultural Engineers. Paper No. 81-2001.

Dixon, J. E., G. R. Stephenson, et al. (1983). Comparison of runoff quality from cattle feeding on winter pastures. Transactions of the ASAE. 26: 1146-1149.

Dodd, H. L., J. K. Lewis, et al. (1974). Abiotic and herbage dynamics studies on the Cottonwood site, 1971. U.S. International Biological Programme Technical Report. Ft. Collins, Colorado, Colorado State University.

Dodson, R. and D. Marks (1997). "Daily Air Temperature Interpolated at High Spatial Resolution Over a Large Mountainous Region." Climate Research 8(1): 1-20.

Dolph, J. and D. Marks (1992). "Characterizing the Distribution of Observed Precipitation and Runoff Over the Continental United States." Climatic Change 22(2): 99-119.

Dolph, J., D. G. Marks, et al. (1992). "Sensitivity of the Regional Water Balance in the Columbia River Basin to Climate Variability: Application of a Spatially Distributed Water

Balance Model." In: Watershed Management: Balancing Sustainability and Environmental Change, R.J. Naiman, ed., Springer-Verlag: 233-265.

Dozier, J. and D. G. Marks (1987). "Snow Mapping and Classification from Landsat Matic Mapper." Annals of Glaciology 9: 97-103.

Duffy, C. J., K. R. Cooley, et al. (1991). Self-affine scaling and subsurface response to snowmelt in steep terrain. Journal of Hydrology. 123: 395-414.

Duffy, C. J., K. R. Cooley, et al. (1989). On similarity transformations for subsurface response to snowmelt in steep volcanic terrain. EOS, Transactions of the American Geophysical Union, 70: 321.

Dylla, A. S. and L. M. Cox (1973). An economical hydraulic weighing evaportranspiration tank. Transactions of the ASAE. 16: 294-301.

Eitel, J. U. H., C. J. Williams, et al. (2011). "Suitability of terrestrial laser scanning for studying surface roughness effects on concentrated flow erosion processes in rangelands." Catena 87: 398-407.

Elliot, W. J., P. R. Robichaud, et al. (2001). A Probabilistic Approach to Modeling Erosion for Spatially-Varied Conditions. . American Society of Agricultural Engineers Meeting Paper No. 01-8006. St. Joseph, Michigan.

El-Swaify, S. A. and K. R. Cooley (1978). Soil losses from sugarcane and pineapple lands in Hawaii. Proceedings of Workshop on Assessment of Erosion in USA and Europe.

El-Swaify, S. A. and K. R. Cooley (1980). Sediment losses from small agricultural watersheds in Hawaii (1972-1977).

Emmerich, W. E. and S. P. Hardegree (1990). Polyethylene Glycol Solution Contact Effects on Seed Germination. Agronomy Journal. 82: 1103-1107.

Emmerich, W. E. and S. P. Hardegree (1991). Seed Germination in Polyethylene Glycol Solution: Effects of Filter Paper Exclusion and Water Vapor Loss. Crop Science. 31: 454-458.

Emmerich, W. E. and S. P. Hardegree (1996). "Partial and Full Dehydration Impact on Germination of Four Warm-Season Grasses." Journal of Range Management 49(4): 355-360.

England, C. B. and G. R. Stephenson (1970). Response units for evaluating the hydrologic performance of rangeland watersheds. Journal of Hydrology. 11: 89-97.

Engleman, R. L., M. D. Burgess, et al. (1980). Updating a hydrologic digitizing system. Agricultural Engineering. 61: 18-19.

Epperson, D. L., G. L. Johnson, et al. (1988). Weather and climate in North Carolina, North Carolina Agriculture Extension Service.

Essery, R., P. Bunting, et al. (2008). "Radiative Transfer Modeling of a Coniferous Canopy Characterized by Airborne Remote Sensing." Journal of Hydrometeorology 9(2): 228-241.

Essery, R. and D. Marks (2007). "Scaling and Parametrization of Clear-Sky Solar Radiation Over Complex Topography." Journal of Geophysical Research D: Atmospheres 112(10).

Essery, R., D. Marks, et al. (2009). "Subsurface, Surface and Atmospheric Processes in Cold Regions Hydrology." Hydrological Processes 23(17): 2496-2497.

Fend, J. F., J. Thornton, et al. (1999). The Science and Politics of the 1996 Boise Front Fire-What We Learned from the 8th Street Rehabilitation Effort. In: C.W. Slaughter (ed.), Western Watersheds: Science, Sense and Strategies. Proceedings of the Seventh Biennial Watershed Management Conference. University of California, Davis, CA. Water Resources Center Report NO. 98.

Fink, D. H. and K. R. Cooley (1973). Water harvesting for improved grazing efficiency. Proceedings of the Symposium on Water-Animal Relations: p. 200-208.

Fink, D. H., K. R. Cooley, et al. (1973). Wax-treated soils for harvesting water. Journal of Range Management. 26: 396-398.

Fink, D. H., G. W. Frasier, et al. (1980). Water harvesting by wax-treated soil surfaces: Progress, problems and potential. Agriculture Water Management. 3: 125-134.

Finzel, J. A., M. S. Seyfried, et al. (2012). "Indirect measurement of leaf area index in sagebrush-steppe rangelands." Rangeland Ecology and Management 65(2): 208-212.

Fisher, H., L. Eslick, et al. (1996). "Edaphic Factors that Characterize the Distribution of Lepidium Papilleferum."

Fisher, J. R., W. P. Kemp, et al. (1996). "Aulocara elliotti (Orthoptera: Acrididae): Diapause Termination, Postdiapause Development, and Prediction of Hatch." Environmental Entomology 25(5): 1158-1166.

Fisher, J. R., W. P. Kemp, et al. (1999). "Postdiapause Development and Prediction of Hatch of Ageneotettix Deorum (Orthoptera: Acrididae)." Environmental Entomology 28(3): X-352.

Fisher, J. R., F. B. Pierson, et al. (1996). Grasshopper Egg Development: The Role of Temperature in Predicting Egg Hatch. USDA/APHIS, Washington, D.C.

Flerchinger, G. N. (1991). Sensitivity of Frost Depth Simulated by the SHAW Model. Presented at American Society of Agricultural Engineers Summer Meeting. Albuquerque, NM. Paper No. 91-2077: 18.

Flerchinger, G. N. (1991). "Sensitivity of Soil Freezing Simulated by the SHAW Model." Transactions of the American Society of Agricultural Engineers 34(6): 2381-2389.

Flerchinger, G. N. (1996). Modeling Infiltration into Frozen Soils. In: "Real World" Infiltration, Proceedings of the USDA-ARS Workshop Pingree Park, CO, July 22-25, 1996, Colorado Water Resources Research Institute, Fort Collins, CO.

Flerchinger, G. N. (2000). "The Simultaneous Heat and Water (SHAW) Model: Technical Documentation." Technical Report NWRC 2000-09. USDA - Agricultural Research Service, Northwest Watershed Research Center, Boise, ID.

Flerchinger, G. N. (2000). The Simultaneous Heat and Water (SHAW) Model: User's Manual. Technical Report NWRC 2000-10. USDA - Agricultural Research Service, Northwest Watershed Research Center, Boise, Idaho.

Flerchinger, G. N. (2002). Soil Heat and Water Movement. In: Ratten Lal (ed.), Encyclopedia of Soil Science. Marcel Dekker Publishing, Lincoln Park, NJ: 1236-1239.

Flerchinger, G. N., R. M. Aiken, et al. (2000). "Development of the Root Zone Water Quality Model (RZWQM) for Over-Winter Conditions." Transactions of the American Society of Agricultural Engineers 43(1): 59-68.

Flerchinger, G. N., R. M. Aiken, et al. (1999). Soil Heat Transport, Soil Freezing and Snowpack Conditions. Root Zone Water Quality Model: Modeling Management Effects on Water Quality and Crop Production - Beta Copy. K. W. R. Chapter 9. In: L.R. Ahuja, J.D. Hanson, M.J. Shaffer and L. Ma (eds.), Water Resources Publications, LLC, Highlands Ranch, CO. 360.

Flerchinger, G. N., J. M. Baker, et al. (1995). Simulating the Radiative Energy Balance Associated with Snow and Frozen Soils. In: T.W. Krauss and T.R. Carroll (cmpl.), International GEWEX Workshop on Cold-Season/Region Hydrometeorology. Scientific Meeting of the Canadian Geophysical Union, Program and Abstracts, May 22-26, 1995, Banff, Alberta, Canada.

Flerchinger, G. N., J. M. Baker, et al. (1996). "A Test of the Radiative Energy Balance of the Shaw Model for Snowcover." Hydrological Processes 10(10): 1359-1367.

Flerchinger, G. N., T. G. Caldwell, et al. (2012). "Simultaneous Heat and Water Model: Model use, calibration and validation." Transactions of ASABE 55(4): 1395-1411.

Flerchinger, G. N. and P. E. Clark (2003). Potential Hydrologic Response to a Prescribed Fire on a Small Mountainous Watershed. In: Renard, K.G., McElroy, S.A., Gburek, W.J., Canfield,

E.H., Scott, R.L. (eds). First Interagency Conference on Research in the Watersheds, October 27-30, 2003, Benson, Arizona, USDA Agricultural Research Service.

Flerchinger, G. N. and K. R. Cooley (1992). Simulation of Snowmelt in a Small Rangeland Watershed. In: Proceedings of the Western Snow Conference, April 14-16, Jackson Hole, Wyoming. Western Snow Conference, Portland, OR.

Flerchinger, G. N. and K. R. Cooley (2000). "A Ten-Year Water Balance of a Mountainous Semi-Arid Watershed." Journal of Hydrology 237(1-2): 86-99.

Flerchinger, G. N. and K. R. Cooley (2000). "A Ten-Year Water Balance of a Mountainous Semi-Arid Watershed Computed by Aggregating Landscape Units." WI Paper No. 002136: 2787-2801.

Flerchinger, G. N., K. R. Cooley, et al. (1994). "Impacts of Spatially and Temporally varying Snowmelt on Subsurface Flow in a Mountainous Watershed: 1. Snowmelt Simulation." Hydrological Sciences Journal/Journal des Sciences Hydrologiques 39(5): 507-520.

Flerchinger, G. N., K. R. Cooley, et al. (1998). "A Uniform versus an Aggregated Water Balance of a Semi-Arid Watershed." Hydrological Processes 12(2): 331-342.

Flerchinger, G. N., K. R. Cooley, et al. (1994). A Lumped Parameter Water Balance of a Semi-Arid Watershed. Presented at: American Society of Agricultural Engineers Summer Meeting. Kansas City, MO. Paper No. 94-2133: 18.

Flerchinger, G. N., K. R. Cooley, et al. (1996). A Uniform Versus an Aggregated Water Balance of a Semi-Arid Watershed. Report of the ARS Global Change Research Planning Workshop, June 4-6, 1996, Boise, ID.

Flerchinger, G. N., K. R. Cooley, et al. (1992). "Groundwater Response to Snowmelt in a Mountainous Watershed." Journal of Hydrology 133(3-4): 293-311.

Flerchinger, G. N., R. F. Cullum, et al. (1990). Soil Freezing and Thawing Simulation with the SHAW Model. In: K.R. Cooley (ed.), Frozen Soil Impacts on Agricultural, Range, and Forest Lands, Proceedings of the International Symposium, March 21-22, 1990, Spokane, Washington, U.S. Army Cold Regions Research and Engineering Laboratory, Hanover, NH.

Flerchinger, G. N., Y. Deng, et al. (1991). Ground Water Response in a Mountainous Watershed: Testing of a Conceptual Model. Presented at American Society of Agricultural Engineers Winter Meeting, Chicago, IL.

Flerchinger, G. N., Y. Deng, et al. (1993). "Groundwater Response to Snowmelt in a Mountainous Watershed: Testing of a Conceptual M,odel." Journal of Hydrology 152(1-4): 201-214.

Flerchinger, G. N., Y. Deng, et al. (1997). "Integrated Modeling of Disulfoton Transport at an Abandoned Landfill Site." Applied Engineering in Agriculture 13(2): 217-225.

Flerchinger, G. N., R. B. Frasier, et al. (1996). Shrinking/Swelling, Freezing/Thawing and Razing Effects on Infiltration. In: "Real World" Infiltration, Proceedings of the USDA-ARS Workshop, Pingree Park, CO, July 22-25, 1996, Colorado Water Resources Research Institute, Fort Collins, CO.

Flerchinger, G. N. and C. L. Hanson (1989). "Modeling Soil Freezing and Thawing on a Rangeland Watershed." Transactions of the American Society of Agricultural Engineers 32(5): 1551-1554.

Flerchinger, G. N. and C. L. Hanson (1989). Modeling Soil Frost Depth on Rangeland. Presented at American Society of Agricultural Engineers Summer Meeting, Quebec, Canada.

Flerchinger, G. N., C. L. Hanson, et al. (1991). Data Network for the Reynolds Creek Experimental Watershed, Idaho. In: International Workshop on Network Design Practices, Koblenz, Germany, World Meteorological Organization Technical Reports in Hydrology and Water Resources No. 50. World Meteorological Organization

Flerchinger, G. N., C. L. Hanson, et al. (1994). Reynolds Creek Experimental Watershed, Idaho. Presented at American Society of Agricultural Engineers Summer Meeting. Kansas City, MO. Paper No. 94-2167: 13.

Flerchinger, G. N., C. L. Hanson, et al. (1996). Modeling Evapotranspiration on Semi-Arid Rangelands. On: compact disk, C.T. Bathala (ed.), North American Water and Environment Congress, June 22-28, 1996, Anaheim, CA., ASCE, New York, New York.

Flerchinger, G. N., C. L. Hanson, et al. (1996). "Modeling Evapotranspiration and Surface Energy Budgets across a Watershed." Water Resources Research 32(8): 2539-2548.

Flerchinger, G. N., C. L. Hanson, et al. (1996). Simulating Spatially Varying Energy Budgets and ET Across a Watershed. In: N.E. West (ed.), Proceedings of the Fifth International Rangeland Congress, July 23-28, 1995, Salt Lake City, UT., Society for Range Management, Denver, CO.

Flerchinger, G. N. and S. P. Hardegree (2004). "Modelling Near-Surface Soil Temperature and Moisture for Germination Response Predictions of Post-Wildfire Seedbeds." Journal of Arid Environments 59(2): 369-385.

Flerchinger, G. N., S. P. Hardegree, et al. (1998). The Simultaneous Heat and Water (SHAW) Model: A Research Tool for Management Decisions. In: Proceedings of the First Interagency Hydrologic Modeling Conference, Las Vegas, NV, April 19-23, 1998, Federal Subcommittee

on Hydrology, Water Information Coordination Program, U.S. Geological Survey, Reston, Virginia.

Flerchinger, G. N., W. P. Kustas, et al. (1998). "Simulating Surface Energy Fluxes and Radiometric Surface Temperatures for Two Arid Vegetation Communities using the SHAW Model." Journal of Applied Meteorology 37(5): 449-460.

Flerchinger, G. N., G. A. Lehrsch, et al. (2005). Freezing and Thawing Processes. In: D.H. Hillel (editor), Encyclopedia of Soils in the Environment. Elsevier Ltd, Oxford, U.K. Oxford, U.K., Elsevier Ltd. 2, 104-109.

Flerchinger, G. N., D. Marks, et al. (2010). "Surface Fluxes and Water Balance of Spatially Varying Vegetation within a Small Mountainous Headwater Catchment." Hydrology and Earth System Sciences 14(6): 965-978.

Flerchinger, G. N., D. Marks, et al. (2007). "45 Years of Climate and Hydrologic Research Conducted at the Reynolds Creek Experimental Watershed." 135-143.

Flerchinger, G. N., D. G. Marks, et al. (2006). "Climate and Hydrologic Research Conducted at the Reynolds Creek Experimental Watershed." Owyhee Outpost, A Journal of the History of the Owyhee County 37: 72-91.

Flerchinger, G. N., M. S. Moran, et al. (1994). Chaos Theory in Hydrology. Presented at America Society of Agriculture Engeering Winter Meeting, Atlanta, GA.

Flerchinger, G. N., M. S. Moran, et al. (1994). Chaos Theory in Hydrology. In: C.W. Richardson, A. Rango, L.B. Owens and L.J. Lane (eds.), Proceedings of the ARS Conference on Hydrology, Denver, CO, USDA-Agricultural Research Service, Beltsville, MD. 178 p.

Flerchinger, G. N. and F. B. Pierson (1991). "Modeling Plant Canopy Effects on Variability of Soil Temperature and Water." Agricultural and Forest Meteorology 56(3-4): 227-246.

Flerchinger, G. N. and F. B. Pierson (1993). Modeling Plant Canopy Effects on Variability of Soil Temperature and Water: Model Calibration and Validation. American Society of Agricultural Engineers Summer Meeting, Spokane, WA.

Flerchinger, G. N. and F. B. Pierson (1997). "Modelling Plant Canopy Effects on Variability of Soil Temperature and Water: Model Calibration and Validation." Journal of Arid Environments 35(4): 641-653.

Flerchinger, G. N., M. L. Reba, et al. (2012). "Measurement of surface energy fluxes from two rangeland sites and comparison with a multilayer canopy model." Journal of Hydrometeorology 13(3): 1038-1051.

Flerchinger, G. N., T. J. Sauer, et al. (2003). "Effects of Crop Residue Cover and Architecture on Heat and Water Transfer at the Soil Surface." Geoderma 116(1-2): 217-233.

Flerchinger, G. N. and K. E. Saxton (1987). Simultaneous Heat and Water Model of a Freezing Snow-Residue-Soil System. Presented at the American Society Agricultural Engineer Winter Meeting

Flerchinger, G. N. and K. E. Saxton (1988). Modeling Tillage and Residue Effects on the Hydrology of Agriculture Croplands. In:Modeling Agricultural, Forest, and Rangeland Hydrology, Proceedings of the 1988 International Symposium, Chicago, IL, American Society of Agricultural Engineers, St. Joseph, MI.

Flerchinger, G. N. and K. E. Saxton (1989). "Simultaneous Heat and Water Model of a Freezing Snow-Residue-Soil System. I. Theory and Development." Transactions of the American Society of Agricultural Engineers 32(2): 565-571.

Flerchinger, G. N. and K. E. Saxton (1989). "Simultaneous Heat and Water Model of a Freezing Snow-Residue-Soil System. II. Field Verification." Transactions of the American Society of Agricultural Engineers 32(2): 573-578.

Flerchinger, G. N. and M. S. Seyfried (1997). Modeling Soil Freezing and Thawing and Frozen Soil Runoff with the SHAW Model. In: I.K. Iskander, E.A. Wright, J.K. Radke, B.S. Sharratt, P.H. Groenevelt, and L.D. Hinzman (eds.), Proceedings of the International Symposium on Physics, Chemistry and Ecology of Seasonally Frozen Soils, June 10-12, 1997, Fairbanks, AK, CRREL Special Report 97-10. U.S. Army Cold Regions Research and Engineering Laboratory, Hanover, NH.

Flerchinger, G. N., M. S. Seyfried, et al. (2004). "Estimation of the Soil Moisture Characteristic Curve from the Soil Freezing Characteristic." 1401-1413.

Flerchinger, G. N., M. S. Seyfried, et al. (2006). "Using Soil Freezing Characteristics to Model Multi-Season Soil Water Dynamics." Vadose Zone Journal 5(4): 1143-1153.

Flerchinger, G. N., M. S. Seyfried, et al. (1992). Porous Media Research at the USDA-ARS Northwest Watershed Research Center. Proceedings: American Society for Agricultural Engineers, Winter Meeting, Nashville, TN.

Flerchinger, G. N., S. Shang, et al. (1996). "Simulating Three-Dimensional Ground Water Response in a Small Mountainous Watershed." Water Resources Bulletin 32(5): 1081-1088.

Flerchinger, G. N. and F. J. Watts (1986). "Predicting Infiltration Parameters for a Road Sediment Model."

Flerchinger, G. N. and F. J. Watts (1987). "Predicting Infiltration Parameters for a Road Sediment Model." Transactions of the American Society of Agricultural Engineers 30(6): 1700-1705.

Flerchinger, G. N., F. J. Watts, et al. (1988). "Explicit Solution to Green-Ampt Equation for Nonuniform Soils." Journal of Irrigation and Drainage Engineering, ASCE, Technical Note 114 (3): 561-565.

Flerchinger, G. N., W. Xaio, et al. (2009). "Comparison of Algorithms for Incoming Atmospheric Long-Wave Radiation." Water Resources Research 45(3).

Flerchinger, G. N., W. Xiao, et al. (2008). Evaluation of SHAW Model for Within-Canopy Radiation Exchange. On compact disk, International Symposium on Crop Modeling and Decision Support, Jiangsu Key Laboratory for Information Agriculture, Nanjing Agricultural University, Nanjing China.

Flerchinger, G. N., W. Xiao, et al. (2009). "Simulation of within-Canopy Radiation Exchange." NJAS - Wageningen Journal of Life Sciences 57(1): 5-15.

Flerchinger, G. N. and Q. Yu (2007). "Simplified Expressions for Radiation Scattering in Canopies with Ellipsoidal Leaf Angle Distributions." Agricultural and Forest Meteorology 144(3-4): 230-235.

Fraiser, G. W., K. R. Cooley, et al. (1979). Performance evaluation of water harvesting catchments. Journal of Range Management. 32: 453-456.

Frampton, M. J. and D. G. Marks (1980). Mapping Snow Surface Temperature from Thermal Satellite Data in the Southern Sierra Nevada. In: 46th Annual Proceedings of the Western Snow Conference.

Franks, C., F. B. Pierson, et al. (1998). ARS/NRCS Interagency Rangeland Water Erosion Project: Final Report and State Data Summaries. U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center. NWRC Tech. Rep. 98-2: 189.

Frasier, G. W. and K. R. Cooley (1979). Water harvesting research implementation. Proceedings of 33rd Annual Vegetative Rehabilitation and Equipment Workshop.

Frasier, G. W., J. A. Replogle, et al. (1976). Determining erosion from Hawaiian agricultural lands. Proceeding Third Federal Interagency Sedimentation Conference.

Fritschen, L. J., L. M. Cox, et al. (1973). A 28-Meter Douglas-fir in a Weighing Lysimeter. Forest Science. 19: 256-261.

Garbrecht, J., J. Arnold, et al. (1994). Watershed Characterization. Proceedings of the ARS Conference on Hydrology, Sept. 13-15, 1993, Denver, CO., USDA-Agricultural Research Service.

Garen, D., J. Geyer, et al. (2001). "Spatially Distributed Snowmelt, Water Balance and Streamflow Modelling for a Large Mountainous Catchment: Boise River, Idaho, USA.." In:

Soil-Vegetation-Atmosphere Transfer Schemes and Large-Scale Hydrological Models I: 199-207.

Garen, D. and D. G. Marks (1998). Spatially Distributed Energy Budget Snowmelt Modeling in Mountainous Regions of the Western United States. Proceedings of the First Federal Interagency Hydrologic Modeling Conference, Las Vegas Nevada.

Garen, D. C., G. L. Johnson, et al. (1994). Mean areal precipitation for daily hydrologic modeling in mountainous regions. Water Resources Bulletin. 30: 481-491.

Garen, D. C. and D. Marks (2005). "Spatially Distributed Energy Balance Snowmelt Modelling in a Mountainous River Basin: Estimation of Meteorological Inputs and Verification of Model Results." Journal of Hydrology 315(1-4): 126-153.

Garen, D. C. and D. G. Marks (1996). Spatially Distributed Snow Modeling in Mountainous Regions Boise River Application. In: HydroGIS '96: Geographic Information Systems in Hydrology and Water Resources Management, K. Kovar and H.P. Nachtnabel, eds. IAHS Publication 235: 421-428.

Gleick, P. H., A. Rango, et al. (1993). Workshop on the use of hydrological models for evaluating the impacts of climate change in snowmelt water supply basins. Workshop Proceedings, Pacific Institute for Studies in Development, Environment, and Security, Pacific Institute for Studies in Development, Environment, and Security: 54 p.

Glenn, N. F., L. P. Spaete, et al. (2011). "Errors in LiDAR-Derived Shrub Height and Crown Area on Sloped Terrain." Journal of Arid Environments 75(4): 377-382.

Glieck, P. H., A. Rango, et al. (1994). The use of hydrological models for evaluating the impacts of climate change on snowmelt water supply basins. EOS, Transactions of the American Geophysical Union. 75: 107.

Goodrich, D. C., D. P. Guertin, et al. (2011). "AGWA: The Automated Geospatial Watershed Assessment Tool for Rangelands." Rangelands 33(4): 41-47.

Goyal, S. K., M. S. Seyfried, et al. (1996). Soil-Water Measurement Using Synthetic Aperture Radar in Mountainous Rangeland Areas, Boston, MA, USA.

Goyal, S. K., M. S. Seyfried, et al. (1998). "Effect of Digital Elevation Model Resolution on Topographic Correction of Airborne SAR." International Journal of Remote Sensing 19(16): 3075-3096.

Goyal, S. K., M. S. Seyfried, et al. (1999). "Correction of Surface Roughness and Topographic Effects on Airborne SAR in Mountainous Rangeland Areas." Remote Sensing of Environment 67(2): 124-136.

Grant, L., M. Seyfried, et al. (2004). "Spatial Variation and Temporal Stability of Soil Water in a Snow-Dominated, Mountain Catchment." Hydrological Processes 18(18): 3493-3511.

Gucinski, H., D. G. Marks, et al. (1990). Biospheric Feedbacks to Climate Change: The Sensitivity of Regional Trace Gas Emissions, Evapotranspiration, and Energy Balance to Vegetation Redistribution. U.S. E.P.A.Technical Report EPA/600/3-90/078: 273.

Gupta, S. C., U. B. Singh, et al. Modeling Polydimethysiloxane (PDMS) Degradation Based on Soil Wetness Conditions.

Hamon, W. R. (1963). Estimating potential evaportranspiration. Transactions of the American Society for Civil Engineers. 128: 324-338.

Hamon, W. R. (1964). Computation of direct runoff amounts from storm rainfall. General Assembly of Berkeley, Symposium on Surface Waters, IAHS Press. Extract of publication no. 63: p. 52-62.

Hamon, W. R. (1965). Unit source watershed concepts, experience, and problems. ARS-SWC Unit-Source Watershed Conference.

Hamon, W. R. (1966). Evapotranspiration and water yield predictions. Evapotranspiration and Its Role in Water Resources Management, Conference Proceedings. St. Joseph, MI, American Society of Agricultural Engineers: p. 8-9,13.

Hamon, W. R. (1966). Evapotranspiration from temperature and daylength functions. ASCE Symposium on Methods for Estimating Evapotranspiration.

Hamon, W. R. (1970). Dual gauge and profile techniques for calculating actual precipitation. Report of First Session, Working Group on Measurement of Precipitation, Commission for Instruments and Methods of Observation, World Meteorological Organization.

Hamon, W. R. (1971). Reynolds Creek, Idaho. Agricultural Research Service Precipitation Facilities and Related Studies. D. M. Hershfield, USDA-Agricultural Research Service.

Hamon, W. R. (1972). Computing actual precipitation. WMO-IAHS Symposium on Distribution of Precipitation in Mountainous Areas, World Meteorological Organization.

Hamon, W. R. (1972). Computing precipitation. ARS-SCS Snow Workshop.

Hamon, W. R. (1972). Snow research needs and SWC programs in the Northwest. ARS-SCS Snow Workshop.

Hamon, W. R. and G. H. Belt (1971). Hydrologic quantification of vegetation in western rangelands: Energy budget. Third International Seminar for Hydrology Professors: 20 p.

Hamon, W. R. and L. M. Cox (1972). Measurement of atmospheric and ground level precipitation. Water Resources Research. 8: 272.

Hamon, W. R. and C. W. Johnson (1965). Watershed Hydrology Research--Reynolds Creek Experimental Watershed. Development of Total Watershed Conference, ASCE, ASCE: p. 181-207.

Hamon, W. R., C. W. Johnson, et al. (1965). Development of coordinated hydrologic networks for a semiarid watershed. Symposium on Design of Hydrological Networks, IAHS Press. Extract of publication no. 68: p. 663-674.

Hamon, W. R. and J. M. Rosa (1965). Use of experimental watershed data in predicting the water balance. Symposium of Budapest, Representative and Experimental Areas, IAHS Press. Extract of publication no. 66: p. 252-261.

Hamon, W. R., D. L. Schreiber, et al. (1970). Evaluating components of a hydraulic simulation model. unpublished manuscript.

Hanson, C. L. (1963). An investigation of the snow capacitor and diaphragm deflection methods of measuring the snow water equivalent of a snowpack. Moscow, Idaho, University of Idaho.

Hanson, C. L. (1967). Stock pond water losses in western South Dakota. South Dakota Farm and Home Research. 18: 23-24.

Hanson, C. L. (1970). Northern Plains Branch research program: Research at Cottonwood, South Dakota. Proceedings, ARS-SCS Watershed Modeling Workshop.

Hanson, C. L. (1971). Cottonwood, South Dakota. Agricultural Research Service Precipitation Facilities and Related Studies. D. M. Hershfield.

Hanson, C. L. (1971). Newell, South Dakota. Agricultural Research Service Precipitation Facilities and Related Studies. D. M. Hershfield.

Hanson, C. L. (1973). Evapotranspiration studies at the Northwest Watershed Research Center. ARS-SCS Western Hydrologist Workshop.

Hanson, C. L. (1973). Model for predicting evapotranspiration from native rangelands in the northern Great Plains. Logan, Utah, Utah State University.

Hanson, C. L. (1974). Evapotranspiration. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1975). Evapotranspiration. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1975). Watershed modeling. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1976). Evaluation of USDAHL-74 revised model of watershed hydrology under arid rangeland conditions. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1976). Evapotranspiration. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1976). Model for predicting evapotranspiration from native rangelands in the northern Great Plains. Transactions of the ASAE. 19: 471-477, 481.

Hanson, C. L. (1976). Watershed modeling. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1977). Evaluation of the components of the USDAHL-74 model of watershed hydrology. American Society of Agricultural Engineers Winter Meeting. St. Joseph, Michigan, American Society of Agricultural Engineers. Paper No. 77-2533.

Hanson, C. L. (1977). Evapotranspiration. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1977). Frost-measuring network predicts winter flooding. Wyoming-Stockman-Farmer. 82: 41.

Hanson, C. L. (1977). Watershed modeling. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1978). 1976-1977 Drought Report. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1978). Frost-measuring network predicts winter flooding. Soil Conservation. 44: 22.

Hanson, C. L. (1978). Vegetation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1979). Discussion of "Interstorm relations in Pacific Northwest" by Ralph H. Fredrick. Journal of Hydraulic Engineering Division, Proceedings of the American Society of Civil Engineers. 105: 1459-1461.

Hanson, C. L. (1979). Precipitation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1979). Simulation of arid rangeland watershed hydrology with the USDAHL-74 model. Transactions of the ASAE. 22: 304-309.

Hanson, C. L. (1979). Vegetation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1980). Precipitation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1980). Vegetation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1981). Discussion of "Gage density and location for estimating mean annual precipitation in mountainous areas". Water Resources Bulletin. 17: 718-719.

Hanson, C. L. (1981). Precipitation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1981). Vegetation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1982). Distribution and stochastic generation of annual and monthly precipitation on a mountainous watershed in southwest Idaho. Water Resources Bulletin. 18: 875-883.

Hanson, C. L. (1982). Precipitation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1982). Vegetation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1983). Annual and monthly precipitation generation in the northwestern United States. American Society of Agricultural Engineers Summer Meeting. St. Joseph, Missouri, American Society of Agricultural Engineers. ASAE Paper No. 83-2053.

Hanson, C. L. (1983). Precipitation. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, Idaho, USDA-Agricultural Research Service.

Hanson, C. L. (1984). Annual and monthly precipitation generation in Idaho. Transactions of the ASAE. 27: 1792-1797, 1804.

Hanson, C. L. (1984). Characteristics of annual and monthly precipitation on a mountainous watershed in southwest Idaho. Abstracts of the 37th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management.

Hanson, C. L. (1984). Discussion of "Point rainfall estimation for a mountainous region" by Yeou-Koong Tung. Journal of Hydraulic Engineering, ASCE. 110: 1874-1877.

Hanson, C. L. (1987). Rain and snow catch measured by shielded and unshielded recording gages. Abstracts of the 40th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management.

Hanson, C. L. (1988). Precipitation measured by gages protected by the Wyoming shield and the dual-gage system. 56th Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 174-178.

Hanson, C. L. (1989). Climate and precipitation models. SCS-ARS Hydrology Workshop.

Hanson, C. L. (1989). Precipitation catch measured by the Wyoming shield and the dual-gage system. Water Resources Bulletin. 25: 159-164.

Hanson, C. L. (1989). Prediction of class A pan evaporation in southwest Idaho. Journal of Irrigation and Drainage Engineering, ASCE. 115: 166-171.

Hanson, C. L. (1990). Evaluation of precipitation gauges for measuring precipitation on mountainous watersheds. Proceedings of the Symposium on Improved Methods of Hydrological Measurements in Mountainous Areas, Hydrology in Mountainous Regions, International Conference on Water Resources in Mountainous Regions, IAHS and IAH. H. Lang and A. Musy. Wallingford, Oxfordshire, UK, IAHS Press, Institute of Hydrology: p. 3-6.

Hanson, C. L. (1991). Closure to "Prediction of class A pan evaporation in southwest Idaho" by C.L. Hanson. Journal of Irrigation and Drainage Engineering, ASCE. 117: 148.

Hanson, C. L. (1991). The effect of observation time and sampling frequency on mean daily maximum, minimum and average temperature. Northwest Science. 65: 101-108.

Hanson, C. L. (1995). Discussion of "Precipitation in southern Nevada" by R.H. French. Journal of Hydraulic Engineering, ASCE. 110: 1179-1180.

Hanson, C. L. (1995). Discussion of "Short-duration-rainfall intensity equations for drainage design". Journal of Irrigation and Drainage Engineering, ASCE. 121: 219-221.

Hanson, C. L. (1995). Gage catch at the World Meteorological Organization (WMO), Reynolds Creek Idaho site. Proceedings of the ARS Workshop on Climate and Weather Research. C. W. Richardson, G. L. Johnson, V. A. Ferreira and P. C. Doraiswamy, USDA-Agricultural Research Service: p. 9-15.

Hanson, C. L. (1997). Gage catch at the World Meteorological Organization (WMO) Reynolds Creek, Idaho site. Climate and Weather Research Workshop Proceedings.

Hanson, C. L. (2001). Clear-Sky Albedo Measured at Seven Rangeland Sites in Southwest Idaho. Journal of Hydrologic Engineering. 6: 532-534.

Hanson, C. L. (2001). Long Term Precipitation Database, Reynolds Creek Experimental Watershed, Idaho, United States. Water Resources Research. 37: 2831-2834.

Hanson, C. L. (2001). Storm Types and Characteristics in the Chapter on Precipitation for the Book Encyclopedia of Water Science. Book of Encyclopedia of Water Science.

Hanson, C. L. and M. D. Burgess (1997). Time- and level-controlled filling system for class A evaporation pans. Journal of Hydrologic Engineering, ASCE. 2: 37-38.

Hanson, C. L., M. D. Burgess, et al. (2001). New Weighing Mechanism for Precipitation Gauges. Journal Hydrologic Engineering. Jan/Feb: 75-77.

Hanson, C. L., D. P. Burton, et al. (1988). Soil frost distribution and occurrence on a mountainous rangeland watershed in southwestern Idaho. Moscow, ID, Univeristy of Idaho, Agricultural Experiment Station.

Hanson, C. L., K. A. Cumming, et al. (1993). Program for daily weather simulation. Proceedings of the Federal Interagency Workshop on Hydrologic Modeling Demands for the 90's. J. S. Burton, United States Bureau of Reclamation-United States Geological Survey: p. 555-561.

Hanson, C. L., K. A. Cumming, et al. (1992). Microcomputer program for daily weather simulation in the contiguous United States. Abstracts of the 45th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 42.

Hanson, C. L., K. A. Cumming, et al. (1992). Microcomputer program for daily weather simulation in the contiguous United States. Managing Water Resources During Global Change, Proceedings of the 28th Annual Conference and Symposium of the American Water Resources Association. R. Herrmann. Bethesda, MD, American Water Research Association: p. 259-260.

Hanson, C. L., K. A. Cumming, et al. (1994). Microcomputer program for daily weather simulation in the contiguous United States, USDA-Agricultural Research Service.

Hanson, C. L., H. G. Fisser, et al. (1984). Biology and ecology of sagebrush in Wyoming: V.Herbage yield dynamics and seasonal precipitation relationships. Abstracts of Wildlife Shrub Symposium: The biology of Artemisia and Chrysothamnus: p. 13.

Hanson, C. L., H. G. Fisser, et al. (1985). Extending the duration of forge yield records through modeling. Abstracts of the 38th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management.

Hanson, C. L., H. G. Fisser, et al. (1986). Biology and ecology of sagebrush in Wyoming: V. Herbage yield dynamics and seasonal precipitation relationships. Proceedings of the Symposium on the Biology of Artemisia and Chrysothamus. E. D. McArthur and B. L. Welch. Boise, ID, USDA-Forest Service Intermountain Research Station: p. 320-325.

Hanson, C. L. and G. N. Flerchinger (1990). Comparison of Three Methods for Measuring Depth of Soil Freezing. In: K.R. Cooley (ed.), Frozen Soil Impacts on Agricultural, Range, and Forest Lands, Proceedings of the International Symposium, March 21-22, 1990, Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory.

Hanson, C. L., G. N. Flerchinger, et al. (1996). Hydrologic and Climatic Characterization and Modeling for Western Rangelands: Reynolds Creek Experimental Watershed, Southwest Idaho. In: Proceedings of the AGU Sixteenth Annual "Hydrology Days", April 15-19, 1996, Colorado State University, Ft. Collins, CO., Hydrology Days Publications, 57 Selby Lane, Atherton, CA 94027-3926.

Hanson, C. L., H. G. Heinemann, et al. (1973). Sediment yields from small rangeland watersheds in western South Dakota. Journal of Range Management. 26: 215-219.

Hanson, C. L., L. Huber, et al. (1997). Estimation of hydrologic characterists for ungaged streams, Wenatchee National Forest. NWRC-97-1. Boise, ID, USDA-ARS Northwest Watershed Research Center.

Hanson, C. L., C. W. Johnson, et al. (1983). Resource Monitoring. ARS/BLM Cooperative Studies, Reynolds Creek Watershed. Boise, ID, USDA-Agricultural Research Service.

Hanson, C. L., C. W. Johnson, et al. (1982). Foliage mortality of mountain big sagebrush (Artemesia tridentata subs. vaseyena) in southwestern Idaho during the winter of 1976-1977. Journal of Range Management. 35: 219-222.

Hanson, C. L. and G. L. Johnson (1993). Spatial and temporal precipitation characteristics in southwest Idaho. Proceedings of the National Conference on Irrigation and Drainage Engineering, Management of Irrigation and Drainage Systems: Integrated Perspectives. R. G. Allen and C. M. U. Neale. New York, NY, American Society of Civil Engineers: p. 394-401.

Hanson, C. L. and G. L. Johnson (1995). Spatial and temporal characteristics of precipitation of Reynolds Creek Watershed in southwest Idaho. Proceedings of the ARS Workshop on Climate and Weather Research, USDA-Agricultural Research Service: p. 48-57.

Hanson, C. L. and G. L. Johnson (1998). GEM(Generation of weather elements for multiple applications): its application in areas of complex terrain. Proceedings of the Head Water '98 Conference. K. Kovar, U. Tappeiner, N. E. Peters and R. G. Craig, IAHS: 27-32.

Hanson, C. L., G. L. Johnson, et al. (2002). The Gem (Generation of Weather Elements for Multiple Applications) Weather Simulation model.

Hanson, C. L., G. L. Johnson, et al. (1996). Precipitation. Hydrology Handbook. T. C. o. H. H. o. M. G. D. o. t. A. S. o. C. Engineers. New York, NY, American Society of Civil Engineers.

Hanson, C. L., G. L. Johnson, et al. (1999). Comparison of precipitation catch between nine measuring systems. Journal of Hydrologic Engineering. 4: 70-75.

Hanson, C. L. and A. R. Kuhlman (1971). Data for Newell, South Dakota. Hydrologic Data for Experimental Agricultural Watersheds in the United States, 1964. J. B. Burford.

Hanson, C. L., A. R. Kuhlman, et al. (1970). Grazing effects on runoff and vegetation on western South Dakota rangeland. Journal of Range Management. 23: 418-420.

Hanson, C. L., A. R. Kuhlman, et al. (1972). Range condition and runoff in western South Dakota. South Dakota Farm and Home Research. 23: 11-13.

Hanson, C. L., A. R. Kuhlman, et al. (1978). Effect of grazing intensity and range condition on hydrology of western South Dakota ranges. Agricultural Experiment Station Bulletin 647. Brookings, South Dakota, South Dakota State University, Animal Science Department.

Hanson, C. L., A. R. Kuhlman, et al. (1970). Data for Newell, South Dakota. Hydrologic Data for Experimental Agricultural Watersheds in the United States, 1963. H. W. Hobbs and J. B. Burford, United States Department of Agriculture.

Hanson, C. L. and J. K. Lewis (1978). Winter runoff and soil water storage as affected by range condition. Proceedings of the First International Rangeland Congress. D. N. Hyder. Denver, CO, Society for Range Management: p. 284-287.

Hanson, C. L., D. G. Marks, et al. (2001). "Long Term Climate Database, Reynolds Creek Experimental Watershed, Idaho, United States." Water Resources Research 37 (11): 2839-2841.

Hanson, C. L., D. G. Marks, et al. (1999). Climate Measurements and Monitoring, Reynolds Creek Experimental Watershed, Idaho, USA. ARS-NWRC Technical Bulletin NWRC 2000-6: Available from ftp.nwrc.ars.usda.gov, U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center, Boise, Idaho: 13.

Hanson, C. L. and R. P. Morris (1980). Precipitation-duration-frequency relationships for a mountainous watershed in southwest Idaho. American Society of Agricultural Engineers meeting, Pacific Northwest region. St. Joseph, Michigan, American Society of Agricultural Engineers. Paper No. PNW-80-209.

Hanson, C. L. and R. P. Morris (1982). Precipitation-duration-frequency relationships for a mountainous watershed in southwest Idaho. Transactions of the ASAE. 25: 1637-1640.

Hanson, C. L., R. P. Morris, et al. (1979). A note on the dual-gage and Wyoming shield precipitation measurement system. EOS, Transactions of the American Geophysical Union. 60: 172.

Hanson, C. L., R. P. Morris, et al. (1979). A note on the dual-gage and Wyoming shield precipitation measurement systems. Water Resources Research. 15: 956-960.

Hanson, C. L., R. P. Morris, et al. (1980). Spatial and seasonal precipitation distribution in southwest Idaho, USDA-Science and Education Administration.

Hanson, C. L., R. P. Morris, et al. (1983). Using precipitation to predict range herbage production in southwestern Idaho. Journal of Range Management. 36: 766-770.

Hanson, C. L. and E. L. Neff (1972). Snow runoff from northern plains rangeland. ARS-SCS Snow Workshop.

Hanson, C. L., E. L. Neff, et al. (1981). Runoff curve numbers for Northern Plains rangelands. Journal of Soil and Water Conservation. 36: 302-305.

Hanson, C. L., E. L. Neff, et al. (1980). Estimating SCS runoff curve numbers on native grazing lands. CREAMS: A field scale model for chemicals, runoff, and erosion from agricultural management systems. W. G. Knisel, USDA-Science and Education Administration.

Hanson, C. L., E. L. Neff, et al. (1975). Hydrologic aspects of water harvesting in the northern Great Plains. Proceedings of the Water Harvesting Symposium, USDA-Agricultural Research Service: p. 129-140.

Hanson, C. L., H. B. Osborn, et al. (1988). Daily precipitation simulation model for mountainous areas. American Society of Agricultural Engineers Summer Meeting. St. Joseph, Michigan, American Society of Agricultural Engineers. Paper no. 88-2088.

Hanson, C. L., H. B. Osborn, et al. (1989). Daily precipitation simulation model for mountainous areas. Transactions of the ASAE. 32: 865-873.

Hanson, C. L. and F. B. Pierson (2001). Characteristics of Extreme Precipitation and Associated Streamflow in the Reynolds Creek Experimental Watershed, Idaho. . In: Proceedings of the 12th Symposium on Global Change Climate Variations., Boston, MA., American Meteorological Society.

Hanson, C. L., F. B. Pierson, et al. (2004). "Dual-Gauge System for Measuring Precipitation: Historical Development and Use." Journal of Hydrologic Engineering 9(5): 350-359.

Hanson, C. L., J. F. Power, et al. (1978). Forage yield and fertilizer recovery by three irrigated perennial grasses as affected by fertilization. Agronomy Journal. 70: 373-375.

Hanson, C. L. and F. Rauzi (1977). Class A pan evaporation as affected by shelter, and a daily prediction equation. Agricultural Meteorology. 18: 27-35.

Hanson, C. L. and C. W. Richardson (1983). SPUR climate component. SPUR--Simulation of Production and Utilization of Rangelands: A rangeland model for management and research. J. R. Wight, USDA.

Hanson, C. L. and C. W. Richardson (1983). SPUR: A rangeland model for management and research. Abstracts of Papers: 36th Annual Meeting of the Society for Range Management. Denver, CO, Society for Range Management.

Hanson, C. L. and C. W. Richardson (1987). Parameter estimation for the climate generator. SPUR: Simulation of Production and Utilization of Rangelands. Documentation and User Guide. J. R. Wight and J. W. Skiles, USDA-Agricultural Research Service.

Hanson, C. L., G. A. Schumaker, et al. (1976). Influence of fertilization and supplemental runoff water on production and nitrogen content of western wheatgrass and smooth brome. Journal of Range Management. 29: 406-409.

Hanson, C. L. and J. R. Wight (1986). Accounting for weather and climate effects on vegation--what kinds of data are useful or needed to interpret vegetation trends. Abstracts of the 39th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management.

Hanson, C. L. and J. R. Wight (1986). Acquiring and analyzing climatic and weather data for monitoring and trend analysis. Proceedings of the Symposium on Use of Cover, Soils and Weather Data in Rangeland Monitoring. E. L. Smith, S. S. Coleman, C. E. Lewis and G. W. Tanner. Denver, CO, Society for Range Management: p. 3-13.

Hanson, C. L. and J. R. Wight (1986). Sensitivity analysis of a hydrology and yield model. Abstracts of the 39th Annual Meeting, Society for Range Management, Society for Range Management.

Hanson, C. L. and J. R. Wight (1989). Estimating evapotranspiration from sagebrush-grass rangeland using the Bowen ratio method. Abstracts of the 42nd Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management.

Hanson, C. L. and J. R. Wight (1990). Energy balance of sagebrush-grass range sites in southwestern Idaho. Abstracts of the 43rd Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 142.

Hanson, C. L. and J. R. Wight (1991). The effect of observation time and sampling frequency on mean daily maximum, minimum and average temperature. Abstracts of the 44th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 39.

Hanson, C. L. and J. R. Wight (1991). Energy balance of sagebrush-grass range sites. Abstracts, Sixty Fourth Annual Meeting of the Northwest Scientific Association, Northwest Science. 2: p. 74.

Hanson, C. L. and J. R. Wight (1993). Developing long-term weather records for use with rangeland management models. Proceeding of the XVII International Grassland Congress. M. J. Baker, J. R. Crush and L. R. Humphreys. Palmerston North, New Zealand, New Zealand Grassland Association, Tropical Grasslands Society of Australia, New Zealand Society of Animal Production, Australian Society of Animal Production - Queensland Branch, and New Zealand Institute of Agricultural Science. Volume I: p. 767-768.

Hanson, C. L. and J. R. Wight (1993). Forecasting annual drought conditions for arid and semi-arid rangeland. Proceeding of the XVII International Grassland Congress. M. J. Baker, J. R. Crush and L. R. Humphreys. Palmerston North, New Zealand, New Zealand Grassland Association, Tropical Grasslands Society of Australia, New Zealand Society of Animal Production, Australian Society of Animal Production - Queensland Branch, and New Zealand Institute of Agricultural Science. Volume I: p. 69-70.

Hanson, C. L. and J. R. Wight (1994). Evapotranspiration from a mountainous watershed in southwest Idaho. Abstracts of the 47th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 90.

Hanson, C. L. and J. R. Wight (1994). A technique for forecasting rangeland herbage production. Agriculture Systems and Information Technical (Bureau of Resource Sciences, Australia). 6: 24-25.

Hanson, C. L. and J. R. Wight (1995). Evapotranspiration fluxes within a rangeland watershed. Abstracts of the Oral Papers and Posters Presented at the Fifth International Rangeland Congress. N. E. West. Denver, CO, Society for Range Management.

Hanson, C. L. and J. R. Wight (1995). Spatial and temporal variation of albedo of rangelands. Abstracts of the 48th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 24.

Hanson, C. L. and J. R. Wight (1996). Evapotranspiration fluxes within a rangeland watershed. Proceedings of the Fifth International Rangeland Congress. N. E. West. Denver, CO, Society for Range Management. I. Contributed Presentations: p. 205-206.

Hanson, C. L., J. R. Wight, et al. (1988). Measuring cover using the wheel-point, step-point, and point-frame sampling methods. Technical Bulletin, USDI-Bureau of Land Management.

Hanson, C. L., J. R. Wight, et al. (1994). Forage production, botanical composition and ground cover on grazed and nongrazed plots in southwest Idaho. ARS/BLM Cooperative Studies. Boise, ID, Northwest Watershed Research Center.

Hanson, C. L., J. R. Wight, et al. (1999). "Simulation Models and Management of Rangeland Ecosystems: Past, Present, and Future." Rangelands 21(4): 32-38.

Hanson, C. L., J. R. Wight, et al. (1982). Use of historical yield data to forecast range herbage production. Journal of Range Management. 35: 614-616.

Hanson, C. L., J. R. Wight, et al. (1982). Use of historical yield data to forecast range herbage production. Abstracts of Papers: 35th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 33.

Hanson, C. L., J. R. Wight, et al. (1983). Vegetation and Soils. ARS-BLM Cooperative Studies, Reynolds Creek Watershed. Boise, ID, USDA-Agricultural Research Service.

Hanson, C. L. and D. A. Woolhiser (1978). Probable effect of summer weather modification on runoff. Journal of the Irrigation and Drainage Division, Proceedings of the American Society of Civil Engineers. 13608: 1-11.

Hanson, C. L. and D. A. Woolhiser (1990). Annual precipitation and regional effects on daily precipitation model parameters. Proceedings of the Symposium on Improved Methods of Hydrological Measurements in Mountainous Areas, Hydrology in Mountainous Regions, International Conference on Water Resources in Mountainous Regions, IAHS and IAH. H. Land and A. Musy. Wallingford, Oxfordshire, UK, IAHS Press, Institute of Hydrology: p. 557-565.

Hanson, C. L. and D. A. Woolhiser (1990). Precipitation simulation model for mountainous areas. Proceedings of the International Symposium, Hydraulics/Hydrology of Aridlands, ASCE. R. H. French. New York, NY, American Society of Civil Engineers: p. 578-583.

Hanson, C. L., D. A. Woolhiser, et al. (1988). Program for daily weather simulation. General Index to Abstracts: International Conference on Dryland Farming. P. W. Unger, W. R. Jordan and T. V. Sneed. College Station, TX, Department of Agricultural Communications: p. 18.

Hanson, C. L., D. A. Woolhiser, et al. (1990). Program for daily weather simulation. Challenges in Dryland Agriculture - A Global Perspective, Proceedings of the International Conference on Dryland Farming. P. W. Unger, W. R. Jordan, T. V. Sneed and R. W. Jensen. College Station, TX, Texas Agricultural Experiment Station: p. 347-349.

Hanson, C. L., J. F. Zuzel, et al. (1983). Winter precipitation catch by heated tipping-bucket gages. Transactions of the ASAE. 26: 1479-1480.

Hardegree, S. and S. S. V. Vactor (2004). "Microclimatic Constraints and Revegetation Planning in a Variable Environment." Weed Technology 18(SPEC. ISSUE 1): 1213-1215.

Hardegree, S. H., T. A. Jones, et al. (2011). Assessment of range planting as a conservation practice. Lawrence, KS, Allen Press.

Hardegree, S. P. (1987). Errors in the Estimation of Pre-Excision Plant Water Potentials with the Pressure Chamber. Proceedings: International Conference on Measurement of Soil and Plant Water Status, July 6-10, Logan UT.

Hardegree, S. P. (1989). "Derivation of Plant Cell Wall Water Content by Examination of the Water-Holding Capacity of Membrane-Disrupted Tissues10." Journal of Experimental Botany 40(10): 1099-1104.

Hardegree, S. P. (1989). Discrepancies Between Water Potential Isotherm Measurements on Pinus Ponderosa Seedling Shoots: Xylem Hysteresis and Apoplasmic Osmotic Potentials. Plant, Cell and Environment. 12: 57-62.

Hardegree, S. P. (1989). "Errors in the Estimation of Pre-Excision Plant Water Potential." Irrigation Science 10(4): 321-329.

Hardegree, S. P. (1989). "Xylem Water Holding Capacity as a Source of Error in Water Potential Estimates Made with the Pressure Chamber and Thermocouple Psychrometer." American Journal of Botany 76: 356-360.

Hardegree, S. P. (1992). Germination Requirements of Thelypodium repandum-A Federal C2 Species in East-Central Idaho. ARS/BLM Cooperative Studies. Northwest Watershed Research Center, Internim Report FY-1992, Boise, ID. NWRC 92-4: 8-24.

Hardegree, S. P. (1994). "Drying and Storage Effects on Germination of Primed Grass Seeds." Journal of Range Management 47(3): 196-199.

Hardegree, S. P. (1994). Germination Enhancement of Perennial Grasses Native to the Intermountain Region. Proceedings: Symposium on Ecology, Management and Restoration of Intermountain Annual Rangelands, Boise, ID, May 18-22, 1992.

Hardegree, S. P. (1994). "Matric Priming Increases Germination Rate of Great Basin Native Perennial Grasses." Agronomy Journal 86(2): 289-293.

Hardegree, S. P. (1996). "Optimization of Seed Priming Treatments to Increase Low-Temperature Germination Rate." Journal of Range Management 49(1): 87-92.

Hardegree, S. P. (2004). "Emergency-Rehabilitation and Restoration Planning in a Variable Environment." Bureau of Land Management, National Science and Technology Center, Resource Management Note.: http://www-a.blm/nstc/resourcenotes/resnotes/html.

Hardegree, S. P. (2006). "Predicting Germination Response to Temperature. I. Cardinal-Temperature Models and Subpopulation-Specific Regression." Annals of Botany 97(6): 1115-1125.

Hardegree, S. P. (2006). "Predicting Germination Response to Temperature. III. Model Validation under Field-Variable Temperature Conditions." Annals of Botany 98(4): 827-834.

Hardegree, S. P. and M. D. Burgess (1995). Datalogger Control of Environmental Chambers for Variable-Temperature Germination Experiments. Journal of Range Management. 48: 554-556.

Hardegree, S. P. and W. E. Emmerich (1990). "Effect of Polyethylene Glycol Exclusion on the Water Potential of Solution-Saturated Filter Paper." Plant Physiology 92(2): 462-466.

Hardegree, S. P. and W. E. Emmerich (1990). "Partitioning Water Potential and Specific Salt Effects on Seed Germination of Four Grasses." Annals of Botany 66(5): 587-595.

Hardegree, S. P. and W. E. Emmerich (1991). "Variability in Germination Rate Among Seed Lots of Lehmann Lovegrass." Journal of Range Management 44(4): 323-326.

Hardegree, S. P. and W. E. Emmerich (1992). "Effect of Matric-Priming Duration and Priming Water Potential on Germination of Four Grasses." Journal of Experimental Botany 43(2): 233-238.

Hardegree, S. P. and W. E. Emmerich (1992). Seed Germination Response of Four Southwestern Range Grasses to Equilibration at Subgermination Matric-Potentials. Agronomy Journal. 84: 994-998.

Hardegree, S. P. and W. E. Emmerich (1993). Germination Response of Hand-Threshed Lehmann Lovegrass Seeds. Journal of Range Management. 46: 203-207.

Hardegree, S. P. and W. E. Emmerich (1994). "Seed Germination Response to Polyethylene Glycol Solution Depth." Seed Science and Technology 22(1): 1-8.

Hardegree, S. P., G. N. Flerchinger, et al. (2003). "Hydrothermal Germination Response and the Development of Probabilistic Germination Profiles." Ecological Modelling 167(3): 305-322.

Hardegree, S. P., C. L. Hanson, et al. (1995). Characterizing of Seedbed Microclimate for Revegetation Planning. In: Proceedings Annual Meeting Rangeland Technology and Equipment Council, January 15, 1995, Phoenix, AZ.

Hardegree, S. P., G. L. Johnson, et al. (1996). Intermountain Greenstripping and Rehabilitation Research Project. Rangeland Plant Establishment Program. ARS/BLM Cooperative Studies. Northwest Watershed Research Center. NWRC 96-1: 54.

Hardegree, S. P., G. L. Johnson, et al. (1998). Intermountain Greenstripping and Rehabilitation Research Project. Rangeland Plant Establishment Program. ARS/BLM Cooperative Studies. Northwest Watershed Research Center, Project Report 1991-1997. NWRC 98-1: 161.

Hardegree, S. P., G. L. Johnson, et al. (1999). Intermountain Greenstripping and Rehabilitation Research Project. Rangeland Plant Establishment Program. ARS/BLM

Cooperative Studies. Northwest Watershed Research Center, Interim Report FY-1998. NWRC 99-1: 58.

Hardegree, S. P., T. A. Jones, et al. (2008). "Dynamic Variability in Thermal-Germination Response of Squirreltail (Elymus elymoides and Elymus multisetus)." Environmental and Experimental Botany 62(2): 120-128.

Hardegree, S. P., T. A. Jones, et al. (2002). "Variability in Thermal Response of Primed and Non-Primed Seeds of Squirreltail [Elymus elymoides (Raf.) Swezey and Elymus multisetus (J. G. Smith) M. E. Jones]." Annals of Botany 89(3): 311-319.

Hardegree, S. P., C. A. Moffet, et al. (2013). "Hydrothermal Assessment of Temporal Variability in Seedbed Microclimate." Rangeland Ecology and Management 66: 127-135.

Hardegree, S. P., C. A. Moffet, et al. (2010). "A Comparison of Cumulative-Germination Response of Cheatgrass (Bromus tectorum L.) and Five Perennial Bunchgrass Species to Simulated Field-Temperature Regimes." Environmental and Experimental Botany 69(3): 320-327.

Hardegree, S. P., F. B. Pierson, et al. (1992). Germination Enhancement of Native Grasses for Restoration of Deteriorated Rangelands in the Great Basin. ARS/BLM Cooperative Studies. Northwest Watershed Research Center, Interim Report FY-1992. NWRC 92-4: 25-51.

Hardegree, S. P., F. B. Pierson, et al. (1995). The Development and Testing of a Spatially-Relevant Stochastic Weather Simulation Model.

Hardegree, S. P., F. B. Pierson, et al. (1996). Seedbed Microclimatic Modeling for Burn Rehabilitation Planning in the Great Basin Region of the Western United States. In: Proceedings of the Fifth International Rangeland Congress, Salt Lake City, UT, July 23-28, 1995.

Hardegree, S. P., F. B. Pierson, et al. (1996). Effects of Climate Change on Early Plant Establishment: Maintainance and Restoration of Native Plant Communities in the Great Basin. III: Papers and Presentations. USDA-ARS Global Change Research Program: 34-42.

Hardegree, S. P., F. B. Pierson, et al. (1993). Restoration and Maintenance of Great Basin Plant Communities. ARS/BLM Cooperative Studies. Northwest Watershed Research Center, Interim Report FY-1993. NWRC 93-2: 53-109.

Hardegree, S. P., F. B. Pierson, et al. (1994). Restoration and Maintenance of Great Basin Plant Communities. ARS/BLM Cooperative Study. Northwest Watershed Research Center, Interim Report FY-1994. NWRC 94-1: 2-41.

Hardegree, S. P., F. B. Pierson, et al. (1995). ARS/BLM Cooperative Studies. Northwest Watershed Research Center, Interim Report FY-1995. NWRC 95-1: 59.

Hardegree, S. P., J. M. Schneider, et al. (2012). "Using weather data to improve decision-making." Agricultural Research Service Publication: 18.

Hardegree, S. P., M. Shipitalo, et al. (1994). Biological Processes and Hydrology: Scientific Challenges and Research Opportunities. In: Proceedings of the USDA-ARS Conference on Hydrology, Denver, CO Sept. 13-15, 1993.

Hardegree, S. P. and S. S. Van Vactor (1999). "Predicting Germination Response of Four Cool-Season Range Grasses to Field-Variable Temperature Regimes." Environmental and Experimental Botany 41(3): 209-217.

Hardegree, S. P. and S. S. Van Vactor (2000). "Germination and Emergence of Primed Grass Seeds under Field and Simulated-Field Temperature Regimes." Annals of Botany 85(3): 379-390.

Hardegree, S. P., S. S. Van Vactor, et al. (2008). "Evaluation of NEXRAD Radar Precipitation Products for Natural Resource Applications." Rangeland Ecology and Management 61(3): 346-353.

Hardegree, S. P., S. S. Van Vactor, et al. (1999). "Predicting Variable-Temperature Response of Non-Dormant Seeds from Constant-Temperature Germination Data." Journal of Range Management 52(1): 83-91.

Hardegree, S. P., S. S. VanVactor, et al. (2000). Coordinated Intermounatin Restoration Project. Rangeland Plant Establishment Program. ARS/BLM Cooperative Studies. Northwest Watershed Research Center, Interim Report FY-1999. NWRC 00-1: 53.

Hardegree, S. P., S. S. VanVactor, et al. (2003). Multi-Watershed Evaluation of WSR-88D (NEXRAD) Radar Precipitation Products. In: Proceedings of the First Interagency Conference on Research in the Watersheds, October 28-30, 2003, Benson, Arizona.

Hardegree, S. P. and A. H. Winstral (2006). "Predicting Germination Response to Temperature. II. Three-Dimensional Regression, Statistical Gridding and Iterative-Probit Optimization using Measured and Interpolated-Subpopulation Data." Annals of Botany 98(2): 403-410.

Hardy, J. P., R. Melloh, et al. (2004). "Solar Radiation Transmission through Conifer Canopies." Agricultural and Forest Meteorology 126: 257-270.

Haugen, R. K., C. W. Slaughter, et al. (1982). Hydrology and climatology of the Caribou-Poker Creeks Research Watershed, Alaska.

He, B., J. R. Wight, et al. (1993). Enhancing Simulation Models with Expert Interfacing Systems. Presented at American Society of Agricultural Engineers Summer Meeting, Spokane, WA.

Hershfield, D. M., D. L. Brakensiek, et al. Some measures of agricultural drought: 491-502.

Huber, A. L. (1983). A comparison of several snow accumulation and ablation algorithms used in watershed modeling. 51st Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 76-88.

Huber, A. L. (1984). Water supply forecasting in real-time. Water Resources Bulletin. 20: 167-171.

Hunt Jr, E. R., J. H. Everitt, et al. (2003). "Applications and Research Using Remote Sensing for Rangeland Management." Photogrammetric Engineering and Remote Sensing 69(6): 675-693.

Idso, S. B. and K. R. Cooley (1971). The vertical location of net radiometers: I. The effects of the underlying air layer. Journal of Meteorology Society of Japan. 49: 343-349.

Idso, S. B. and K. R. Cooley (1972). The vertical location of net radiometers: II. The effect of the net radiometer on the underlying surface. Journal of Meteorological Society of Japan. 50: 49-58.

Idso, S. B. and K. R. Cooley (1981). Meteorological modification of particulate air pollution and visibility patterns at Phoenix, Arizona. Archives for Meteorology, Geophysics and Bioclimatology. 29: 229-237.

Jackson, T. J., R. Bindlish, et al. (2012). "Validation of soil moisture and Ocean Salinity (SMOS) soil moisture over watershed networks in the U.S." IEEE Transactions on Geoscience and Remote Sensing 50(5 PART 1): 1530-1543.

Jackson, T. J., M. H. Cosh, et al. (2010). "Validation of Advanced Microwave Scanning Radiometer Soil Moisture Products." IEEE Transactions on Geoscience and Remote Sensing 48(12): 4256-4272.

Jackson, T. J., M. H. Cosh, et al. (2006). Validation of AMSR-E Soil Moisture Products Using Watershed Networks. 2006 IEEE International Geoscience and Remote Sensing Symposium, IGARSS, Denver, CO.

Jeppson, R. W. (1974). Axisymmetric infiltration in soils, I. Numerical techniques for solution. Journal of Hydrology. 23: 111-130.

Jeppson, R. W., W. J. Rawls, et al. (1975). Use of axisymmetric infiltration model and field data to determine hydraulic properties of soils. Water Resources Research. 11: 127-138.

Jeppson, R. W. and D. L. Schreiber (1972). Solution of a two-dimensional, steady-state watershed flow system. Part I. Description of mathematical model. Transactions of the ASAE. 15: 457-470.

Johnson, C. W. (1964). Streamflow depletion and return flow from irrigation, Reynolds Creek Experimental Watershed, Southwest Idaho. ASAE meeting. Paper No. 64-207.

Johnson, C. W. (1965). Precipitation, runoff, and sediment yield for flood events of December 1964 and January 1965 on Reynolds Creek Watershed, Southern Idaho. Meeting on erosion and sedimentation in the Northwest, Columbia Basin Inter-Agency Committee, Water Supply and Water Pollution Control subcommittee Meeting: 6 p.

Johnson, C. W. (1973). History of Reynolds Creek Experimental Watershed. ARS-SCS Western Hydrologist Workshop.

Johnson, C. W. (1973). Runoff studies. ARS-SCS Western Hydrologist Workshop: p. 1-5.

Johnson, C. W. (1983). Rangeland erosion and sedimentation: Research needs review. unpublished manuscript - most likely presented at a meeting.

Johnson, C. W. (1984). Improving USLE for grazing management. Agricultural Research. 32: 1.

Johnson, C. W., H. D. Copp, et al. (1965). Modeling and field testing of a flow-measuring device for streams with extreme ranges of discharge and sediment loads. ASCE Hydraulics Division Conference.

Johnson, C. W., H. D. Copp, et al. (1966). Drop-box weir for sediment-laden flow measurement. Journal of Hydrology. 4: 165-190.

Johnson, C. W., L. M. Cox, et al. (1974). Instrumentation for hydrologic research on the Reynolds Creek Experimental Watershed. International Water Resources Association.

Johnson, C. W., R. L. Engleman, et al. (1977). Helley-Smith bedload samplers. Journal of the Hydraulics Division, Proceedings of the American Society of Civil Engineers. 103: 1217-1221.

Johnson, C. W. and K. A. Gebhardt (1982). Predicting sediment yields from sagebrush rangelands. Proceedings of the Workshop on Estimating Erosion and Sediment Yield on Rangelands, Tucson, Arizona. K. G. Renard. Agricultural Reviews and Manuals ARM-W-26: p. 145-156.

Johnson, C. W. and N. D. Gordon (1984). Streamflow measurement and analysis for northwest rangelands. Proceeding of the Conference Water for Resource Development, Hydraulics Division, ASCE: p. 469-473.

Johnson, C. W. and N. D. Gordon (1986). Sagebrush rangeland erosion and sediment yield. Proceeding of the Fourth Federal Interagency Sedimentation Conference: p. 3:132-133:141.

Johnson, C. W. and N. D. Gordon (1988). Runoff and erosion from rainfall simulator plots on sagebrush rangeland. Transactions of the ASAE. 31: 421-427.

Johnson, C. W., N. D. Gordon, et al. (1984). Rangeland sediment yields with snowmelt by the MUSLE. American Society of Agricultural Engineers Summer Meeting. St. Joseph, MI, American Society of Agricultural Enginners. Paper No. 84-2041.

Johnson, C. W., N. D. Gordon, et al. (1985). Northwest rangeland sediment yield analysis by the MUSLE. Transactions of the ASAE. 28: 1889-1895.

Johnson, C. W. and C. L. Hanson (1976). Sediment sources and yields from sagebrush rangeland watersheds. Proceedings Third Federal Inter-Agency Sediment Conference: p. 71-80.

Johnson, C. W., C. L. Hanson, et al. (1987). The Northwest Watershed Research Center, 1959-86. Engineering Hydrology Symposium Proceedings. A. D. Feldman. New York, NY, American Society of Civil Engineers: p. 127-132.

Johnson, C. W., C. L. Hanson, et al. (1982). Report on quality of watershed and plot data from Northwest Watershed Research Center, Boise, Idaho. The Quality of Agricultural Research Service Watershed and Plot Data. C. W. Johnson, D. A. Farrel and F. W. Blaisdell, USDA-Agricultural Research Service.

Johnson, C. W. and R. P. McArthur (1973). Winter storm and flood analyses, northwest interior. Proceeding of the Hydraulic Division Specialty Conference: p. 359-369.

Johnson, C. W., M. R. Savabi, et al. (1984). Rangeland erosion measurements for the USLE. Transactions of the ASAE. 27: 1313-1320.

Johnson, C. W., G. A. Schumaker, et al. (1980). Effects of grazing and sagebrush control on potential erosion. Journal of Range Management. 33: 451-454.

Johnson, C. W., G. M. Secrist, et al. (1980). Watershed management in action on the Boise Front. ASCE Proceeding of the Symposium on Watershed Management: p. 998-1011.

Johnson, C. W. and J. P. Smith (1978). Sediment characteristics and transport from northwest rangeland watersheds. Transactions of the ASAE. 21: 1157-1162,1168.

Johnson, C. W. and J. P. Smith (1979). Reducing stream sediment loads by irrigation diversions. Transactions of the ASAE. 22: 573-576.

Johnson, C. W. and J. P. Smith (1983). Soil loss caused by off-road vehicle use on steep slopes. Transactions of the ASAE. 26: 402-405, 411.

Johnson, C. W., G. R. Stephenson, et al. (1974). Sediment yield from southwest Idaho rangeland watershed. American Society of Agricultural Engineers Winter Meeting. St. Joseph, MI, American Society of Agricultural Engineers. Paper No. 74-2505: 1-17.

Johnson, C. W. and V. S. Webb (1975). Idaho rangeland watershed management and research. Watershed Management Symposium, ASCE Irrigation and Drainage Division: p. 185-200.

Johnson, D. E., M. Louhaichi, et al. (2005). KRESS Modeler Tutorial, Version 2.0.1. Corvallis, Oregon, Oregon State University.

Johnson, D. E., M. Louhaichi, et al. (2005). KRESS Modeler User's Manual, Version 2.0.1. Corvallis, OR, Oregon State University.

Johnson, G. L. (1990). Farmers' perceptions of agricultural weather information and weather forecasts. National Weather Digest. 14: 36-40.

Johnson, G. L. (1994). Precipitation pattern scaling on a mountainous watershed. Proceedings GEWEX GCIP/MAGS International Workshop on Scaling in Hydrometeorological/Hydrologic Processes and Models.

Johnson, G. L., J. V. Bonta, et al. (1994). Weather and climate characterization. Proceedings of the ARS Conference on Hydrology. C. W. Richardson, A. Rango, L. B. Owens and L. J. Lane, USDA-Agricultural Research Service. ARS Report No. 1994-5: p. 113-122.

Johnson, G. L., C. Daly, et al. (1997). GEM model temperature and precipitation parameter variability, and distribution using PRISM. Conference on Applied Meteorology. Boston, MA, American Meteorology Society.

Johnson, G. L., C. Daly, et al. (2000). Spatial variability and interpolation of stochastic weather simulation model parameters. Journal of Applied Meteorology. 39: 778-796.

Johnson, G. L., J. M. Davis, et al. (1991). The use of polar orbiting satellite sounding data to infer non-urban maximum and minimum temperatures. Seventh Conference on Applied Climatology, American Meteorological Society: p. 254-259.

Johnson, G. L., J. M. Davis, et al. (1994). Estimating urban temperature bias using polar-orbiting satellite data. Journal of Applied Meteorology. 33: 358-369.

Johnson, G. L., J. M. Davis, et al. (1991). On the use of TOVS-derived background surface temperatures in estimates of urban bias. Seventh Conference on Applied Climatology, American Meteorological Society: p. 260-265.

Johnson, G. L., J. M. Davis, et al. (1993). The use of polar-orbiting satellite sounding data to estimate rural maximum and minimum temperatures. Journal of Applied Meteorology. 32: 857-870.

Johnson, G. L., P. J. Dawson, et al. (1995). Derivation of wind and precipitation fields at the watershed scale using two atmospheric models. Proceedings ARS Workshop on Weather and Climate Research.

Johnson, G. L. and C. L. Hanson (1992). Multivariate statistical investigations of precipitation variability and its linkage to atmospheric and topographic influences on a mountaineous watershed. 6th Conference on Mountain Meteorology. Boston, MA, American Meteorological Society: p. 89-92.

Johnson, G. L. and C. L. Hanson (1992). Time scale differences in the spatial variability of precipitation on a mountainous watershed: A rotated principal components approach. 5th International Meeting of Statistical Climatology. Boston, MA, American Meteorological Society: p. 539-542.

Johnson, G. L. and C. L. Hanson (1993). Investigations of atmospheric and topographic influences on the spatial and temporal variability of precipitation on a mountainous watershed. Proceedings of the Conference on Hydroclimatology. Boston, MA, American Meteorological Society: p. 136-137.

Johnson, G. L. and C. L. Hanson (1993). Mountainous precipitation estimation using multivariate statistical analysis and geographic information systems. Proceedings of the Symposium on Engineering Hydrology. C. Y. Kuo. New York, NY, American Society of Civil Engineers: p. 115-120.

Johnson, G. L. and C. L. Hanson (1995). Topographic and atmospheric influences on precipitation variability over a mountainous watershed. Journal of Applied Meteorology. 34: 68-87.

Johnson, G. L., C. L. Hanson, et al. (1995). Stochastic climate simulation model evaluation. Proceedings of the Ninth Conference on Applied Climatology. Boston, MA, American Meteorological Society: p. 49-54.

Johnson, G. L., C. L. Hanson, et al. (1995). The development and testing of a spatially-relevant stochastic weather simulation model. Proceedings of the ARS Workshop on Climate and Weather Research. C. W. Richardson, G. L. Johnson, V. A. Ferreira and P. C. Doraiswamy, USDA-Agricultural Research Service: p. 172-184.

Johnson, G. L., C. L. Hanson, et al. (1996). "Stochastic Weather Simulation: Overview and Analysis of Two Commonly used Models." Journal of Applied Meteorology 35(10): 1878-1896.

Johnson, G. L., C. L. Hanson, et al. (1996). Spatially relevant stochastic weather simulation model development for biological and hydrological applications. 22nd AMS Conference on Agriculture and Forest Meteorology with Symposium on Fire and Forest Meteorology. Boston, MA, American Meteorological Society: p. 369-372.

Johnson, G. L. and B. Meisner (1996). Model-generated data. Workshop handbook: Weather and climate applications for resource management, USFS/BLM.

Johnson, G. L. and K. B. Perry (1983). Broadcasters use of agricultural weather products: A North Carolina survey. Bulletin American Meteorological Society. 64: 1026-1028.

Johnson, G. L., K. B. Perry, et al. (1986). Extension volunteer weather observers improve services to horticulture. Hortscience. 21: 1050-1051.

Johnson, G. L., K. B. Perry, et al. (1990). Dry period probability data for North Carolina.

Johnson, G. L., K. B. Perry, et al. (1990). Probabilities of dry periods in North Carolina.

Johnson, G. L. and D. Suchman (1980). Intercomparisons of SMS wind sets: A study using rapid-scan imagery. Monthly Weather Review. 108: 1672-1688.

Johnson, G. L. and K. M. Williams (1989). Low temperature probability data for North Carolina.

Johnson, G. L. and K. M. Williams (1989). Risk of frost and freeze damage for North Carolina fruit crops.

Johnson, J. B. and D. Marks (2004). "The Detection and Correction of Snow Water Equivalent Pressure Sensor Errors." Hydrological Processes 18(18): 3513-3525.

Kargas, G., P. Kerkides, et al. (2011). "WET sensor performance in organic and inorganic media with heterogeneous moisture distribution." Soil Science Society of America Journal 75(4): 1244-1252.

Kartchner, R. J., J. R. Wight, et al. (1977). Cow-calf production on fertilized and nonfertilized ranges. American Society of Animal Science. 28: 116-118.

Kartchner, R. J., J. R. Wight, et al. (1979). Beef production from yearling cattle grazing native range fertilized at different rates of nitrogen and phosphorus. Proceedings of 71st Annual Meeting, American Society of Animal Science, American Society of Animal Science.

Kartchner, R. J., J. R. Wight, et al. (1979). Response of yearling cattle grazing contourfurrowed range seeded with alfalfa. Proceedings of 71st Annual Meeting, American Society of Animal Science, American Society of Animal Science.

Kartchner, R. J., J. R. Wight, et al. (1983). Beef and forage production on contour furrowed rangeland interseeded with alfalfa. Journal of Range Management. 36: 479-482.

Kelleners, T. J., D. G. Chandler, et al. (2009). "Modeling the Water and Energy Balance of Vegetated Areas with Snow Accumulation." Vadose Zone Journal 8(4): 1013-1030.

Kelleners, T. J., D. G. Chandler, et al. (2010). "Modeling Runoff Generation in a Small Snow-Dominated Mountainous Catchment." Vadose Zane Journal 9.

Kelleners, T. J., M. S. Seyfried, et al. (2005). "Improved Interpretation of Water Content Reflectometer Measurements in Soils." Soil Science Society of America Journal 69(6): 1684-1690.

Kimball, J., D. G. Marks, et al. (1992). A Climatological Database for Assessing Climate Change Effects in the Pacific Northwest. Proceedings of The International Symposium on Managing Water Resources During Climate Change, American Water Resources Association Technical Publication.

Knight, S. S., P. J. Starks, et al. (1994). Scientific Challenges and Opportunities in Wetland and Riparian Research. In: Proceedings of the USDA-Agricultural Research Service on Hydrology, Denver, CO Sept. 15-15, 1993.

Kozak, J. A., R. M. Aiken, et al. (2007). "Comparison of Modeling Approaches to Quantify Residue Architecture Effects on Soil Temperature and Water." Soil and Tillage Research 95(1-2): 84-96.

Kozak, J. A., L. Ma, et al. (2006). "Evaluating Various Water Stress Calculations in RZWQM and RZ-SHAW for Corn and Soybean Production." Agronomy Journal 98(4): 1146-1155.

Kuhlman, A. R. and C. L. Hanson (1966). Panspots range sites produce more runoff than sandy sites. Journal of Soil and Water Conservation. 21: 175-176.

Kumar, M., D. Marks, et al. (2013). "Evaluation of distributed hydrologic impacts of temperature-index and energy-based snow models." Advances in Water Resources 56: 77-89.

Lacey, J. R., J. E. Mowbray, et al. (1980). Most ranchers like contour furrowing. Montana Farmer-Stockmen. 66: 126-127.

Lacey, J. R., J. E. Mowbray, et al. (1981). Ranchers evaluate contour furrows for livestock grazing. Rangelands. 3: 58-60.

Lacey, J. R., J. R. Wight, et al. (1985). Investment rationale for range improvement practices in eastern Montana. Journal of Range Management. 38: 002-006.

Lacey, J. R., J. P. Workman, et al. (1982). Implication of a technological gap in range management. Abstracts of Papers: 35th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 43.

Lauchbaugh, K., B. Brammer, et al. (2007). Interactions Among Livestock Grazing, Vegetation Type, and Fire Behavior in the Murphy Wildland Fire Complex. Reston, VA: USGS, U.S. Geological Survey Open-File Report 2008-1214. 42 p.

Levinson, D. H. and C. L. Hanson (1999). Dual gauge verification of NEXRAD precipitation estimates in mountainous terrain. Pacific Northwest Weather Workshop. Seattle, WA, National Weather Service, University of Washington, Puget Sound Chapter of the American Meteorological Society.

Levinson, D. H. and C. L. Hanson (1999). Dual gauge verification of NEXRAD quantitative precipitation estimates in a mountainous watershed. Workshop on the Use of the WSR-88D in quantitative precipitation estimations in the Intermountain West, NOAA, National Weather Service.

Levinson, D. H. and C. L. Hanson (1999). Verification of NEXRAD snow and rain accumulation estimates at the Reynolds Creek Experimental Watershed. AMS, 29th International Conference on Radar Meteorology: 802-803.

Lewis, J. K., H. L. Dodd, et al. (1970). Abiotic and herbage dynamics studies on the Cottonwood site, 1970. U.S. International Biological Programme Technical Report. Ft. Collins, Colorado, Colorado State University.

Li, R., H. Shi, et al. (2010). "Scheme of Water Saving Irrigation in Autumn Based on SHAW Model in Inner Mongolia Hetao Irrigation District." Nongye Gongcheng Xuebao/Transactions of the Chinese Society of Agricultural Engineering 26(2): 31-36.

Li, R., H. Shi, et al. (2012). "Simulation of freezing and thawing soils in Inner Mongolia Hetao Irrigation District, China." Geoderma 173-174: 28-33.

Lingle, J. C., B. L. Sciaroni, et al. (1961). The effect of soil liming and fumigation on the manganese content of brussels sprout leaves. American Horticulture Science. 78: 310-318.

Lingle, J. C. and J. R. Wight (1961). Manganese toxicity may be aggravated by nitrogen. California Agriculture. 15: 12-13.

Lingle, J. C. and J. R. Wight (1964). Fertilizer experiments with cantaloupes. California Agriculture Experiment Station Bulletin: 22.

Link, T. and D. Marks (1999). "Distributed Simulation of Snowcover Mass-and Energy-Balance in the Boreal Forest." Hydrological Processes 13(14-15): 2439-2452.

Link, T. and D. G. Marks (1999). Distributed Simulation of Snowcover Mass and Energy Balance in a Boreal Forest. In: Snow Hydrology, the Integration of Physical, Chemical, and Biological Systems, edited by J.P. Hardy, M. R. Albert, and P. Marsh, J. Wiley and Sons:.

- Link, T. E., G. N. Flerchinger, et al. (2004). "Simulation of Water and Energy Fluxes in an Old-Growth Seasonal Temperate Rain Forest using the Simultaneous Heat and Water (SHAW) Model." Journal of Hydrometeorology 5(3): 443-457.
- Link, T. E., G. N. Flerchinger, et al. (2005). Water Relations of Old Growth Douglas Fir Stands. Chapter 11 Climate & Hydrology in Mountain Areas. D. C. In: C. De Jong, and R. Ranzi (eds.). Chichester, England, John Wiley and Sons, Ltd.
- Link, T. E. and D. Marks (1999). "Point Simulation of Seasonal Snow Cover Dynamics Beneath Boreal Forest Canopies." Journal of Geophysical Research D: Atmospheres 104(D22): 27841-27857.
- Link, T. E., D. Marks, et al. (2004). "A Deterministic Method to Characterize Canopy Radiative Transfer Properties." Hydrological Processes 18(18): 3583-3594.
- Link, T. E., M. Unsworth, et al. (2004). "The Dynamics of Rainfall Interception by a Seasonal Temperate Rainforest." Agricultural and Forest Meteorology 124(3-4): 171-191.
- Liu, J. Z., D. G. Tarboton, et al. (1995). Snow drifting and snow melt inputs to a spatially distributed hydrologic model. American Metereological Society Conference on Hydrology.
- Logsdon, S. D., T. R. Green, et al. (2010). "Comparison of Electrical and Thermal Conductivities for Soils from Five States." Soil Science 175(12): 573-578.
- Logsdon, S. D., T. R. Green, et al. (2010). "Hydra Probe and Twelve-Wire Probe Comparisons in Fluids and Soil Cores." Soil Science Society of America Journal 74(1): 5-12.
- Longley, K. and D. G. Marks (1991). Supplement to the Image Processing Workbench (IPW), Volume 1.0: Modifications, Procedures, and Software Additions, November, 1989, to October, 1991. U.S. EPA, Environmental Research Laboratory, Corvallis, OR. Technical Report 86-91.
- Longley, K., D. G. Marks, et al. (1992). Supplement to the Image Processing Workbench (IPW): Modifications, Procedures, and Software Additions, November, 1989, to June, 1992 (Revision 2.0). U.S. EPA, Environmental Research Laboratory, Corvallis, OR. Technical Report 101-92.
- Lorenz, R. J., J. R. Wight, et al. (1980). SEA-AR Rangeland scientists in the northern great plains (Montana, North Dakota, and South Dakota). Technical Research Report, Agriculture Research, Science and Education Administration, USDA.
- Louhaichi, M., M. D. Johnson, et al. (2008). Quantitative Measurement of Arid Land Condition and Change at the Local Scale. In: Proceeding of the 9th International Conference on Dryland Development. Alexandria, Egypt, International Dryland and Development Commission.

Lu, Y., R. Doviak, et al. (1995). Estimating large scale vorticity from single doppler radar data. 27th AMS Conference on Radar Meteorology: p. 249-251.

Luce, C., D. G. Tarboton, et al. (1997). Spatially distributed snowmelt inputs to a semi-arid mountain watershed. 65th Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: 344-353.

Luce, C. H., D. G. Tarboton, et al. (1998). The influence of the spatial distribution of snow on basin-averaged snowmelt. Hydrological Processes. 12: 1671-1683.

Luce, C. H., D. G. Tarboton, et al. (1999). Sub-grid parameterization of snow distribution for an energy and mass balance snow cover model. Hydrological Processes. 13.

Ma, L., L. R. Ahuja, et al. (2011). "A protocol for parameterization and calibration of RZWQM2 in field research." Soil Science Society of America Special Publication Book Chapter: 1-64.

Ma, L., G. N. Flerchinger, et al. (2012). "Simulating the surface energy balance in a soybean canopy with the SHAW and RZ-SHAW models." Transactions of the ASABE 55(1): 175-179.

Madsen, M. D., K. W. Davies, et al. (2012). "Agglomerating seeds to enhance native seedling emergence and growth." Journal of Applied Ecology 49: 431-438.

Marks, B. and D. G. Marks (1980). Areal Determination of the Influence of a Forest Canopy on the Surface Radiant Energy Exchange. In: 46th Annual Proceedings of the Western Snow Conference.

Marks, D. (2001). "Topographic and Canopy Controls on Snow Deposition, Snow-Cover Energy Balance and Snowmelt." IAHS-AISH Publication(267): 129-135.

Marks, D., J. Domingo, et al. (1999). "A Spatially Distributed Energy Balance Snowmelt Model for Application in Mountain Basins." Hydrological Processes 13(12-13): 1935-1959.

Marks, D. and J. Dozier (1979). "A Clear-Sky Longwave Radiation Model for Remote Alpine Areas." Archiv für Meteorologie, Geophysik und Bioklimatologie Serie B 27(2-3): 159-187.

Marks, D., J. Kimball, et al. (1998). "The Sensitivity of Snowmelt Processes to Climate Conditions and Forest Cover during Rain-on-Snow: A Case Study of the 1996 Pacific Northwest Flood." Hydrological Processes 12(10-11): 1569-1587.

Marks, D. and A. Winstral (2001). "Comparison of Snow Deposition, the Snow Cover Energy Balance, and Snowmelt at Two Sites in a Semiarid Mountain Basin." Journal of Hydrometeorology 2(3): 213-227.

Marks, D. and A. Winstral (2001). The Effect of Variable Patterns of Snow Deposition and Drifting on Snowmelt, Runoff, and Stream Discharge in a Semi-Arid Mountain Basin, Sun Valley, ID.

Marks, D., A. Winstral, et al. (2002). "Simulation of Terrain and Forest Shelter Effects on Patterns of Snow Deposition, Snowmelt and Runoff over a Semi-Arid Mountain Catchment." Hydrological Processes 16(18): 3605-3626.

Marks, D. G. (1979). An Atmospheric Radiation Model for General Alpine Application. In: Modeling of Snow Cover Runoff, S.C. Colbeck and M. Ray, eds.: USACE: 167-178.

Marks, D. G. (2001). "Introduction to Special Section: Reynolds Creek Experimental Watershed." Water Resources Research 37 (11): 2817.

Marks, D. G., K. R. Cooley, et al. (2001). "Snow Measurements and Database Reynolds Creek Experimental Watershed, Idaho, USA 1962-1996 Water Years." Water Resources Research 37 (11): 2835-2838.

Marks, D. G., K. R. Cooley, et al. (1999). Snow Measurements and Monitoring, Reynolds Creek Experimental Watershed, Idaho, USA. ARS-NWRC Technical Bulletin NWRC 2000-5: Available from ftp.nwrc.ars.usda.gov, U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center, Boise, Idaho: 15.

Marks, D. G., K. R. Cooley, et al. (2001). "Long-Term Snow Database, Reynolds Creek Experimental Watershed, Idaho, USA." Water Resources Research 37 (11): 2835-2838.

Marks, D. G., J. Domingo, et al. (1999). Software Tools for Hydroclimatic Modeling and Analysis: Image Processing Workbench, ARS USGS Version 2. ARS Technical Bulletin NWRC-99-1, Northwest Watershed Research Center, USDA Agricultural Research Service, Boise, ID, Electronic Document: http://cirque.nwrc.ars.usda.gov/~ipw.

Marks, D. G., J. Domingo, et al. (1998). A Spatially Distributed Energy Balance Snowmelt Model for Application in Mountainous Basins. In:66th Annual Proceedings of the Western Snow Conference, Snowbird, Utah:.

Marks, D. G. and J. Dozier (1992). "Climate and Energy Exchange at the Snow Surface in the Alpine Region of the Sierra Nevada II. Snow Cover Energy Balance." Water Resources Research 28 (11): 3043-3054.

Marks, D. G., J. Dozier, et al. (1992). "Climate and Energy Exchange at the Snow Surface in the Alpine Region of the Sierra Nevada I. Meteorological Measurements and Monitoring." Water Resources Research 28 (11): 3029-3042.

Marks, D. G., J. Dozier, et al. (1984). "Automated Basin Delineation from Digital Elevation Data." Geo-processing 2(3): 299-311.

- Marks, D. G., R. Dubayah, et al. (1991). Modeling the Topographic and Spectral Variability of Clear-Sky Solar Radiation at Regional to Continental Scales. Proceedings 1991 IGARSS Symposium, Remote Sensing: Global Monitoring for Earth Management, Espoo, Finland.
- Marks, D. G., G. N. Flerchinger, et al. (2003). Influence of Sub-Grid Variability on Snow Deposition and Ablation in North American Mountain Environments: Implications for Upscaling to Meso-Scale Representations. In: First Interagency Conference on Research in the Watersheds, Benson, Arizona, October 27-30, 2003., USDA Agricultural Research Service, Southwest Watershed Research Center, Tucson, AZ.
- Marks, D. G., G. N. Flerchinger, et al. (2004). An Outdoor Hydro-Climatic Laboratory for the 21st Century: 44 Years of Research Data Collection at the Reynolds Creek Experimental Watershed. Proceedings of the International Instrumented Watershed Symposium, June 22-25, 2004, Edmonton, Alberta, Canada.
- Marks, D. G., R. Kattelmann, et al. (1986). Monitoring Snowcover Properties and Processes in a Small Alpine Watershed. In: Proceedings of the Sixth International Northern Research Basins Workshop/Symposium.
- Marks, D. G., G. A. King, et al. (1993). "Implications of Climate Change for the Water Balance of the Columbia River Basin, USA." Climate Research 2 (3): 203-213.
- Marks, D. G., T. Link, et al. (2001). "Simulating Snowmelt Processes during Rain-on-Snow Over a Semi-Arid Mountain Basin." Annals of Glaciology 32: 195-202.
- Marks, D. G., B. McGurk, et al. (1988). Snow Volume Comparisons for Atmospheric Deposition Monitoring. In: 56th Annual Proceedings of the Western Snow Conference.
- Marks, D. G., M. Reba, et al. (2008). "Comparing Simulated and Measured Sensible and Latent Heat Fluxes over Snow under a Pine Canopy to Improve an Energy Balance Snowmelt Model." Journal of Hydrometeorology 9(6): 1506-1522.
- Marks, D. G., M. S. Seyfried, et al. (2007). "Research Data Collection at the Reynolds Creek Experimental Watershed." Journal of Service Climatology 1: 1-12.
- Marks, D. G., A. W. Winstral, et al. (2003). Influence of Terrain and Vegetation Canopies on Snow Cover Energetics during Melt. International Union of Geodesy and Geophysics General Assembly, June 30 July 11, 2003, Sapporo, Japan.
- Marks, D. G., A. W. Winstral, et al. (2002). Simulation of Terrain and Forest Shelter Effects on Patterns of Snow Deposition, Snowmelt and Runoff over a Semi-Rrid Mountain Catchment. In: Proceedings of the 59th Eastern Snow Conference, J. Hardy and J. Pomeroy, eds.

Marks, D. G., A. W. Winstral, et al. (2001). "Simulating Snow Deposition, Energy Balance, and Melt in a Semi-Arid Watershed." In: Remote Sensing and Hydrology 2000, M. Owe, K. Brubaker, J. Richie, and A. Rango, eds., IAHS Publication 267: 129-135.

McCuen, R. H., W. J. Rawls, et al. (1981). Statistical analysis of the Brooks-Corey and the Green Ampt parameters across soil textures. Water Resources Research. 17: 1005-1013.

McDonald, E. V., F. B. Pierson, et al. (1996). "Application of a Soil-Water Balance Model to Evaluate the Influence of Holocene Climate Change on Calcic Soils, Mojave Desert, California, U.S.A." Geoderma 74(3-4): 167-192.

McGuinness, J. L. and D. L. Brakensiek (1964). Simplified techniques for fitting frequency distributions to hydrologic data. USDA Handbook.

McGurk, B., N. Berg, et al. (1989). "Monitoring Atmospheric Deposition in California's Sierra Nevada: A Comparision of Methods." In: Atmospheric Deposition, J.W. Delleur, ed. IAHS Publication 179: 71-79.

McIntryre, D. H. (1972). Cenozoic Geology of the Reynolds Creek Experimental Watershed, Owyhee County, Idaho. Idaho Bureau of Mines and Geology Pamphlet. Moscow, Idaho, Idaho Bureau of Mines and Geology.

McIver, J., M. Brunson, et al. (2010). "The Sagebrush Steppe Treatment Evaluation Project (SageSTEP): A Test of State-and-Transition Theory

" USDA Forest Service - General Technical Report RMRS-GTR(237): 1-16.

McNamara, J. P., D. Chandler, et al. (2005). "Soil Moisture States, Lateral Flow, and Streamflow Generation in a Semi-Arid, Snowmelt-Driven Catchment." Hydrological Processes 19(20): 4023-4038.

Mech, S. J., G. M. Horner, et al. (1967). Soil profile modification by backhoe mixing and deep plowing. Transactions of the ASAE. 10: 775-779.

Metcalfe, J. R., C. L. Hanson, et al. (1991). North American participation in the WHO solid precipitation measurement intercomparison. 59th Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 126-130.

Miller, R. F., J. D. Bates, et al. (2007). Western Juniper Field Guide: Asking the Right Questions to Select Appropriate Management Actions: U.S. Geological Survey Circular 1321: 61. Available online at http://pubs.usgs.gov/circ/1321/pdf/circ1321.pdf.

Miller, R. F., J. D. Bates, et al. (2005). "Biology, Ecology, and Management of Western Juniper." Oregon State University Technical Bulletin 152: 77.

Moffet, C. A., F. B. Pierson, et al. (2007). "Modeling Soil Erosion on Steep Sagebrush Rangeland Before and After Prescribed Fire." Catena 71(2): 218-228.

Moffet, C. A., F. B. Pierson, et al. (2006). Modeling Erosion on Steep Sagebrush Rangeland before and After Fire. . In: Proceedings of thte 13th Wildland Shrub Symposium, Texas Tech. University, Lubbock, Texas, Aug. 10-13, 2004.

Molnau, M., W. J. Rawls, et al. (1980). Gage density and location for estimating mean annual precipitation in mountainous areas. Water Resources Bulletin. 16: 428-432.

Molnau, M., W. J. Rawls, et al. (1981). Gage density and location for estimating mean annual precipitation in mountainous areas. Water Resources Bulletin. 17: 718-719.

Morehead, M., J. Syvitski, et al. (2001). The Link Between Abrupt Climate Change and Basin Stratigraphy: A Numerical Approach. Global and Planetary Change. 28: 115-135.

Morris, R. P. and C. L. Hanson (1983). Weighing and recording precipitation gage modification. Transactions of the ASAE. 26: 167-168.

Mowbray, J. E. and J. R. Lacey (1983). Livestock grazing & contour furrowing. Western Livestock Journal: 2 p.

Nadler, A., D. G. Chandler, et al. (2005). "Comments on "Field Calibration of Water Content Reflectometers"." Soil Science Society of America Journal 69(4): 1356-1358.

Nassar, I. N., R. Horton, et al. (2000). "Simultaneous Heat and Mass Transfer in Soil Columns Exposed to Freezing/Thawing Conditions." Soil Science 165(3): 208-216.

Nayak, A., D. G. Chandler, et al. (2010). "Correction of Electronic Record for Weighing Bucket Precipitation Gauge Measurements." Water Resources Research 46(4).

Nayak, A., D. Marks, et al. (2012). "Modeling interannual variability in snow-cover development and melt for semiarid mountain catchment." Journal of Hydrologic Engineering 17(1): 74-84.

Nayak, A., D. Marks, et al. (2010). "Long-Term Snow, Climate, and Streamflow Trends at the Reynolds Creek Experimental Watershed, Owyhee Mountains, Idaho, United States." Water Resources Research 46(6).

Neale, C. M. U., G. A. Artan, et al. (1995). A spatially distributed energy balance model: Development, validation and application. Proceedings of the Conference on Hydrology. Boston, MA, American Meteorological Society: p. 152-156.

Nearing, N. A., H. Wei, et al. (2011). "A Rangeland Hydrology and Erosion Model." Transactions of the ASABE 54(3): 1-8.

Neff, E. L. (1965). Principles of precipitation network design for intensive hydrologic investigations. Symposium on Design of Hydrologic Networks, IAHS Press. Extract of publication no. 67: p. 49-55.

Neff, E. L. (1977). How much rain does a rain gage gage? Journal of Hydrology. 35: 213-220.

Neff, E. L. and J. R. Wight (1969). Rangeland hydrology as influenced by contour furrowing. Abstracts of Papers: 22nd Annual Meeting of American Society for Range Management. Denver, CO, Society for Range Management: p. 8.

Neff, E. L. and J. R. Wight (1977). Overwinter soil water recharge and herbage production as influenced by contour furrowing on eastern Montana rangelands. Journal of Range Management. 30: 193-195.

Neff, E. L. and J. R. Wight (1980). Contour furrowing as a range improvement practice. Proceedings of the Watershed Management Symposium, American Society of Civil Engineers, Irrigation and Drainage Division: p. 827-835.

Neff, E. L. and J. R. Wight (1983). Soil-vegetation-hydrology studies. Volume I. Research results, summary, discussion, and recommendations, USDA-Agricultural Research Service.

Neilson, R. P. and D. Marks (1994). "A Global Perspective of Regional Vegetation and Hydrologic Sensitivities from Climatic Change." Journal of Vegetation Science 5: 715-730.

Nicholas, D., J. Frew, et al. (1983). Digital Hardware for Image Processing. In: Manual of Remote Sensing, 2nd Ed. Chpt. 20: 841-872.

O'Neill, P. E., A. Y. Hsu, et al. (1994). SAR Terrain Correction for Improved Soil Moisture Estimation in a Mountain Watershed, Pasadena, CA, USA, IEEE.

O'Neill, P. E., T. J. Jackson, et al. (1993). "Microwave Soil Moisture Estimation in Humid and Semiarid Watersheds." Advances in Space Research 13(5): 115-118.

Onstad, C. A. and D. L. Brakensiek (1968). Watershed simulation by stream path analogy. Water Resources Research. 4: 965-971.

Osborn, H. B., C. L. Hanson, et al. (1987). Effect of elevation and aspect on daily precipitation model parameters. 11th Conference on Weather Modification, 7th Conference on Hydrometeorology. Boston, MA, American Meteorological Society: p. 151-154.

Overton, D. E. and D. L. Brakensiek (1970). A kinematic model of surface runoff response. UNESCO Symposium on results of research on representative and experimental basins, IAHS: p. 100-112.

Papendick, R. I., J. F. Parr, et al. (1987). The Value of Crop Residue for Water Conservation. Presented at: Workshop on Soil, Crop, and Water Management Systems for Rainfed Agriculture in the Sudano-Sehelian Zone, Neamey, Nigeria, USAID, Washington, D.C.

Perry, K. B., T. C. Wehner, et al. (1986). Comparisons of fourteen methods to determine heat unit requirements for cucumber harvest. Hortscience. 21: 419-423.

Phillips, D. L., J. Dolph, et al. (1992). "A Comparison of Geostatistical Procedures for Spatial Analysis of Precipitation in Mountainous Terrain." Agricultural and Forest Meteorology 58(1-2): 119-141.

Phillips, D. L. and D. G. Marks (1996). "Spatial Uncertainty Analysis: Propagation of Interpolation Errors in Spatially Distributed Models." Ecological Modelling 91(1-3): 213-229.

Pierson, F. B. (1990). ARS/BLM Cooperative Studies. U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center. NWRC Tech. Rep. 90-2: 140.

Pierson, F. B. (1991). ARS/BLM Cooperative Studies Report. U.S. Department of Agriculture, Agricultural Research Service, Nothwest Watershed Research Center. NWRC Technical Report No. 91-2: 220.

Pierson, F. B. (1992). ARS/BLM Cooperative Studies Report. U.S. Department of Agricultural Research Service, Northwest Watershed Research Center. NWRC Technical Report 92-5: 215 p.

Pierson, F. B. (1999). Hydrologic Impacts of Fire on the Boise Front. IN: C.W. Slaughter (ed.), Western Watersheds: Science, Sense and Strategies. Proceedings of the Seventh Biennial Watershed Management Conference, University of California, Davis, CA.

Pierson, F. B. (2000). Erosion Models: Use and Misuse on Rangelands. . In: O. Arnalds and A. Archer (eds.), Rangeland Desertification. . Boston, MA, Kluwer Academic Press.

Pierson, F. B., J. Bates, et al. (2006). Runoff and Erosion in Juniper Woodlands. Oregon State University. Agricultural Experiment Station Special Report (SR) 1057.

Pierson, F. B., J. D. Bates, et al. (2007). "Runoff and Erosion after Cutting Western Juniper." Rangeland Ecology and Management 60(3): 285-292.

Pierson, F. B. and W. H. Blackburn (1992). Seedbed Preparation Techniques: Impacts on Rangeland Hydrology and Erosion. IN: Proceedings of the Symposium: Ecology, Management and Restoration of Intermountain Annual Rangelands, May 18-21, 1992. Forest Service, Intermountain Research Station, Ogden, UT.

Pierson, F. B., W. H. Blackburn, et al. (2007). "Hydrologic Impacts of Mechanical Seeding Treatments on Sagebrush Rangelands." Rangeland Ecology and Management 60(6): 666-674.

Pierson, F. B., W. H. Blackburn, et al. (1994). "Partitioning Small Scale Spatial Variability of Runoff and Erosion on Sagebrush Rangeland." Water Resources Bulletin 30(6): 1081-1090.

Pierson, F. B., D. H. Carlson, et al. (2001). "A Process-Based Hydrology Submodel Dynamically Linked to the Plant Component of the Simulation of Production and Utilization on Rangelands SPUR Model." Ecological Modelling 141(1-3): 241-260.

Pierson, F. B., D. H. Carlson, et al. (2002). "Impacts of Wildfire on Soil Hydrological Properties of Steep Sagebrush-Steppe Rangeland." International Journal of Wildland Fire 11(2): 145-151.

Pierson, F. B. and Z. K. Cram (1998). NWRC Runoff and Sediment Collection Field Manual. U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center, USDA. NWRC Technical Report 98-2: 120.

Pierson, F. B., G. N. Flerchinger, et al. (1991). Simulation of the Near-Surface Soil Microenvironment - Model Complexity. Presented at American Society of Agricultural Engineers Summer Meetin, St. Joseph, Michigan, ASAE.

Pierson, F. B., G. N. Flerchinger, et al. (1992). "Simulating Near-Surface Soil Temperature and Water on Sagebrush Rangelands: A Comparison of Models." Transactions of the American Society of Agricultural Engineers 35(5): 1449-1455.

Pierson, F. B. and S. P. Hardegree (1993). ARS/BLM Cooperative Studies Report. U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center. NWRC Tech. Rep. 93-2: 109.

Pierson, F. B., S. P. Hardegree, et al. (1996). Spatial and Temporal Variability of Seedbed Microclimate on Rangelands: Characterization and Modeling. In: Proceedings of the Fifth International Rangeland Congress, Salt Lake City, UT, July 23-28, 1995.

Pierson, F. B., R. H. Hawkins, et al. (1995). Experiences in Estimating Curve Numbers from Rainfall Simulation Data, San Antonio, TX, USA, ASCE.

Pierson, F. B., P. R. Kormos, et al. (2008). Hydrologic and Erosional Impacts of Pinyon and Juniper Encroachment into Sagebrush Steppe Communities of the Great Basin, USA. . In: Proceedings of the 15th Conference of International Soil and Water Conservation Conference, Budapest-Hungary, May 18-23, 2008.

Pierson, F. B., C. A. Moffet, et al. (2009). "Prescribed-Fire Effects on Rill and Interrill Runoff and Erosion in a Mountainous Sagebrush Landscape." Earth Surface Processes and Landforms 34(2): 193-203.

Pierson, F. B. and D. J. Mulla (1989). "An Improved Method for Measuring Aggregate Stability of a Weakly Aggregated Loessial Soil." Soil Science Society of America Journal 53(6): 1825-1831.

Pierson, F. B. and D. J. Mulla (1990). "Aggregate Stability in the Palouse Region of Washington: Effect of Landscape Position." Soil Science Society of America Journal 54(5): 1407-1412.

Pierson, F. B., P. R. Robichaud, et al. (2006). Erosion Following Fire in a Sagebrush Ecosystem of the Northern Great Basin, USA. Proceedings of the 14th International Soil Conservation Organization Conference, Marrakech, Morocco.

Pierson, F. B., P. R. Robichaud, et al. (2008). "Fire Effects on Rangeland Hydrology and Erosion in a Steep Sagebrush-Dominated Landscape." Hydrological Processes 22(16): 2916-2929.

Pierson, F. B., P. R. Robichaud, et al. (2008). "Soil Water Repellency and Infiltration in Coarse-Textured Soils of Burned and Unburned Sagebrush Ecosystems." Catena 74(2): 98-108.

Pierson, F. B., P. R. Robichaud, et al. (2001). "Spatial and Temporal Effects of Wildfire on the Hydrology of a Steep Rangeland Watershed." Hydrological Processes 15(15): 2905-2916.

Pierson, F. B., P. R. Robichaud, et al. (2003). Impacts of Fire on Hydrology and Erosion in Steep Mountain Big Sagebrush Communities. . In: Renard, K.E.,

S.A McElroy, S.A. Gburek, W.J. Canfield, H. Evan, and R.L. Scott (eds). Proceedings of

the First Interagency Conference on Research in the Watersheds., Benson, Arizona.

Pierson, F. B. and D. L. Scarnecchia (1987). "Defoliation of Intermediate Wheatgrass Under Seasonal and Short-Duration Grazing." Journal of Range Management 40: 228-232.

Pierson, F. B., C. W. Slaughter, et al. (2001). "Long-Term Stream Discharge and Suspended-Sediment Database, Reynolds Creek Experimental Watershed, Idaho, United States." Water Resources Research 37(11): 2857-2861.

Pierson, F. B., C. W. Slaughter, et al. (2000). Monitoring Streamflow and Suspended Sediment, Reynolds Creek Experimental Watershed, Idaho, USA. U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center. NWRC Tech. Rep. 2000-8: 20.

Pierson, F. B., C. W. Slaughter, et al. (2001). Long-Term Runoff and Suspended Sediment Measurements Reynolds Creek Experimental Watershed in Southwest Idaho. In:

Proceedings of the 7th Federal Interagency Sedimentation Conference, Washington, D.C., USA, US Subcommittee on Sedimentation .

Pierson, F. B., K. E. Spaeth, et al. (1992). 1991 Annual Progress Report for the Interagency Rangeland Water Erosion Project. U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center. NWRC Technical Report 92-1: 32.

Pierson, F. B., K. E. Spaeth, et al. (1992). Annual Progress Report for the Interagency Rangeland Water Erosion Project. U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Service. NWRC Technical Report 92-4: 100.

Pierson, F. B., K. E. Spaeth, et al. (1998). SPUR 2000: Nebraska Demonstration Project. U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center. NWRC Technical Report No. 98-4: 80.

Pierson, F. B., K. E. Spaeth, et al. (1999). SPUR 2000: Decision Support System for Assessing and Managing Rangelands. . In: Proceedings of the Sixth International Rangeland Congress., Townsville, Australia, July 19-26, 1999.

Pierson, F. B., K. E. Spaeth, et al. (1996). The Use of Models as Rangeland Management Decisions Aids. Perspectives of Rangeland Hydrology Issues for the 21st Century. Society for Range Management. K. E. Spaeth, F. B. Pierson, M. A. Weltz and G. Hendricks. Denver, CO, Society for Range Management: 117-124.

Pierson, F. B., K. E. Spaeth, et al. (2002). "Hydrologic Response of Diverse Western Rangelands." Journal of Range Management 55(6): 558-570.

Pierson, F. B., K. E. Spaeth, et al. (1996). Predicting WEPP Effective Hydraulic Conductivity Values on Rangelands. In: Real World Infiltration, Proceedings of the USDA-ARS Workshop, Pingree Park, CO.

Pierson, F. B., K. R. Spaeth, et al. (2001). Fire Effects on Sediment and Runoff in Steep Rangeland Watersheds. In: Proceedings of the 7th Federal Interagency Sedimentation Conference, Washington DC, USA. 2001., US Subcommittee on Sedimentation.

Pierson, F. B. and J. R. Wight (1991). "Variability of Near-Surface Soil Temperature on Sagebrush Rangeland." Journal of Range Management 44(5): 491-497.

Pierson, F. B., J. R. Wight, et al. (1996). Simulating of Near-Surface Soil Temperature on Rangelands. IN: Grasshopper Integrated Pest Management User Handbook. USDA-APHIS, Washington D.C. Washington D.C. Technical Publication 1809.

Pierson, F. B., C. J. Williams, et al. (2013). "Hydrologic and Erosion Responses of Sagebrush Steppe Following Juniper Encroachment, Wildfire, and Tree Cutting." Society for Range Management 66(3): 274-289.

Pierson, F. B., C. J. Williams, et al. (2011). "Fire, Plant Invasions, and Erosion Events on Western Rangelands." Rangeland Ecology and Management 64: 439-449.

Pierson, F. B., C. J. Williams, et al. (2010). "Hydrologic Vulnerability of Sagebrush Steppe following Pinyon and Juniper Encroachment." Rangeland Ecology and Management 63(6): 614-629.

Pierson Jr, F. B., S. S. Van Vactor, et al. (1994). "Incorporating Small Scale Spatial Variability into Predictions of Hydrologic Response on Sagebrush Rangelands." Variability in Rangeland Water Erosion Processes. Proc. symposium, Minneapolis, 1992: 23-34.

Pomeroy, J. and D. Marks (2009). "IAHS-AISH Publication: Preface." IAHS-AISH Publication(326): v-vi.

Pomeroy, J., A. Rowlands, et al. (2008). "Spatial Variability of Short Wave Irradiance for Snowmelt in Forests." Journal of Hydrometeorology 9(6): 1482-1490.

Pomeroy, J. W., K. Elder, et al. (2004). "Preface." Hydrological Processes 18(18): 3469.

Pomeroy, J. W., D. Marks, et al. (2009). "The Impact of Coniferous Forest Temperature on Incoming Longwave Radiation to Melting Snow." Hydrological Processes 23(17): 2513-2525.

Ponce Campos, G. E., M. S. Moran, et al. (2013). "Ecosystem resilience despite large-scale altered hydroclimatic conditions." Nature 494(7437): 349-352.

Potratz, C. J., R. K. Steinhorst, et al. (1984). Estimating the parameters of a cube-root-normal distribution from reduced sample data. EOS, Transactions of the American Geophysical Union. 65: 1234.

Potratz, C. J., R. K. Steinhorst, et al. (1985). Estimating the parameters of a cube root normal distribution from reduced sample data. Water Resources Research. 21: 89-90.

Prasad, R., D. G. Tarboton, et al. (2001). "Testing a Blowing Snow Model against Distributed Snow Measurements at Upper Sheep Creek, Idaho, United States of America." Water Resources Research 37(5): 1341-1356.

Pypker, T. G., B. J. Bond, et al. (2005). "The Importance of Canopy Structure in Controlling the Interception Loss of Rainfall: Examples from a Young and an Old-Growth Douglas-Fir Forest." Agricultural and Forest Meteorology 130(1-2): 113-129.

Raedeke, K. J., J. J. Millspaugh, et al. (2002). Population Characteristics. Characteristics, pp. 449-513. In: D.E. Toweill and J.W. Thomas (eds.) North American elk: Ecology and

Management. A Wildlife Management Institute book. Smithsonian Institution Press, Washington, D.C. Washington D.C., Smithsonian Institution Press. pp. 449-513.

Rango, A. and K. R. Cooley (1994). Snowmelt water supply research in the ARS Global Change, Water Resources, and Agriculture Program. 62nd Annual Meeting-Western Snow Conference. Ft. Collins, CO, Colorado State University: p. 17-26.

Rango, A., J. Martinec, et al. (1983). "Resolution in Operational Remote Sensing of Snow Cover." In: Hydrological Applications of Remote Sensing and Remote Data Transmission IAHS Publication 145: 371-382.

Rao, A. S., K. C. Singh, et al. (1995). Production of Chenchres ciliaris in relation to rainfall, nitrogen and phosphorus fertilization. Abstracts of the 48th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 52.

Rao, A. S., K. C. Singh, et al. (1996). Production of Chenchres ciliaris in relation to rainfall, nitrogen and phosphorus fertilization. Journal of Range Management. 49: 143-146.

Rauzi, F. and C. L. Hanson (1966). Water intake and runoff as affected by intensity of grazing. Journal of Range Management. 19: 351-356.

Rawls, W. J. and D. L. Brakensiek (1982). Estimating soil water retention from soil properties. Journal of the Irrigation and Drainage Division, Proceedings of the American Society of Civil Engineers. 108: 161-165.

Rawls, W. J. and D. L. Brakensiek (1985). An infiltration based runoff model for use with a design storm. Specialty Conference Hydraulics and Hydrology in the Small Computer Age, Hydrology Division, ASCE: p. 1166-1171.

Rawls, W. J. and D. L. Brakensiek (1985). Prediction of soil water properties for hydrologic modeling. Proceedings of Symposium/Committee on Watershed Management/Irrigation and Drainage Division, ASCE: p. 293-299.

Rawls, W. J., D. L. Brakensiek, et al. (1983). Green-Ampt infiltration parameters from soils data. Journal of Hydraulic Engineering, ASCE. 109: 62-70.

Rawls, W. J., D. L. Brakensiek, et al. (1981). Soil Water Characteristics. 1981 Winter Meeting American Society of Agricultural Engineers. St. Joseph, MI, American Society of Agricultural Engineers.

Rawls, W. J., D. L. Brakensiek, et al. (1988). Prediction of soil cover and soil rock for rangeland infiltration. Journal of Range Management. 41: 307-308.

Rawls, W. J., D. L. Brakensiek, et al. (1983). Agricultural management effects on soil water processes. Part I: Soil water retention and Green and Ampt infiltration parameters. Transactions of the ASAE. 26: 1747-1752.

Rawls, W. J. and R. H. Brooks (1975). Note: Gamma probe dry bulk densities. Soil Science. 120: 68-70.

Rawls, W. J., C. L. Hanson, et al. (1974). Evaluation of the photogrammetric technique for measuring snow volume. EOS, Transactions of the American Geophysical Union. 56: 1117.

Rawls, W. J., T. J. Jackson, et al. (1980). Comparison of areal snow storage sampling procedures for rangeland watershed. Nordic Hydrology. 11: 71-82.

Rawls, W. J. and J. W. Knapp (1972). Methods for predicting urban drainage costs. Journal of Hydraulics Division, Proceedings of the American Society of Civil Engineers. 9206: 1575-1585.

Rawls, W. J., D. C. Robertson, et al. (1975). Comparison of precipitation gage catches with a modified alter and a rigid alter type windshield. Water Resources Research. 11: 415-417.

Rawls, W. J., J. F. Zuzel, et al. (1973). Soil moisture trends on sagebrush rangelands. Journal of Soil and Water Conservation. 28: 270-272.

Reba, M. L., T. E. Link, et al. (2009). "An Assessment of Corrections for Eddy Covariance Measured Turbulent Fluxes Over Snow in Mountain Environments." Water Resources Research 46(4).

Reba, M. L., D. Marks, et al. (2009). Inter-Annual Comparison of Measured Turbulent Fluxes Over Snow at a Wind-Sheltered and a Wind-Exposed Site Using Eddy Covariance, Perugia.

Reba, M. L., D. Marks, et al. (2011). "A long-term data set for hydrologic modeling in a snow-dominated mountain catchment." Water Resources Research 47(7).

Reba, M. L., D. Marks, et al. (2011). "Sensitivity of the snowcover energetics in a mountain basin to variations in climate." Hydrological Processes 25(21): 3312-3321.

Reba, M. L., J. Pomeroy, et al. (2012). "Estimating surface sublimation losses from snowpacks in a mountain catchment using eddy covariance and turbulent transfer calculations." Hydrological Processes 26(24): 3699-3711.

Renard, K. G. and D. L. Brakensiek (1976). Precipitation on intermountain rangeland in the Western United States. Proceeding of the Fifth Workshop of the US/Australia Rangelands Panel. H. F. Heady, D. H. Falkenborg and J. P. Riley: p. 39-59.

Richardson, C. W., C. L. Hanson, et al. (1987). Climate generator. SPUR: Simulation of Production and Utilization of Rangelands. Documentation and User Guide. J. R. Wight and J. W. Skiles, USDA-Agricultural Research Service.

Richardson, E. C., E. G. Diseker, et al. (1970). Practices for erosion control on roadside areas in Georgia. Highway Research Record. 335: 35-44.

Ritchie, J. C. and M. S. Seyfried (1997). "Airborne Laser Altimeter Applications to Water Management." IAHS-AISH Publication 242: 221-227.

Ritchie, J. C. and M. S. Seyfried (1997). "Airborne Laser Altimeter Applications to Water Management." Remote Sensing and Geographic Information Systems for Design and Operation of Water Resources Systems. Proc. International Symposium, Rabat, Morocco, 1997(242): 221-227.

Ritchie, J. C., M. S. Seyfried, et al. (2001). "Airborne Laser Technology for Measuring Rangeland Conditions." Journal of Range Management 54: A8-A21.

Robichaud, P. R., W. J. Elliot, et al. (2007). "Predicting Postfire Erosion and Mitigation Effectiveness with a Web-Based Probabilistic Erosion Model." Catena 71(2): 229-241.

Robichaud, P. R., W. J. Elliot, et al. (2007). "Erosion Risk Management Tool (ERMiT) User Manual (version 2006.01.18)." USDA Forest Service - General Technical Report RMRS-GTR(188 RMRS-GTR): 1-28.

Robichaud, P. R., W. S. Elliot, et al. (2000). Risk Assessment of Fuel Management Practices on Hillslope Erosion Processes. . In: Neuenschwander, L.F.; Ryan, K.C., tech. eds., Proceedings from the Joint Fire Science Conference and Workshop -- "Crossing the Millennium: Integrating Spatial Technologies and Ecological Principles for a New Age in Fire Management"; , June 15-17, 1999; Boise, ID. Moscow, ID: University of Idaho.

Robichaud, P. R., F. B. Pierson, et al. (2007). Runoff and Erosion after Prescribed Fire and Wildfire on Volcanic Ash-Cap Soils. Proceedings RMRS-P-44; USDA Forest Service, Rocky Mountain Research Station, Fort Collins, CO.

Robichaud, P. R., F. B. Pierson, et al. (2008). "Measuring Effectiveness of Three Postfire Hillslope Erosion Barrier Treatments, Western Montana, USA." Hydrological Processes 22(2): 159-170.

Robichaud, P. R., F. B. Pierson, et al. (2006). Effectiveness of Postfire Erosion Control Treatments. Proceedings of the 14th International Soil Conservation Organization Conference, Water Management and Soil Conservation in Semi-Arid Environments, Marrakech, Morocco.

Robins, J. S., L. L. Kelly, et al. (1965). Reynolds Creek in Southwest Idaho: An outdoor hydrologic laboratory. Water Resources Research. 1: 407-413.

Robinson, C. W., W. D. Kemper, et al. (1965). Requirements for achieving and maintaining uniformly low salt in a saline soil. Soil Science Society of America Proceedings. 29: 597-601.

Robinson, D. A., H. Abdu, et al. (2008). "Eco-Geophysical Imaging of Watershed-Scale Soil Patterns Links with Plant Community Spatial Patterns." Vadose Zone Journal 7(4): 1132-1138.

Rosa, J. M. (1966). An electric analog for computing direct surface runoff, Agricultural Research Service.

Rosa, J. M. (1968). Water-yield maps for Idaho.

Roundy, B. A., S. P. Hardegree, et al. (2007). "Prediction of Cheatgrass Field Germination Potential using Wet Thermal Accumulation." Rangeland Ecology and Management 60(6): 613-623.

Rowlands, A., J. Pomeroy, et al. (2002). Small-Scale Spatial Variability of Radiant Energy for Snowmelt in a Mid-Latitude Sub-Alpine Forest. In: Proceedings of the 59th Eastern Snow Conference, J. Hardy and J. Pomeroy, eds.

Rychert, R. C. and G. R. Stephenson (1981). Atypical Escherichia coli in streams. Applied and Environmental Microbiology. 41: 1276-1278.

Rychert, R. C. and G. R. Stephenson (1986). Lactose negative escherichia coli from rangeland streams: Source, antibiotic resistance, and colicinogenicity. Water Resources Bulletin. 22: 39-42.

Sandells, M., G. N. Flerchinger, et al. (2012). "Simulation of snow and soil water content as a basis for satellite retrievals." Hydrology Research 43(5): 720-735.

Sankey, T. T., N. Glenn, et al. (2010). "Characterizing Western Juniper Expansion via a Fusion of Landsat 5 Thematic Mapper and Lidar Data." Rangeland Ecology and Management 63(5): 514-523.

Savabi, M. R., J. R. Wight, et al. (1995). WEPP water balance submodel: model description and evaluation. 1995 ASAE Annual International Meeting. St. Joseph, MO, ASAE. Paper No. 95-2387.

Savabi, M. R., J. R. Wight, et al. (1992). Evaportranspiration prediction on rangelands: Comparison of different equations. Abstracts of the 45th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 46.

Saxton, K. E., K. L. Bristow, et al. (1990). Tillage and Crop Residue Management for Water Conservation. In: P.W. Unger, W.R. Jordan, T.V. Snned and R.W. Jensen (eds.), Challenges in Dryland Agriculture - A Global Perspective, Proceedings of the International Conference on Dryland Farming, Aug. 15-19, 1988. Texas Agricultural Experiment Station, College Station, TX. 965p.

Scanlon, B. R., M. Christman, et al. (2002). "Intercode Comparisons for Simulating Water Balance of Surficial Sediments in Semiarid Regions." Water Resources Research 38(12): 591-5916.

Scarnecchia, D. L., M. Abu-Zanat, et al. (1985). Grazing Behavior of Beef Cattle Under Short-Duration Grazing. In: Proceedings of Beef Information Day, April 11, 1985, Washington State University, Pullman, WA.

Schreiber, D. L. and D. L. Bender (1972). Obtaining overland flow resistance by optimization. Journal of the Hydraulics Division. 8773: 429-446.

Schreiber, D. L., R. W. Jeppson, et al. (1971). Solution of a two-dimensional, steady-state watershed flow system Part II. Evaluation by field data. Soil and Water Division: 464-470.

Schumaker, G. and C. L. Hanson (1977). Herbage response after mechanical and herbicide treatment of big sagebrush in southwest Idaho, USDA-Agricultural Research Service.

Schumaker, G. A., C. L. Hanson, et al. (1979). Loss of mountain big sagebrush (Artemisia tridentata vaseyana) stands in southwestern Idaho during the winter of 1976-1977. Abstracts of Papers: 32nd Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management.

Seyfried, M. (1998). "Spatial Variability Constraints to Modeling Soil Water at Different Scales." Geoderma 85(2-3): 231-254.

Seyfried, M., R. Harris, et al. (2001). "Geographic Database, Reynolds Creek Experimental Watershed, Idaho, United States." Water Resources Research 37(11): 2825-2829.

Seyfried, M. S. (1991). "Infiltration Patterns from Simulated Rainfall on a Semiarid Rangeland Soil." Soil Science Society of America Journal 55(6): 1726-1734.

Seyfried, M. S. (1993). "Field Calibration and Monitoring of Soil-Water Content with Fiberglass Electrical Resistance Sensors." Soil Science Society of America Journal 57(6): 1432-1436.

Seyfried, M. S. (1995). Nature and Amount of Spatial Variability of Soil Water at Multiple Scales. IN Silva, D. (Ed), Vadose Zone Hydrology: Cutting Across Disciplines, Sept. 6-8, 1995, Davis, CA.

Seyfried, M. S. (1996). Scale and the Nature of Spatial Variability. Report of the ARS Global Change Research Planning Workshop, June 4-6, 1996, Boise, ID.

Seyfried, M. S. (1997). Spatial Variablity Constraints to Modeling Soil Water at Different Scales. International Symposium on Physics, Chemistry and Ecology of Seasonally Frozen Soils, April 14-18, 1997, Ft. Collins, CO.

Seyfried, M. S. (2003). Distribution and Application of Research Watershed Data. . Proceedings, First Interagency Conference on Research in the Watersheds. , October 27-30, 2003, Tucson, AZ

Seyfried, M. S. (2003). Incorporation of Remote Sensing Data in an Upscaled Soil Water Model. . Scaling Methods in Soil Physics. Y. Pachepsky, Radcliffe, D.E., Selim, H.M. editors. New York, NY, CRC Press. 309-346.

Seyfried, M. S. and G. N. Flerchinger (1994). "Influence of Frozen Soil on Rangeland Erosion." Variability in rangeland water erosion processes. Proc. symposium, Minneapolis, 1992: 67-82.

Seyfried, M. S., G. N. Flerchinger, et al. (1997). Spatial Variability of Frozen Soil Runoff at Different Scales. International Symposium on Physics, Chemistry, and Ecology of Seasonally Frozen Soils, April 14-18, 1997, Ft. Collins, CO.

Seyfried, M. S., G. N. Flerchinger, et al. (2001). "Long-Term Soil Temperature Database, Reynolds Creek Experimental Watershed, Idaho, United States." Water Resources Research 37(11): 2843-2846.

Seyfried, M. S., G. N. Flerchinger, et al. (2000). Long-Term Soil Microclimate Database: Reynolds Creek Experimental Watershed, Idaho, USA. ARS Technical Bulletin. NWRC-2000-7.

Seyfried, M. S. and L. E. Grant (2007). "Temperature Effects on Soil Dielectric Properties Measured at 50 MHz." Vadose Zone Journal 6(4): 759-765.

Seyfried, M. S., L. E. Grant, et al. (2005). "Dielectric Loss and Calibration of the Hydra Probe Soil Water Sensor." Vadose Zone Journal 4: 1070-1079.

Seyfried, M. S., L. E. Grant, et al. (2009). "Simulated Soil Water Storage Effects on Streamflow Generation in a Mountainous Snowmelt Environment, Idaho, USA." Hydrological Processes 23(6): 858-873.

Seyfried, M. S., C. L. Hanson, et al. (2001). "Long-Term Lysimeter Database, Reynolds Creek Experimental Watershed, Idaho, United States." Water Resources Research 37(11): 2853-2856.

Seyfried, M. S., R. C. Harris, et al. (2000). A Geographic Database for Watershed Research, Reynolds Creek Experimental Watershed, Idaho, USA. ARS Technical Bulletin. NWRC-2000-3.

Seyfried, M. S., A. G. Hornsby, et al. (1992). "Partitioning Variability of Soil Properties Affecting Solute Movement with Soil Taxonomy." Soil Science Society of America Journal 56(1): 207-214.

Seyfried, M. S., W. P. Kustas, et al. (1994). Land Atmosphere Interactions. Proceedings of the ARS Conference on Hydrology, Sept. 13-15, 1993, Denver, CO.

Seyfried, M. S., D. G. Marks, et al. (2011). "Long-term soil water trends across a 1000 m elevation gradient." Vadose Zone Journal 10: 1275-1285.

Seyfried, M. S. and M. D. Murdock (1996). "Calibration of Time Domain Reflectometry for Measurement of Liquid Water in Frozen Soils." Soil Science 161(2): 87-98.

Seyfried, M. S. and M. D. Murdock (1997). "Use of Air Permeability to Estimate Infiltrability of Frozen Soil." Journal of Hydrology 202(1-4): 95-107.

Seyfried, M. S. and M. D. Murdock (2001). "Response of a New Soil Water Sensor to Variable Soil, Water Content, and Temperature." Soil Science Society of America Journal 65(1): 28-34.

Seyfried, M. S. and M. D. Murdock (2002). Effects of Soil Type and Temperature on Soil Water Measurement Using a Soil Dielectric Sensor. First International Symposium on Soil Water Measurement Using Capacitance and Impedance, Nov. 6-8, 2002, Beltsville, MD.

Seyfried, M. S. and M. D. Murdock (2004). "Measurement of Soil Water Content with a 50-MHz Soil Dielectric Sensor." Soil Science Society of America Journal 68(2): 394-403.

Seyfried, M. S., M. D. Murdock, et al. (2001). "Long-Term Soil Water Content Database, Reynolds Creek Experimental Watershed, Idaho, United States." Water Resources Research 37(11): 2847-2851.

Seyfried, M. S. and P. S. C. Rao (1987). "Solute Transport in Undisturbed Columns of an Aggregated Tropical Soil: Preferential Flow Effects." Soil Sciences Society of America Journal 51(6): 1434-1444.

Seyfried, M. S. and P. S. C. Rao (1988). "Kinetics of Nitrogen Mineralization in Costa Rican Soils: Model Evaluation and Pretreatment Effects." Plant and Soil 106(2): 159-169.

Seyfried, M. S. and P. S. C. Rao (1991). "Nutrient Leaching Loss from Two Contrasting Cropping Systems in the Humid Tropics." Tropical Agriculture 68(1): 9-18.

Seyfried, M. S., J. C. Ritchie, et al. (1996). Use of Remote Sensing to Measure Soil Water and Vegetation in Semiarid Rangelands. Report of the ARS Global Change Research Planning Workshop, June 4-6, 1996, Boise, ID.

Seyfried, M. S., S. Schwinning, et al. (2005). "Ecohydrological Control of Deep Drainage in Arid and Semiarid Regions." Ecology 86(2): 277-287.

Seyfried, M. S., D. L. Sparks, et al. (1989). "Kinetics of Calcium-Magnesium Exchange on Soil Using a Stirred-Flow Reaction Chamber." Soil Science Society of America Journal 53(2): 406-410.

Seyfried, M. S. and B. P. Wilcox (1995). "Scale and the Nature of Spatial Variability: Field Examples having Implications for Hydrologic Modeling." Water Resources Research 31(1): 173-184.

Seyfried, M. S. and B. P. Wilcox (2006). "Soil Water Storage and Rooting Depth: Key Factors Controlling Recharge on Rangelands." Hydrological Processes 20(15): 3261-3275.

Seyfried, M. S., B. P. Wilcox, et al. (1990). Environmental Conditions and Processes Associated with Runoff from Frozen Soils at Reynolds Creek Watershed. Proceedings of the International Symposium., "Frozen Soil Impacts on Agricultural, Range, and Forest Lands", March 21-22, 1990, Spokane, WA, Special Report 90-1, U.S. Army Cold Regions Research and Engineering Laboratory, 72 Lyme Road, Hanover, NH.

Sharratt, B. S. and G. N. Flerchinger (1995). "Straw Color for Altering Soil Temperature and Heat Flux in the Subarctic." Agronomy Journal 87(5): 814-819.

Shi, J., P. E. O'Neill, et al. (1994). Estimation of Soil Moisture and Surface Roughness Parameters Using L-Band SAR Measurements. Conference on Microwave Sensing for Forestry and Hydrology, Sept. 26-30, 1994, Rome, Italy.

Shields, L. M. and L. J. Gardner (1961). Bioecology of the arid and semiarid lands of the southwest. Ecology. 42: 1-14.

Sicart, J. E., J. W. Pomeroy, et al. (2004). "A Sensitivity Study of Daytime Net Radiation during Snowmelt to Forest Canopy and Atmospheric Conditions." Journal of Hydrometeorology 5(5): 774-784.

Simonett, D. S., T. R. Smith, et al. (1978). Geobase Information System Impacts on Space Image Formats. University of California, Santa Barbara Remote Sensing Unit. Technical Report 3, NASA Contract NASW-3118.

Singh, U. B., S. C. Gupta, et al. (2000). "Modeling Polydimethylsiloxane Degradation based on Soil Water Content." Environmental Science and Technology 34(2): 266-273.

Skiles, J. W. and J. R. Wight (1985). SPUR: a rangeland simulation model. Abstracts of the 38th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management.

Slaughter, C. W. (1990). Aufeis formation and prevention. Journal of Agricultural Engineering Research: 432-458.

Slaughter, C. W. (1994). Permafrost and northern boreal forest management. Proceedings 1994 Society of American Foresters/Canadian Institute of Forestry Convention. Bethesda, MD, Society of American Foresters: p. 235-240.

Slaughter, C. W. (1994). Taiga river life. Earthwatch. XIII: 102-104.

Slaughter, C. W. (1995). Landscape-scale permafrost-affected catchments for sustained hydrologic and ecosystem research and monitoring. IPA Workshop on Frozen Ground: Our Current Understanding of Processes and Ability to Detect Change, Cold Regions Research and Engineering Laboratory.

Slaughter, C. W. (1996). Sustaining watershed research: The Reynolds Creek Experimental Watershed Example. Proceedings of Sixth Biennial Watershed Management Conference. S. Sommarstrom. University of California: p. 185.

Slaughter, C. W. (1997). Rangeland watershed research: Four decades at Reynolds Creek Experimental Watershed. American Association for the Advancement of Science Meeting.

Slaughter, C. W. (1997). Sustained Rangeland Hydrology Research: Reynolds Creek Experimental Watershed. Abstracts of the 50th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management.

Slaughter, C. W. (1998). Enhanced range management through research: The Northwest Watershed Research Center, Idaho, USA. Society for Range Management Meeting Abstracts.

Slaughter, C. W. (1999). Interdisciplinary research at Northwest Watershed Research Center and Reynolds Creek Experimental Watershed. Riparian and Watershed Management in the Interior Northwest, Oregon State University: p. 119.

Slaughter, C. W. (1999). Overview Seventh Biennial Watershed Management Conference. Watershed Management Conference Proceedings.

Slaughter, C. W. (1999). Research to support sustainable watershed management. Riparian and Watershed Management in the Interior Northwest, Oregon State University.

Slaughter, C. W. and M. A. Bilello (1977). Kolyma Water Balance Station Magadan Oblast, Northeast USSR. Hanover, New Hampshire, US Army Corps of Engineers, Cold Regions Research and Engineering Laboratory.

Slaughter, C. W., J. Brown, et al. (1993). Northern terrestrial research sites including stations, biosphere reserves and other protected areas. Northern Sciences Network. 12: 11-

Slaughter, C. W., P. A. Brown, et al. (1995). High-latitude research sites and biosphere reserves: A MAB-Northern sciences network initiative. International Conference on Biosphere Reserves.

Slaughter, C. W., M. D. Burgess, et al. (1998). Long-term rangeland watershed data: The example of Reynolds Creek Experimental Watershed, Northwestern, USA. Society for Range Management Meeting Abstracts.

Slaughter, C. W., K. R. Cooley, et al. (1996). Baseline Sediment Yield from Dissimilar Headwaters Research Watersheds. IN: Proceedings of the Sixth Federal Interagency Sedimentation Conference, Sedimentation Technologies for Management of Natural Resources in the 21st Century, Las Vegas, NV.

Slaughter, C. W. and P. Goodwin (1998). Application of hydraulic modeling approaches to a rangeland watershed stream. Society for Range Management.

Slaughter, C. W., P. Goodwin, et al. (1998). Upland watershed considerations for comprehensive river restoration. 1998 ASCE Wetlands Engineering & River Restoration Conference, American Society of Civil Engineers: 96-101.

Slaughter, C. W., P. Goodwin, et al. (2000). Watershed Considerations for Integrated Stream Modeling. International Journal of Sediment Research. 15: 42-50.

Slaughter, C. W. and C. L. Hanson (1998). Sustained research into hydrology of rangeland headwaters: Reynolds Creek Experimental Watershed, Idaho, USA. Proceedings of Headwater '98, the Fourth International Conference on Headwater Control. M. J. Haigh, J. Krecek, G. S. Rajwar and M. P. Kilmartin. Rotterdam, Netherlands: 257-261.

Slaughter, C. W. and R. J. Hartzmann (1993). Hydrologic and water quality characteristics of a degrading open-system pingo. Proceedings of the Permafrost Sixth International Conference. 1: p. 574-578.

Slaughter, C. W. and R. J. Hartzmann (1994). Pollutant contributions to a taiga catchment. Tenth International Northern Research Basins Symposium and Workshop.

Slaughter, C. W., R. J. Hartzmann, et al. (1994). Environmental monitoring in a taiga research watershed. American Water Resources Association, Alaska section meeting.

Slaughter, C. W., A. L. Huber, et al. (1997). Implications of the northwest floods of February 1996 for southwestern Idaho. Proceedings of the 2nd Annual Pacific Northwest Water Issues Conference. A. Laenen and J. D. Ruff, American Institute of Hydrology: p. 67-79.

Slaughter, C. W. and J. G. Irons II (1994). Alaskan taiga stream/watershed ecosysem process. EarthCorps Briefing: p. 1-13.

Slaughter, C. W., D. Marks, et al. (2001). "Thirty-Five Years of Research Data Collection at the Reynolds Creek Experimental Watershed, Idaho, United States." Water Resources Research 37(11): 2819-2823.

Slaughter, C. W., D. G. Marks, et al. (1999). Research Data Collection at the Reynolds Creek Experimental Watershed, Idaho, USA. ARS-NWRC Technical Bulletin NWRC 2000-2: Available from ftp.nwrc.ars.usda.gov, U.S. Department of Agriculture, Agricultural Research Service, Northwest Watershed Research Center, Boise, Idaho: 11.

Slaughter, C. W. and F. B. Pierson (2000). "Sediment Yield and Hydrology in Northwestern Rangelands." International Journal of Sediment Research 15(2): 253-259.

Slaughter, C. W., K. E. Spaeth, et al. (1998). Watershed research programs: Opportunities for long-term biodiversity monitoring and research. International Symposium on Measuring and Monitoring Forest Biological Diversity:. F. Dallmeier and J. A. Comiskey. 20.

Slaughter, C. W., K. E. Spaeth, et al. (1996). Research watersheds: Opportunities for long-term biodiversity monitoring and research. International Symposium on Measuring and Monitoring Forest Biological Diversity: The International Network of Biodiversity Plots, Smithsonian Institute/Man and the Biosphere Biodiversity Program. Washington, D.C., Smithsonian Institute.

Slaughter, C. W., L. A. Viereck, et al. (1990). Ecological monitoring in Alaska's subarctic boreal ecosystem. IA RPC Workshop on Arctic Contamination.

Smith, F. M., C. F. Cooper, et al. (1967). Measuring snow depths by aerial photogrammetry: Evaluation and recommendations. Western Snow Conference.

Soiseth, R. J. (1975). Runoff and reservoir quality for livestock use in Southeastern Montana. Journal of Range Management. 28: 344-348.

Soiseth, R. J., J. R. Wight, et al. (1974). Improvement of panspot (Solonetzic) range sites by contour furrowing. Journal of Range Management. 27: 107-110.

Spaete, L. P., N. F. Glenn, et al. (2011). "Vegetation and Slope Effects on Accuracy of a LiDAR-Derived DEM in the Sagebrush Steppe." Remote Sensing Letters 2(4): 317-326.

Spaeth Jr, K. E., F. B. Pierson Jr, et al. (2003). "Evaluation of USLE and RUSLE Estimated Soil Loss on Rangeland." Journal of Range Management 56(3): 234-246.

Spaeth, K. E., F. Busby, et al. (1998). "Summary: State of Nonfederal Rangeland in the United States." 1992 National Resources Inventory NRCS Tech. Rep. 4 pp.: ftp://ftp.ftw.nrcs.usda.gov/pub/glti/92NRIsummary.pdf.

Spaeth, K. E., M. Pellant, et al. (1999). Natural Resource Inventory on BLM Lands in Colorado: An Analysis of Rangeland Health. In: Proceedings of the Sixth International Rangeland Congress., Townsville, Australia, July 19-26, 1999.

Spaeth, K. E., F. B. Pierson, et al. (2003). USDA National Resource Inventory Protocols on Nonfederal Rangelands in the United States. Journal of Soil and Water Conservation. 58: 18-21.

Spaeth, K. E., F. B. Pierson, et al. (1994). Rangeland Hydrologic Assessments at Three Locations in California: Upper Stoney Watershed, Sierra Field Station, and Stemple Creek. USDA- Soil Conservation Service, Midwest National Technical Center, Lincoln, NE. Technical Note 190-LI-6.

Spaeth, K. E., F. B. Pierson, et al. (2007). Hydrology, Erosion, Plant, and Soil Relationships After Rangeland Wildfire. . In: Proceedings of the 13th Wildland Shrub Symposium, Texas Tech University, Lubbock, Texas, August 10-13, 2004.

Spaeth, K. E., F. B. Pierson, et al. (1994). Hydrologic Assessments Within the Bad River Basin Watershed of South Dakota. USDA-Soil Conservation Service, Midwest National Technical Cnter, Lincoln, NE. Tech. Note 190-LI-4.

Spaeth, K. E., F. B. Pierson, et al. (2002). "Grazingland Hydrology, Chapter 7. ." Updated National Range and Pasture Handbook 190VI.

Spaeth, K. E., F. B. Pierson, et al. (1996). "Gradient Analysis of Infiltration and Environmental Variables as Related to Rangeland Vegetation." Transactions of the American Society of Agricultural Engineers 39(1): 67-77.

Spaeth, K. E. and R. E. Sosebee (1996). Spatial variability of plant species diversity in shortgrass prairie. Proceedings of the Fifth International Rangeland Congress.

Spaeth, K. E., R. L. Thurow, et al. (1996). Ecosystem Dynamics and Management Effects on Rangeland Hydrology. In: Perspectives of Rangeland Hydrology Issues for the 21st Century. K. E. Spaeth, F. B. Pierson and M. A. Weltz. Denver, CO, Society for Range Management. 25-51.

Spaeth, K. E., D. Vik, et al. (1994). Erosion Prediction in the Bad River Basin, South Dakota, Using SPUR-91, USDA, Soil Conservation Service, Midwest National Technical Center, Lincoln, NE. Technical Note 190-LI-5.

Spaeth, K. E., M. A. Weltz, et al. (1994). "Spatial Pattern Analysis of Sagebrush Vegetation and Potential Influences on Hydrology and Erosion." Variability in rangeland water erosion processes. Proc. symposium, Minneapolis, 1992: 35-50.

Spaeth, K. E., M. A. Weltz, et al. (1994). "Spatial Pattern Analysis of Sagebrush Vegetation and Potential Influences on Hydrology and Erosion." Variability in Rangeland Water Erosion Processes. Proc. symposium, Minneapolis, 1992: 35-50.

Spaeth, K. E., M. A. Weltz, et al. (1995). Small Plot Rainfall Simulation: Background and Procedures. USDA, Soil Conservation Service, Washington D.C. National Technical Bulletin 230-15-12.

Springer, E. P. A review of selected available saturated-unsaturated flow models: 381-385.

Springer, E. P. and T. W. Cundy (1987). Field-scale evaluation of infiltration parameters from soil texture for hydrologic analysis. Water Resources Research. 23: 325-334.

Springer, E. P., C. W. Johnson, et al. (1983). Modeling of runoff and sediment yield from rangeland watersheds in southwest Idaho. Annual Summer Meeting of American Society of Agricultural Engineers. St. Joseph, MI, American Society of Agricultural Engineers. Paper No. 83-2055.

Springer, E. P., C. W. Johnson, et al. (1984). Testing of the SPUR hydrology component on rangeland watersheds in Southwest Idaho. Transactions of the ASAE. 27: 1040-1046, 1054.

Springer, E. P., E. L. Neff, et al. (1983). Simulation of runoff and soil loss from field size areas in Southeastern Montana. American Society of Agriculture Engineers Summer Meeting. St. Joseph, MI, American Society of Agriculture Engineers. Paper No.83-0000.

Springer, E. P. and J. R. Wight (1983). SPUR model evaluation. Abstracts of Papers: 36th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management.

Starks, K. J., G. Schumaker, et al. (1971). Soil fertility and damage by Chilo Zonellus to grain sorghum. Journal of Economic Entomology. 64: 740-743.

Steiner, J. L., D. C. Goodrich, et al. (2003). Information Technology in the ARS Watershed Network In: Proceedings of the First Interagency Conference on Research in the Watersheds, Benson, AZ, October 27-30, 2003.

Stephenson, G. and J. F. Zuzel (1967). Seismic refraction studies in watershed hydrology. 5th Annual Symposium on Engineering Geology and Soils Engineering.

Stephenson, G. R. Subsurface flow systems. ARS-SCS Western Hydrologist Workshop.

Stephenson, G. R. (1960). Fundamentals of landform characteristics. unpublished manuscript.

Stephenson, G. R. (1964). Losses to ground water. unpublished manuscript.

Stephenson, G. R. (1965). Network design for groundwater studies in a small watershed. Symposium on Design of Hydrological Networks, IAHS Press. Extract of publication no. 68: p. 456-465.

Stephenson, G. R. (1973). Stock-water development from shallow aquifer systems on southwest Idaho rangeland. Proceedings from the Water-Animal Relations Symposium.

Stephenson, G. R. and V. A. (1987). Recovery of compacted soil on pastures used for winter cattle feeding. Journal of Range Management. 40: 46-48.

Stephenson, G. R. and C. B. England (1969). Digitized physical data of a rangeland watershed. Journal of Hydrology. 8: 442-450.

Stephenson, G. R. and R. A. Freeze (1974). Mathematical simulation of subsurface flow contributions to snowmelt runoff, Reynolds Creek Watershed, Idaho. Water Resources Research. 10: 284-294.

Stephenson, G. R. and R. C. Rychert (1982). Bottom sediment: A reservoir of Escherichia coli in rangeland streams. Journal of Range Management. 35: 119-123.

Stephenson, G. R. and L. V. Street (1978). Bacterial variations in streams from a Southwest Idaho rangeland watershed. Journal of Environmental Quality. 7: 150-157.

Stephenson, G. R. and J. F. Zuzel (1981). Groundwater recharge characteristics in a semi-arid environment of Southwest Idaho. Journal of Hydrology. 53: 213-227.

Sun, H., Y. Shen, et al. (2010). "Effect of Precipitation Change on Water Balance and WUE of the Winter Wheat-Summer Maize Rotation in the North China Plain." Agricultural Water Management 97(8): 1139-1145.

Susong, D., D. Marks, et al. (1999). "Methods for Developing Time-Series Climate Surfaces to Drive Topographically Distributed Energy- and Water-Balance Models." Hydrological Processes 13(12-13): 2003-2021.

Syvitshi, J. P., M. Morehead, et al. (2000). Estimating Fluvial Sediment Transport: The Rating Parameters. Water Resources Research. 36 (9): 2747-2760.

Tarboton, D. G., T. H. Jackson, et al. (1995). A grid based distributed hydrologic model: Testing against data from Reynolds Creek Experimental Watershed. Proceedings of the American Meterological Society Conference on Hydrology, American Meterological Society: p. 77-90.

Tarboton, D. G., C. M. U. Neale, et al. (1998). Scaling Up Spatially Distributed Hydrologic Models of Semi-Arid Watersheds. In: 1998 Water and Watersheds Program Review. EPA/NSF, Corvallis, Oregon.

Timlin, D. J., Y. Pachepsky, et al. (2002). "Error Analysis of Soil Temperature Simulations using Measured and Estimated Hourly Weather Data with 2DSOIL." Agricultural Systems 72(3): 215-239.

Tinkham, W. T., H. Huang, et al. (2011). "A Comparison of Two Open Source LiDAR Surface Classification Algorithms." Remote Sensing 3: 638-649.

Turner, D. P., R. Dodson, et al. (1996). "Comparison of Alternative Spatial Resolutions in the Application of a Spatially Distributed Biogeochemical Model Over Complex Terrain." Ecological Modelling 90(1): 53-67.

Turner, D. P. and D. G. Marks (1996). Application of Topographically Distributed Models of Energy, Water, and Carbon Balance over the Columbia River Basin: A Framework for Simulating Potential Climate Change at the Regional Scale. In: Regional Impacts of Global Climate Change: Assessing Change and Response at the Scales that Matter, S.J. Ghan, W. T. Pennell, K. L. Peterson, E. Rykiel, M. J. Scott, and L. W. Vail, eds., 32nd Hanford Symposium on Health and the Environment, Oct. 19-21, 1993, Richland, WA, Battelle Press.

United States Department of Agriculture, A. (1992). Global change, water resources and agriculture. Boise, ID, USDA-Agricultural Research Service.

Unnikrishna, P. V., J. J. McDonnell, et al. (1995). Stable Isotopes Tracing as a Tool for Testing Assumptions in a Grid Based Distribution Hydrologic Model. In: AMS Conference on Hydrology, January 15-20, 1995, Dallas, TX., American Meteorological Society, Boston, MA.

Unsworth, M. H., N. Phillips, et al. (2004). "Components and Controls of Water Flux in an Old-Growth Douglas-Fir-Western Hemlock Ecosystem." Ecosystems 7(5): 468-481.

Van Heeswijk, M., J. Kimball, et al. (1996). Simulation of Water Available for Runoff in Clearcut Forest Openings during Rainonsnow Events in the Western Cascade Range of Oregon and Washington. USGS Water-Resources Investigations Report 954219, Tacoma, Washington: 67.

Wang, D., P. J. Dawson, et al. (1995). Simulation of a winter storm over a mountainous watershed. Proceedings 7th Conference on Mountain Meteorology, American Meteorology Society: p. 162-167.

Wang, H., G. N. Flerchinger, et al. (2010). "Improving SHAW Long-Term Soil Moisture Prediction for Continuous Wheat Rotations, Alberta, Canada." Canadian Journal of Soil Science 90(1): 37-53.

Wang, R., M. Kumar, et al. (2013). "Anomalous trend in soil evaporation in a semi-arid, snow-dominated watershed." Advances in Water Resources 57: 32-40.

Wei, H., M. A. Nearing, et al. (2010). "Response to 'comment on "A New Splash and Sheet Erosion Equation for Rangelands"." Soil Science Society of America Journal 74(1): 342.

Wei, H., M. A. Nearing, et al. (2009). "Erratum: A New Splash and Sheet Erosion Equation for Rangelands (Soil Sci Soc Am J 73:1386-1392er)." Soil Science Society of America Journal 73(5): 1754.

Wei, H., M. A. Nearing, et al. (2009). "A New Splash and Sheet Erosion Equation for Rangelands." Soil Science Society of America Journal 73(4): 1386-1392.

Weiss, A., G. N. Flerchinger, et al. (2009). "Recent Advances in Crop Growth Modelling." NJAS - Wageningen Journal of Life Sciences 57(1): 3.

Weltz, M. A., D. A. Fox, et al. (1996). Erosion Prediction on Range and Grazing Lands: A Current Perspective. Perspectives of Rangeland Hydrology Issues for the 21st Century. K. E. Spaeth, J. Pierson, F.B. and M. A. Weltz. Denver, CO, Society for Range Management: 97-116.

Weltz, M. A., L. Jolley, et al. (2011). "Techniques for assessing the environmental outcomes of conservation practices applied to rangeland watersheds." Journal of Soil and Water Conservation 66 (5): 154A-162A.

Weltz, M. A., L. Jolley, et al. (2008). Assessing the Benefits of Grazing Land Conservation Practices. Journal of Soil and Water Conservation. 63: 214-217.

Wessman, L., L. Juarros, et al. (2000). Eighth Street Fire Monitoring Efforts in the Boise Foothills. In: Watershed Management Council Networker. Watershed Management Council, Davis, CA. Winter Edition.

West, N. E., J. M. Stark, et al. (1994). Effects of climate change on the edaphic feaures of arid and semiarid lands of western North America. Arid Soil Research and Rehabilitation. 8: 307-351.

Western, A. W. and M. S. Seyfried (2005). "A Calibration and Temperature Correction Procedure for the Water-Content Reflectometer." Hydrological Processes 19(18): 3785-3793.

White, L. M., J. Newbauer, et al. (1978). Vegetational differences on native range during 38 years in eastern Montana. First International Rangeland Congress: p. 260-262.

White, L. M. and J. R. Wight (1973). Development and growth of several forage species in the northern Great Plains. Abstracts of Papers: 26th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 25.

White, L. M. and J. R. Wight (1979). Digestibility and forage yield of seven grasses, three alfalfas, and cicer milkvetch during the growing season in eastern Montana. Abstracts of Papers: 32nd Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 13.

White, L. M. and J. R. Wight (1981). Seasonal dry matter yield and digestibility of seven grasses, alfalfa, and cicer milkvetch in eastern Montana. Agronomy Journal. 73: 457-462.

- White, L. M. and J. R. Wight (1983). Long term yield, quality, and persistence of seven grasses, three alfalfas, and cicer milkvetch. Abstracts of Papers: 36th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management.
- White, L. M. and J. R. Wight (1984). Forage yield and quality of dryland grasses and legumes. Journal of Range Management. 37: 233-236.
- Wicks, J. M., J. C. Bathurst, et al. (1992). Calibrating SHE soil-erosion model for different land covers. Journal of Irrigation and Drainage Engineering, ASCE. 118: 708-723.
- Wicks, J. M., J. C. Bathurst, et al. (1988). Application of two physically-based sediment yield models at plot and field scales. Proceedings of the Porto Alegre Symposium. IAHS Pub. no. 174: p. 583-591.
- Wight, J. R. (1959). Development and evaluation of laboratory method for determining the nitrogen supplying power of the irrigated soils of northern Utah. Logan, UT, Utah State University.
- Wight, J. R. (1966). Site-vegetation characteristics and relationships of juniper communities. Laramie, WY, University of Wyoming.
- Wight, J. R. (1967). The sampling unit and its effect on saltbush yield estimates. Journal of Range Management. 20: 323-325.
- Wight, J. R. (1971). Comparison of lysimeter and neutron scatter techniques for measuring evapotranspiration from semiarid rangelands. Journal of Range Management. 24: 390-393.
- Wight, J. R. (1973). Are we using our rangeland resources efficiently? Montana Farmer-Stockman. 17: 28-30.
- Wight, J. R. (1974). A summary of range fertilization research conducted by the Northern Plains Soil and Water Research Center. Proceeding of Range Fertilizer Symposium. Bozeman, MT, Montana Agricultural Experiment Station, Montana State University: p. 1-6.
- Wight, J. R. (1975). Land surface modifications and their effects on range and forest watersheds. Journal of Range Management. 28: 165-174.
- Wight, J. R. (1976). Land surface modifications and their effects on range and forest watersheds. Proceedings of the Fifth Workshop of the US/Australia Rangelands Panel: p. 165-174.
- Wight, J. R. (1976). Management practices for increasing range forage production. Proceedings of Beef Cattle Field Day: p. 21-30.
- Wight, J. R. (1976). Range fertilization in the northern Great Plains. Journal of Range Management. 29: 180-185.

- Wight, J. R. (1977). Effects of native range fertilization. Proceedings of SoMoNo Beef School: p. 5.
- Wight, J. R. (1978). Contour furrow seeding. 32nd Annual Report of the Vegetative Rehabilitation and Equipment Workshop.
- Wight, J. R. (1978). Mechanical range improvements. Proceedings of Regional Rangeland Symposium: Management and use of the northern plains rangeland.
- Wight, J. R. (1984). Application of a water-balance, climate model for research and management in a desert-shrub community. Proceedings of Symposium on the Biology of Atriplex and related Chenopods. A. R. Tiedemann, E. D. McArthur, H. C. Stutz, R. Stevens and K. L. Johnson. Ogden, UT, USDA-Forest Service, Intermountain Forest and Range Experiment Station. GTR INT-172: p. 120-123.
- Wight, J. R. (1984). Modeling soil water dynamics of rangeland soils. Abstracts of the 37th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management.
- Wight, J. R. (1984). Rangeland models for research and management. Proceedings of the Great Plains Agriculture Council: p. 71-74.
- Wight, J. R. (1987). ERHYM-II: Model description and user guide for the basic version, USDA-Agriculture Research Service.
- Wight, J. R. (1987). Rangeland modeling. Integrated pest mangement on rangeland: State of the art in the sagebrush ecosystem. J. A. Onsager, USDA-Agriculture Research Service.
- Wight, J. R. (1988). Potential impact of modeling and systems simulation in rangeland research and management. Fort Keogh Research Symposium. R. S. White and R. E. Short. Bozeman, MT, Montana Agricultural Experiment Station: p. 107-110.
- Wight, J. R. (1992). Improving the useability of rangeland simulation models. Managing water resources during global change, International Conference. R. Hermann. Bethesda, MD, American Water Resource Association: p. 261-262.
- Wight, J. R. (1994). Decision support systems for restoration and management of annual rangelands. Symposium on Ecology, Management, and Restoration of Intermountain Annual Rangelands. S. B. Monson and S. G. Kitchen. Ogden, UT, USDA-Forest Service, Intermountain Forest and Range Experiment Station: p. 320-322.
- Wight, J. R. (1997). RANGETEK: Its development and application. Abstracts of the 50th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 24.

- Wight, J. R., D. C. Adams, et al. (1991). Beef and forage production on fertilized mixed prairie rangeland. Abstracts-Rangeland resources influencing change in a global setting. Denver, CO, Society for Range Management: p. 30.
- Wight, J. R. and A. L. Black (1971). Rangeland ecosystems of the northern Great Plains as affected by high levels of nitrogen and phosphorus fertilization: II. Effect on energy fixation. Abstracts of Papers: 24th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 35.
- Wight, J. R. and A. L. Black (1971). Yield potentials of rangelands as related to nutrient and soil water availability. Proceedings of Annual Pacific Northwest Fertilizer Conference. Portland, OR, Pacific Northwest Plant Food Association: p. 48-54.
- Wight, J. R. and A. L. Black (1972). Energy fixation and precipitation-use efficiency in a fertilized rangeland ecosystem of the northern Great Plains. Journal of Range Management. 25: 376-380.
- Wight, J. R. and A. L. Black (1974). Soil water use and recharge in a mixed prairie plant community as affected by fertitilization. Abstracts of Papers: 27th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 36-37.
- Wight, J. R. and A. L. Black (1977). Nitrogen and phosphorus uptake and soil water use in a mixed prairie community. The Belowground Ecosystem: A synthesis of plant associated processes. J. K. Marshall. Fort Collins, CO, Colorado State University.
- Wight, J. R. and A. L. Black (1978). Range fertilization: Plant response and water use. Abstracts of Papers: 31st Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 44.
- Wight, J. R. and A. L. Black (1978). Soil water use and recharge in a fertilized mixed prairie plant community. Journal of Range Management. 31: 280-282.
- Wight, J. R. and A. L. Black (1979). Range fertilization: Plant response and water use. Journal of Range Management. 32: 345-349.
- Wight, J. R. and H. G. Fisser (1968). Juniperus Osteosperma in northwestern Wyoming: Their distribution and ecology. Laramie, Wyoming, University of Wyoming, Agricultural Experiment Station.
- Wight, J. R., H. G. Fisser, et al. (1984). Biology and ecology of sagebrush in Wyoming: IV. Validation of a rangeland production model (ERHYM) for a sagebrush site. Abstracts of Wildlife Shrub Symposium: The Biology of Artemisia and Chrysothamnus: p. 13.
- Wight, J. R., H. G. Fisser, et al. (1986). Biology and ecology of sagebrush in Wyoming: IV. Validation of a rangeland production model (ERHYM) for a sagebrush site. Proceedings of

- the Symposium on the Biology of Artemisia and Chrysothamnus. E. D. McArthur and B. L. Welch. Boise, ID, USDA-Forest Service Intermountain Research Station: p. 320-325.
- Wight, J. R., G. N. Flerchinger, et al. (1996). Simulating Evapotranspiration from Rangelands: Simple vs. Complex Models. In: N.E. West (ed.), Proceedings of the Fifth International Rangeland Congress, July 23-28, 1995, Salt Lake City, UT., Society for Range Management, Denver, CO.
- Wight, J. R., K. A. Gebhardt, et al. (1990). RANGETECH: A decision aid for range management. Transferring Models to Users, Symposium Proceedings. E. B. Janes and W. R. Hotchkiss. Bethesda, MD, American Water Resources Association: p. 179-185.
- Wight, J. R., C. K. Gee, et al. (1983). Integrated rangeland and cropland management. Dryland agriculture. H. E. Dregne and W. O. Willis. Madison, WI, ASA, CSSA, SSSA. Agronomy Monograph No. 23: 435-460.
- Wight, J. R. and B. Godfrey (1985). Predicting yield response to nitrogen fertilization on Northern Great Plains rangelands. Journal of Range Management. 38: 238-241.
- Wight, J. R. and R. J. Hanks (1980). Predicting range herbage production with a water-balance, climate model. Abstracts of Papers: 33rd Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 55.
- Wight, J. R. and R. J. Hanks (1981). A water-balance, climate model for range herbage production. Journal of Range Management. 34: 307-311.
- Wight, J. R. and C. L. Hanson (1985). ERHYM--a simplified rangeland hydrology and yeild model. Abstracts of the 38th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management.
- Wight, J. R. and C. L. Hanson (1986). Modeling range plant phenology. Abstracts of the 39th Annual Meeting, Society for Range Management, Society for Range Management.
- Wight, J. R. and C. L. Hanson (1987). The simulation of soil temperature and water regimes associated with seedling establishment on rangeland soils. Proceedings of the Symposium Seed and seedbed ecology of rangeland plants. G. W. Frasier and R. A. Evans, USDA-Agricultural Research Service: p. 93-96.
- Wight, J. R. and C. L. Hanson (1988). Crop coefficients for calculating evapotransipiration from rangelands. Abstracts of the 41st Annual Meeting, Society for Range Management, Society for Range Management: p. 41.
- Wight, J. R. and C. L. Hanson (1988). Modeling evapotranspiration and runoff from small rangeland catchments. Proceedings of the Third International Rangeland Congress. P. Singh, V. Shankar and A. K. Srivastava. Jhansi, India, Range Management Society of India and Indian Grassland and Fodder Research Institute: p. 149-151.

- Wight, J. R. and C. L. Hanson (1988). Simulating the soil water dynamics of a mixed prairie range site. Proceedings of the International Symposium on Modeling Agricultural, Forest, and Rangeland Hydrology. New York, NY, American Society of Civil Engineers. ASAE Publication 07-88: p. 41-48.
- Wight, J. R. and C. L. Hanson (1989). Use of stochastically generated weather records with rangeland simulation models. Abstracts of the 42nd Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 79.
- Wight, J. R. and C. L. Hanson (1990). Crop coefficients for rangeland. Journal of Range Management. 43: 482-485.
- Wight, J. R. and C. L. Hanson (1990). Evapotranspiration characteristics of sagebrush-grass range sites in southwestern Idaho. Abstracts of the 43rd Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 142.
- Wight, J. R. and C. L. Hanson (1991). Use of stochastically generated weather records with rangeland simulation models. Journal of Range Management. 44: 282-285.
- Wight, J. R. and C. L. Hanson (1992). Comparison of methods used to determine evapotranspiration from rangelands. Abstracts of the 45th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 40.
- Wight, J. R. and C. L. Hanson (1993). Making models easy to use. Proceeding of the XVII International Grassland Congress. M. J. Baker, J. R. Crush and L. R. Humphreys. Palmerston North, New Zealand, New Zealand Grassland Association, Tropical Grasslands Society of Australia, New Zealand Society of Animal Production, Australian Society of Animal Production Queensland Branch, and New Zealand Institute of Agricultural Science. Volume I: p. 769-770.
- Wight, J. R. and C. L. Hanson (1993). Simulation models as decision aids for management of rangeland ecosystems. Proceeding of the XVII International Grassland Congress. M. J. Baker, J. R. Crush and L. R. Humphreys. Palmerston North, New Zealand, New Zealand Grassland Association, Tropical Grasslands Society of Australia, New Zealand Society of Animal Production, Australian Society of Animal Production Queensland Branch, and New Zealand Institute of Agricultural Science. Volume I: p. 770-771.
- Wight, J. R. and C. L. Hanson (1996). Validation of the ET component of RANGETEK. Proceedings of the Fifth International Rangeland Congress. N. E. West. Denver, CO, Society for Range Management.
- Wight, J. R., C. L. Hanson, et al. (1983). Modeling evapotranspiration from sagebrush rangelands. American Society of Agricultural Engineers Summer Meeting. St. Joseph, Missouri, American Society of Agricultural Engineers. ASAE Paper No. 83-2100.

- Wight, J. R., C. L. Hanson, et al. (1986). Modeling evapotranspiration from sagebrush-grass rangeland. Journal of Range Management. 39: 81-85.
- Wight, J. R., C. L. Hanson, et al. (1996). Energy Balance Dynamics Within a Shrub-Dominated Watershed. In: J.R. Barrow, E.D. McArthur, R.E. Sosebee and R.J. Tausch (cmpl.), Shrubland Ecosystem Dynamics in a Changing Environment, Proceedings of the Ninth Annual Wildland Shrub Symposium, May 23-25, 1995, Las Cruces, NM, USDA-Forest Service, Intermountain Research Station.
- Wight, J. R., C. L. Hanson, et al. (1991). Forecasting rangeland forage production with RANGETEK. Models for Management of Grazed Ecosystems, Symposium Proceedings International Society for Ecological Modelling, 42nd Annual AIBS Meeting.
- Wight, J. R., C. L. Hanson, et al. (1996). Simulation models as decision support tools for range management. Abstracts: 1996 Annual Conference of the Soil Water Conservation Society.
- Wight, J. R., C. L. Hanson, et al. (1986). SPUR: A model for simulation of production and utilization of rangelands. Rangelands: A Resource Under Seige, Proceedings of the Second International Rangeland Congress. P. J. Joss, P. W. Lynch and O. B. Williams. Canberra, Australian Academy of Sciences: p. 79.
- Wight, J. R., C. L. Hanson, et al. (1982). Forecasting yearly herbage production using historical climatic data with a conceptual range forage model. Abstracts of Papers: 35th Annual Meeting of the Society for Range Management. Denver, CO, Society for Range Management: p. 47.
- Wight, J. R., C. L. Hanson, et al. (1984). Using weather records with a forage production model to forecast range forage production. Journal of Range Management. 37: 3-6.
- Wight, J. R., C. L. Hanson, et al. (1993). Comparing Bowen ratio-energy balance systems for measuring ET. Proceedings of the National Conference on Irrigation and Drainage Engineering, Management of Irrigation and Drainage Systems: Integrated Perspectives. R. G. Allen and C. M. U. Neale. New York, NY, American Society of Civil Engineers: p. 953-960.
- Wight, J. R., C. L. Hanson, et al. (1994). Evapotranspiration reference equations for rangeland applications. Abstracts of the 47th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 90.
- Wight, J. R. and B. He (1993). Decision support systems: New tools for managing rangeland ecosystems. Proceedings of the 1993 ASAE Conference: p. 150-157.
- Wight, J. R., J. C. Lingle, et al. (1963). The effects of irrigation and nitrogen fertilization treatments on yield, maturation, and quality of canning tomatoes. Proceedings of American Society of Horticulture Science. 81: p. 451-457.

- Wight, J. R. and C. J. Lovely (1981). Application of the soil loss tolerance concept to rangeland. Proceedings of the Workshop on Estimating Erosion/Sedimentation Yields on Rangelands, SEA-AR: p. 199-201.
- Wight, J. R. and J. E. Mowbray (1996). Spatial and temporal variability in the phenological development of key plant species on the Reynolds Creek Watershed. Abstracts of the 49th Annual Meeting, Society for Range Management. Denver, CO, Society for Range Management: p. 86.
- Wight, J. R. and E. L. Neff (1976). Overwinter soil water recharge as affected by contour furrowing. Abstracts of Papers: 29th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 19-20.
- Wight, J. R. and E. L. Neff (1977). Information technical report to BLM cooperators, one of the deliverable products specified in the Cooperative Agreement. Interim Report--ARS-BLM Cooperative Study.
- Wight, J. R. and E. L. Neff (1983). Soil-Vegetation-Hydrology Studies Volume II. A User Manual for ERHYM: The Ekalaka Rangeland Hydrology and Yield and Model, USDA-Agriculture Research Service.
- Wight, J. R., E. L. Neff, et al. (1975). Snow management on eastern Montana rangelands. Proceedings of the Snow Management on the Great Plains Symposium. Lincoln, NE, Agricultural Experiment Station, University of Nebraska: p. 138-142.
- Wight, J. R., E. L. Neff, et al. (1977). Vegetation response to contour furrowing. Abstracts of Papers: 30th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 51.
- Wight, J. R., E. L. Neff, et al. (1978). Maximizing forage production on fine-textured range sites in the Northern Great Plains. Rangeman's Journal. 5: 42-44.
- Wight, J. R., E. L. Neff, et al. (1978). Vegetation response to contour furrowing. Journal of Range Management. 31: 97-101.
- Wight, J. R. and J. T. Nichols (1966). Effects of harvester ants on production of a saltbrush community. Journal of Range Management. 19: 68-71.
- Wight, J. R., F. B. Pierson, et al. (1991). Influence of Sagebrush on the Soil Microclimate. In: Proceedings of the Syposium on Ecology and Management of Riparian Shrub Communities, 7th Annual Wildland Shrub Symposium, May 29-31, 1991, Sun Valley, ID.
- Wight, J. R. and F. H. Siddoway (1972). Improving precipitation-use efficiency on rangeland by surface modification. Journal of Soil and Water Conservation. 27: 170-174.

- Wight, J. R. and F. H. Siddoway (1982). Determinants of soil loss tolerance for rangelands. Determinants of soil loss tolerance. B. L. Schmidt. Madison, WI, American Society of Agronomy: p. 67-74.
- Wight, J. R., F. H. Siddoway, et al. (1978). Contour furrows seeded with grasses and legumes increase production on semiarid range sites. Proceedings of the First International Rangeland Congress. Denver, CO: p. 643-644.
- Wight, J. R., F. H. Siddoway, et al. (1978). Contour furrows seeded with grasses and legumes increase productivity of arid and semiarid rangelands. Abstracts of First International Rangeland Congress.
- Wight, J. R. and E. P. Springer (1983). Application of the rangeland simulation model SPUR in resource planning and management. Abstracts: 38th Annual Meeting of Soil Conservation Society of America, Soil Conservation Society of America.
- Wight, J. R. and E. P. Springer (1985). SPUR-Simulation of production and utilization of rangelands. Proceedings of the Natural Resources Modeling Symposium. D. G. DeCoursey, USDA Agriculture Research Service: p. 49-55.
- Wight, J. R., E. P. Springer, et al. (1983). SPUR model overview. Abstracts of Papers: 36th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management.
- Wight, J. R. and L. M. White (1969). Plant community dynamics in the mixed prairie of southeastern Montana from 1936-1964. Abstracts of Papers: 22nd Annual Meeting of American Society for Range Management. Denver, CO, Society for Range Management: p. 56.
- Wight, J. R. and L. M. White (1973). Effect of interseeding and pitting on a sandy range site in eastern Montana. Abstracts of Papers: 26th Annual Meeting of Society for Range Management. Denver, CO, Society for Range Management: p. 8.
- Wight, J. R. and L. M. White (1974). Interseeding and pitting on a sandy range site in Eastern Montana. Journal of Range Management. 27: 206-210.
- Wilcox, B. P. (1984). The Puna high elevation grassland of the Andes. Rangelands. 6: 99-101.
- Wilcox, B. P., B. L. Allen, et al. (1988). Description and classification of soils of the high elevation grasslands of Central Peru. Geoderma. 42: 79-94.
- Wilcox, B. P., F. C. Bryant, et al. (1987). An evaluation of range condition on one range site in the Andes of Central Peru. Journal of Range Management. 40: 41-45.

- Wilcox, B. P., F. C. Bryant, et al. (1986). Grassland communities and soils on a high elevation grassland of Central Peru. Phytologia. 61: 231-250.
- Wilcox, B. P., K. R. Cooley, et al. (1989). Predicting snowmelt runoff on sagebrush rangeland using a calibrated SPUR hydrology model. Transactions of the ASAE. 32: 1351-1357.
- Wilcox, B. P., C. L. Hanson, et al. (1989). Modeling hydrologic processes on sagebrush rangelands in southwestern Idaho. Abstracts of the 42nd Annual Meeting, Society for Range Management, Society for Range Management: p. 78.
- Wilcox, B. P., C. L. Hanson, et al. (1989). Sagebrush rangeland hydrology and evaluation of the SPUR hydrology model. Water Resources Bulletin. 25: 653-666.
- Wilcox, B. P., W. J. Rawls, et al. (1989). Modeling runoff from rangeland watersheds: A comparison of two approaches. EOS Transactions of the American Geophysical Union. 70: 1114.
- Wilcox, B. P., W. J. Rawls, et al. (1990). Predicting runoff from rangeland catchments: A comparison of two models. Water Resources Research. 26: 2401-2410.
- Wilcox, B. P., M. Sbaa, et al. (1992). Runoff prediction from sagebrush rangelands using water erosion prediction project (WEPP) technology. Journal of Range Management. 45: 470-474.
- Wilcox, B. P. and M. S. Seyfried (2010). "Ecohydrologists Ponder the Implications of a Rapidly Changing Planet." Eos 91(12): 112.
- Wilcox, B. P., M. S. Seyfried, et al. (1990). Chaotic Characteristics of Snowmelt Runoff: A Preliminary Study. In: Watershed Planning and Analysis in Action, Symposium Proceedings of IR Conference, Watershed Mgt/IR Div/ASCE, Durango, CO, July 9-11, 1990.
- Wilcox, B. P., M. S. Seyfried, et al. (2003). Water Balance on Rangelands. In Encyclopedia of Water Science. New York, NY, Marcel Dekker. 791-794.
- Wilcox, B. P., M. S. Seyfried, et al. (2012). "Ecohydrologic connections and complexities in drylands: New perspectives for understanding transformative landscape change." Ecohydrology 5(2): 143-144.
- Wilcox, B. P., M. S. Seyfried, et al. (1989). Modeling Runoff from Sagebrush Rangelands Along a Climatic Gradient in Southwest Idaho. In Proceedings of Symposium on Headwaters Hydrology, June 1989, Bethesda, MD, American Water Resources Association.
- Wilcox, B. P., M. S. Seyfried, et al. (1991). "Runoff Characteristics of Sagebrush Rangelands: Modeling Implications." Journal of Soil and Water Conservation: 153-158.

Wilcox, B. P., M. S. Seyfried, et al. (1991). "Searching for Chaotic Dynamics in Snowmelt Runoff." Water Resources Research 27(6): 1005-1010.

Wilcox, B. P., L. Turnbull, et al. (2012). "Invasion of shrublands by exotic grasses: Ecohydrological consequences in cold versus warm deserts." Ecohydrology 5(2): 160-173.

Wilcox, B. P., J. R. Wight, et al. (1990). A multi-species rangeland hydrologic model: Preliminary results. Transferring Models to Users, Symposium Proceedings. E. B. Janes and W. R. Hotchkiss. Bethesda, MD, American Waters Resources Association: p. 199-207.

Wilcox, B. P. and M. K. Wood (1988). Hydrologic impacts of sheep grazing on steep slopes in semiarid rangelands. Journal of Range Management. 41: 303-306.

Wilcox, B. P. and M. K. Wood (1989). Factors influencing interrill erosion from semiarid slopes in New Mexico. Journal of Range Management. 42: 66-70.

Wilcox, B. P., M. K. Wood, et al. (1988). Factors influencing infiltrability of semiarid mountain slopes. Journal of Range Management. 41: 197-206.

Wilcox, B. P., M. K. Wood, et al. (1986). A hand-portable single nozzle rainfall simulator designed for use on steep slopes. Journal of Range Management. 39: 375-377.

Wilson, K. D., P. E. Clark, et al. (2009). Distribution of Cattle Grazing in a Northeastern Oregon Riparian Pasture. In: Range Field Day 2009 Progress Report. Special Report 1092. Corvallis, OR: Oregon State University, Agricultural Experiment Station. p. 15-24.

Winstral, A. and D. Marks (2002). "Simulating Wind Fields and Snow Redistribution Using Terrain-Based Parameters to Model Snow Accumulation and Melt Over a Semi-Arid Mountain Catchment." Hydrological Processes 16(18): 3585-3603.

Winstral, A., D. Marks, et al. (2009). "An Efficient Method for Distributing Wind Speeds Over Heterogeneous Terrain." Hydrological Processes 23(17): 2526-2535.

Winstral, A., D. Marks, et al. (2009). Modelling Time-Series Wind Fields Over a Semi-Arid Mountain Catchment, Perugia.

Winstral, A. W. and D. G. Marks (2002). Simulating Wind Fields and Snow Redistribution Using Terrain-Based Parameters to Model Snow Accumulation and Melt Over Semi-Arid Mountain Catchment. In: Proceedings of the 59th Eastern Snow Conference, J. Hardy and J. Pomeroy, eds.

Wischmeier, W. H., C. B. Johnson, et al. (1971). A soil erodibility nomograph for farmland and construction sites. Journal of Soil and Water Conservation. 26: 1-12.

Wood, J. C., W. H. Blackburn, et al. (1989). Infiltration and runoff water quality response to silvicultural and grazing treatments on a longleaf pine forest. Journal of Range Management. 42: 378-381.

Wood, J. C. and M. K. Wood (1988). Infiltration and water quality on range sites at Fort Stanton, New Mexico. Water Resources Bulletin. 24: 317-323.

Wood, J. C. and M. K. Wood (1988). Influence of Pinyon-Juniper and sagebrush control on infiltration rates and runoff water quality in Northern New Mexico. New Mexico Journal of Science. 28: 7-21.

Woolhiser, D. A., C. L. Hanson, et al. (1970). Overland flow on rangeland watersheds. Journal of Hydrology (N.Z.). 9: 336-356.

Woolhiser, D. A., C. L. Hanson, et al. (1985). Microcomputer program for daily weather simulation. Proceedings of the Specialty Conference on Hydraulics and Hydrology in the Small Computer Age. New York, NY, American Society of Civil Engineers, Hydraulics Division: p. 1154-1159.

Woolhiser, D. A., C. L. Hanson, et al. (1988). Microcomputer program for daily weather simulation - A. Technical Report, USDA-Agricultural Research Service.

Woolhiser, D. A., R. E. Smith, et al. (1970). Evapotranspiration components of watershed models for the Great Plains. Proceedings, Evaporation in the Great Plains Seminar, Research Committee, Great Plains Agricultural Council: p. 111-136.

Xiao, W., G. N. Flerchinger, et al. (2006). "Evaluation of the SHAW Model in Simulating the Components of Net All-Wave Radiation." Transactions of the ASABE 49(5): 1351-1360.

Xiao, W., Q. Yu, et al. (2006). "Evaluation of SHAW Model in Simulating Energy Balance, Leaf Temperature, and Micrometeorological Variables within a Maize Canopy." Agronomy Journal 98(3): 722-729.

Xiuqing, Z. and G. N. Flerchinger (2001). "Infiltration into Freezing and Thawing Soils under Differing Field Treatments." Journal of Irrigation and Drainage Engineering 127(3): 176-183.

Xiuqing, Z., M. W. Van Liew, et al. (2001). "Experimental Study of Infiltration Into a Bean Stubble Field During Seasonal Freeze-Thaw Period." Soil Science 166(1): 3-10.

Yang, D., B. Goodison, et al. (2001). Compatibility Evaluation of National Precipitation Gage Measurements. Journal of Geophysical Research. 106: 1481-1491.

Yang, D., B. E. Goodison, et al. (1995). Accuracy of NWS 8" standard non-recording precipitation gauge: Results of WMO intercomparison. Proceedings of the Ninth Conference on Applied Climatology. Boston, MA, American Meteorological Society: p. 29-34.

- Yang, D., B. E. Goodison, et al. (1998). Accuracy of NWS 8" standard nonrecording precipitation gauge: Results and application of WMO intercomparison. Journal of Atmospheric and Oceanic Technology. 15: 54-68.
- Yang, D., B. E. Goodison, et al. (1995). Accuracy of Tretyakov precipitation gauge: Result of WMO intercomparison. Hydrological Processes. 9: 877-895.
- Yang, D., B. E. Goodison, et al. (1995). Accuracy of the Russian, Tretyakov precipitation gauge: Results of WMO intercomparison. Proceedings Eastern Snow Conference.
- Yang, D., B. E. Goodwin, et al. (1999). Quantification of precipitation measurement discontinuity induced by wind shields on national gauges. Water Resources Research. 35: 491-508.
- Young, J. A., J. R. Wight, et al. (1993). Field stratification of antelope bitterbrush seeds. Journal of Range Management. 46: 325-330.
- Yu, Q. and G. N. Flerchinger (2008). Extending Simultaneous Heat and Water (SHAW) Model to Simulate Carbon Dioxide and Water Fluxes Over Wheat Canopy. Chapter 7 In: L.R. Ahuja, V.R. Reddy, S.A. Saseendran, and Q. Yu (eds.) Response of Crops to Limited Water: Understanding and Modeling Stress Effects on Plant Growth Processes., Madison, WI, Advances in Agricultural Systems Modeling Ser. 1. ASA, CSSA, SSSA.
- Yu, Q., G. N. Flerchinger, et al. (2007). "Energy Balance Simulation of a Wheat Canopy using the RZ-SHAW (RZWQM-SHAW) Model." Transactions of the ASABE 50(5): 1507-1516.
- Yu, Q., S. A. Saseendran, et al. (2006). "Modeling a Wheat-Maize Double Cropping System in China using Two Plant Growth Modules in RZWQM." Agricultural Systems 89(2-3): 457-477.
- Yuguang, B., S. P. Hardegree, et al. (1999). "Technical Note: Pericarp Removal has Little Effect on Sagebrush Seeds." Journal of Range Management 52(4): 384-386.
- Zasada, J. C., A. G. Gordon, et al. (1997). Ecological considerations for the sustainable management of the North American boreal forests. Riparian & Watershed Management of the North American Boreal Forests. Laxenburg, Austria, IIASA.
- Zhang, Y., S. K. Carey, et al. (2010). "Comparison of Algorithms and Parameterisations for Infiltration into Organic-Covered Permafrost Soils." Hydrology and Earth System Sciences Discussions 6(5): 5705-5752.
- Zuzel, J. F. (1973). Precipitation studies at Reynolds Creek. ARS-SCS Western Hydrologist Workshop.

Zuzel, J. F. (1981). Conditional flow simulation: A stochastic forecast model. Water Resources Research. 17: 595-601.

Zuzel, J. F. and L. M. Cox (1975). Relative importance of meteorological variables in snowmelt. Water Resources Research. 11: 174-176.

Zuzel, J. F. and L. M. Cox (1978). A review of operational water supply forecasting techniques in areas of seasonal snowcover. Western Snow Conference: p. 69-77.

Zuzel, J. F. and W. T. Ondrechen (1975). Comparing water supply forecast techniques. Watershed Management Symposium, ASCE Irrigation and Drainage Division: p. 327-336.

Zuzel, J. F., D. C. Robertson, et al. (1975). Optimizing long-term streamflow forecasts. Journal of Soil and Water Conservation. 30: 76-78.

(1996). Global Change and Agriculture: Soil, Water, and Plant Resources. A. R. S. United States Department of Agriculture.

(1996). Perspectives of Rangeland Hydrology Issues for the 21st Century. Denver, CO, Society for Range Management.

(1998). Evaluation of Doppler lidar measurements of momentum flux and wind variability along an upwelling coast. D. H. Levinson, National Oceanic and Atmospheric Administration.